



Oregon

Kate Brown, Governor

Water Resources Department

North Mall Office Building
725 Summer St NE, Suite A
Salem, OR 97301
Phone (503) 986-0900
Fax (503) 986-0904
www.Oregon.gov/OWRD

September 20, 2018

JIM MACK SR. WWC #1493
BANDON WELL AND PUMP COMPANY
47530 HIGHWAY 101
BANDON, OREGON 97411

FINAL ORDER

Dear Mr. Mack:

The Special Standards Request Form you submitted for owner: Michael Keiser, Start Card numbers 1039276, 1039289, 1039322, 1039336, 1039373 and 1039390, is hereby approved for the following: You may remove your drilling machine from this well construction site prior to completion of the wells. This is due to the fact that you are awaiting sieved analysis and well screen construction and will complete the wells after receiving the material. It is our understanding from your request that you have installed 6 inch steel casings within a 10 inch borehole, for each well, to a depth of 18 feet and sealed the annular space to the surface with bentonite chips. A condition of this Special Standards Request is that the drilling machine return to the site and the wells be completed within six weeks from the date of this letter. A copy of your Special Standards Request Form is enclosed.


Verbal authorization for this Special Standards Request was provided on September 12, 2018.

OAR 690-210-0390 requires the well constructor to request and receive approval prior to removing the drilling machine from a well site prior to completion or abandonment of the water supply well. Please note, in the future, **no special standards will be granted for after-the-fact requests.**

The Well Construction Standards serve to protect ground water resources. By approving and issuing this special construction standard the Oregon Water Resources Department is not representing that a well constructed in accordance with this condition will maintain structural integrity or that it meets engineering standards. The well constructor/or landowner is responsible for ensuring that a well is constructed in a manner that protects ground water resources as required under Oregon Administrative Rules 690-200 through 690-240.

If you have any questions regarding this letter, I may be contacted at (503) 986-0851, or by e-mail at Kristopher.R.Byrd@oregon.gov.

Sincerely,


Kristopher Byrd, Manager
Well Construction and Compliance Section

enclosure

cc: Southwest Region
File

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.



Oregon Water Resources Department

REQUEST FOR WRITTEN APPROVAL TO USE CONSTRUCTION METHODS NOT INCLUDED IN OREGON ADMINISTRATIVE RULES 690-200 THROUGH 690-240

Before the request can be considered, this form must be completed. Requests shall be submitted to the Well Construction Specialist, Water Resources Department, 158 12th Street NE, Salem OR 97301. Requests may also be considered by the appropriate Regional Manager.

Date of request: 9/13/18 Oral approval date (if applicable): _____

Bonded Well Constructor (name, license #, and mailing address): Jim Muck Sr

#1493 47530 Hwy 101 Bandon, OR 97411

(1) Location of Well: SW 1/4 NW 1/4 of Section 20

Township 27 N Range 14 E COOS County

Address at well site: NO # Wiskey BUN Rd. Bandon, OR
Bally Bawba

(2) Start Card Number(s)(for work to be done): 1039276, 1039289, 1039322
1039336, 1039343, 1039390

(3) Name and Address of Land Owner: _____
Michael Keiser 875N Michigan Ave #3920 Chicago, IL 60611

(4) Distance to the nearest septic tank, drainfield, closed sewage line (if water supply well)
1000 + Feet

(5) The unusual site conditions which necessitate this request: We drilled test
6" holes to get formation samples for sieve analysis for
Irrigation Production wells and removed rig while
materials for construction are ordered. Completion 4-6 weeks

(6) The proposed construction methods that the bonded well constructor believes will be adequate for this well: (attach additional pages if needed)
6" steel installed in 10" hole down to 18' and sealed
to surface with bentonite. 6" steel will be removed
and 12 1/2 hole drilled to depth to accommodate 8" screen
+ casing.

RECEIVED

SEP 13 2018

OWRD



47630 HWY 101
BANDON OR 97411-8233

PHONE: (541) 347-PUMP (7867)
FAX: (541) 347-9678

DATE: 9/13/18

FROM: Jim Mack, Sr.

TO: Joel Jeffery

COMPANY: WRD

FAX #: (503) 986-0902

SUBJECT:


Special Standards

NUMBER OF PAGES INCLUDING COVER: 3

6 Test holes @ Bally Bandon

Jim Mack, Sr.

- (7) Diagram showing the pertinent features of the proposed well design and construction: (attach additional pages if needed)



6" steel will be removed +
 Hole will be opened to
 accommodate larger casing
 and screen

PLEASE NOTE:

- (1) If approved, all other phases of well construction must comply with the appropriate standards described in OAR 690-200 through 690-240.
- (2) If it should be determined at some future date that the well, due to its construction, is allowing ground water contamination, waste or loss of artesian pressure, the undersigned shall return to the site and rectify the problem.
- (3) If oral approval was granted, a written request must be submitted to the Department either within three (3) working days of the date of oral approval or prior to the completion of the associated well work. Failure to submit a written request as described above may void prior oral approval.

I have read and understand the above information. I further attest that the information provided is accurate to the best of my knowledge.

Bonded Constructor Signature: Jim Muck Sr. M6WC

RECEIVED

SEP 13 2018

revised 06/2003

OWRD

