



Oregon

Kate Brown, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Ste A

Salem, OR 97301

Phone: 503-986-0900

Fax: 503-986-0904

October 2, 2020

ARTHUR L FRY WWC #1355
FRY INDUSTRIES INC.
PO BOX 135
SPRAGUE RIVER, OR 97639

FINAL ORDER

Dear Mr. Fry:

The Special Standards Request Form you submitted for owner: Kevin Thomas, Start Card number 1047474 (Well Report HARN 52907), is hereby approved for the following: You may construct this water well as described on your Special Standards Request Form dated September 25, 2020. All other well construction standards must be met. A copy of your Special Standards Request Form is enclosed.

OAR 690-200-0021 requires the well constructor to request and receive Special Standards approval prior to completion of the well. Please note, in the future, **no Special Standards will be granted for after-the-fact requests.**

The Well Construction Standards serve to protect ground water resources. By approving and issuing this special construction standard the Oregon Water Resources Department is not representing that a well constructed in accordance with this condition will maintain structural integrity or that it meets engineering standards. The well constructor/or landowner is responsible for ensuring that a well is constructed in a manner that protects ground water resources as required under Oregon Administrative Rules 690-200 through 690-240.

If you have any questions regarding this letter, I may be contacted at (503) 986-0851, or by e-mail at Kristopher.R.Byrd@oregon.gov.

Sincerely,

Kristopher R Byrd, Manager
Well Construction and Compliance Section

Enclosure

cc: Travis Kelly, Well Construction Program Coordinator, Well Construction and Compliance Section
Jon Sanfilippo, Well Inspector, East Region

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Special Standards

Request Form

REQUEST FOR WRITTEN APPROVAL TO USE CONSTRUCTION METHODS NOT INCLUDED IN OREGON ADMINISTRATIVE RULES 690-200 THROUGH 690-240

Before the request can be considered, this form must be completed. Requests shall be submitted to the Well Construction Program Coordinator, Water Resources Department, 725 Summer Street NE, Suite A, Salem OR 97301-1266. Requests may also be considered by the appropriate Regional Manager.

Date of request: 9/25/2020 **Oral approval date (if applicable):** _____

Bonded Well Constructor (name, license #, and mailing address): Arthur Fry 1355

P.O. Box 135 Sprague River OR.

(1) Location of Well: NE 1/4 NE 1/4 Tax lot 100 Section 5,
Township 24 S ☒, Range 32.5 E ☒, Harney County
Address at well site: 37215 Deadend Lane Burns OR 97720

(2) Start Card Number(s)(for work to be done): 1047474

(3) Name and Address of Land Owner: 37215 Deadend Lane Burns OR 97720

(4) Distance to the nearest septic tank, drainfield, closed sewage line (if water supply well)
2400 ft

(5) The unusual site conditions which necessitate this request: shortage of available cement
in time to maintain hole stability

(6) The proposed construction methods that the bonded well constructor believes will be adequate for this well: (attach additional pages if needed)
36 ft cement seal from 210 to 246 and a 27ft cement with 5% bentonite seal from 0 to 27 with a bentonite slurry from 210 to 50,
and dry poured bentonite seal from 50 to 27 feet. Requesting as special standard for placement of bentonite below 200 feet and
through more than 50 feet of water, and pumped as a slurry for a placement method from 210 to 50 feet. Used 35 bags of chip and 90 bags of gell.

- (7) Diagram showing the pertinent features of the proposed well design and construction:
(attach additional pages if needed)

PLEASE NOTE:

- (1) The Well Construction Standards serve to protect ground water resources. By approving and issuing this special construction standard the Oregon Water Resources Department is not representing that a well constructed in accordance with this condition will maintain structural integrity or that it meets engineering standards. The well constructor/or landowner is responsible for ensuring that a well is constructed in a manner that protects ground water resources as required under Oregon Administrative Rules 690-200 through 690-240.
- (2) If it should be determined at some future date that the well, due to its construction, is allowing ground water contamination, waste or loss of artesian pressure, the undersigned shall return to the site and rectify the problem.
- (3) If oral approval was granted, a written request must be submitted to the Department either within three (3) working days of the date of oral approval or prior to the completion of the associated well work. Failure to submit a written request as described above may void prior oral approval.

I have read and understand the above information. I further attest that the information provided is accurate to the best of my knowledge.

Bonded Constructor Signature: Arthur L. Fry

