



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

May 9, 2007

STEVEN N STADELI WWC 688
WESTERBERG DRILLING
36728 S KROPF RD
MOLALLA OR 97038

FINAL ORDER


Dear Steve:

The Special Standard request you submitted for owner: Postlewait Farms, Start Card number 191080, is hereby approved for the following: You may move your drilling machine off of this well, prior to completion of construction, for up to 30 days (from May 9, 2007 until June 8, 2007). The well shall be protected from damage and shall be properly covered so that contaminants may not enter the aquifer. Following June 8th your drilling machine must be returned to the drill site and the well shall be either completed or abandoned per Oregon's minimum well construction standards (See OAR 690-210-0390). All other well construction requirements apply. Your Special Standard request form is enclosed.

The Well Construction Standards serve to protect ground water resources. By approving and issuing this special construction standard the Oregon Water Resources Department is not representing that a well constructed in accordance with this condition will maintain structural integrity or that it meets engineering standards. The well constructor/or landowner is responsible for ensuring that a well is constructed in a manner that protects ground water resources as required under Oregon Administrative Rules 690-200 through 690-240.

If you have any questions concerning this letter, please contact me at (503) 986-0851, or by e-mail at Kristopher.R.Byrd@wrdd.state.or.us.

Sincerely,


Kristopher Byrd
Well Construction Program Coordinator
Well Construction and Compliance Section

enclosure

cc: Joel Jeffery, NW Region Well Inspector
File

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.





Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Special Standards Request Form

REQUEST FOR WRITTEN APPROVAL TO USE CONSTRUCTION METHODS NOT INCLUDED IN OREGON ADMINISTRATIVE RULES 690-200 THROUGH 690-240

Before the request can be considered, this form must be completed. Requests shall be submitted to the Well Construction Program Coordinator, Water Resources Department, 725 Summer Street NE, Suite A, Salem OR 97301-1266. Requests may also be considered by the appropriate Regional Manager.

Date of request: 5-8-07 Oral approval date (if applicable): _____

Bonded Well Constructor (name, license #, and mailing address): Steven N. Stadel #688

Westerberg Drilling Inc. 36728 S. Kropf Rd. Molalla, OR 97038

(1) Location of Well: NW 1/4 NE 1/4 Tax lot 200 Section 8,
Township 5S N, Range 1E W, Clackamas County
Address at well site: 7616 S. Sconce Rd. Canby, OR 97013

(2) Start Card Number(s)(for work to be done): 191080

(3) Name and Address of Land Owner: Postlewait Farms
28923 S. Barlow Rd. Canby, OR 97013

(4) Distance to the nearest septic tank, drainfield, closed sewage line (if water supply well)
100' +

(5) The unusual site conditions which necessitate this request: See attached cover letter.


(6) The proposed construction methods that the bonded well constructor believes will be adequate for this well: (attach additional pages if needed)
See attached cover letter.

RECEIVED

MAY 08 2007

WATER RESOURCES DEPT
SALEM, OREGON

- (7) Diagram showing the pertinent features of the proposed well design and construction:
(attach additional pages if needed)



PLEASE NOTE:

- (1) The Well Construction Standards serve to protect ground water resources. By approving and issuing this special construction standard the Oregon Water Resources Department is not representing that a well constructed in accordance with this condition will maintain structural integrity or that it meets engineering standards. The well constructor/or landowner is responsible for ensuring that a well is constructed in a manner that protects ground water resources as required under Oregon Administrative Rules 690-200 through 690-240.
- (2) If it should be determined at some future date that the well, due to its construction, is allowing ground water contamination, waste or loss of artesian pressure, the undersigned shall return to the site and rectify the problem.
- (3) If oral approval was granted, a written request must be submitted to the Department either within three (3) working days of the date of oral approval or prior to the completion of the associated well work. Failure to submit a written request as described above may void prior oral approval.

I have read and understand the above information. I further attest that the information provided is accurate to the best of my knowledge.

Bonded Constructor Signature: _____

Steven N. Stadel

RECEIVED

Revised 7/26/2006

Special Standards Request Form /2

MAY 08 2007

WATER RESOURCES DEPT
SALEM, OREGON



36728 S. Kropf Rd., Molalla, OR 97038 • Phone: (503) 829-2526 FAX (503) 829-7514

May 8, 2007

Kris Byrd
Water Resources Dept.
725 Summer St. NE Suite A
Salem, OR 97301

RE: Special Construction Variance

Dear Kris;

On many of the screened and filter packed irrigation/production wells that we drill, we use two different drilling rigs. The drilling of the well is accomplished using an air rotary drilling rig with a casing hammer. After drilling the well and cutting the drive shoe off to facilitate casing removal, the air rotary drilling rig is moved off site. A cable tool drilling rig is then moved on site to install the well screens, pull back the outer casing, install filter pack material, develop the well, test pump, install casing seal(s), etc. to complete the well.

Well screens cannot be ordered from the screen manufacturer until the well is drilled. The reason being that we need formation samples to determine screen and filter pack sizing requirements and formation samples to determine water bearing zone thickness for screen lengths. From the time we order screens until we receive them, it normally takes approx. 2 to 2-1/2 weeks. On occasion, if the manufacturer is backed up with orders, it can take longer. Because the well construction rules require a drilling rig to be on the well until it has a casing seal in place, we often times have a drilling rig set up on a job for several weeks that we cannot utilize.

This well is very obviously going to be completed upon receiving screen. I would like to request a special variance that would allow us to leave the well temporarily without a drill rig. I would like to request a maximum time of 30 days from today, although I anticipate getting our screen sooner than that.

See attached drawing for specific well construction details.

Thank you.
Sincerely,

Steven N. Stadeli
President/WWC# 688

RECEIVED

MAY 08 2007

WATER RESOURCES DEPT
SALEM, OREGON

P.S. The special standard that was approved on 4-11-07 for Start Card 191073 is well underway to completion. The drill rig was set up on site on approx. 4-26-07.