



Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

August 23, 1998

Paul Stadel
R. Stadel and Sons
11364 Evergreen Road NE
Silverton, OR 97381

en

Dear Paul:

Please find enclosed copies of the following approved special standards:

1. Silver Falls School Dist. (start card number 110568)

If you have any questions concerning this letter, please contact me at the address or phone number listed above, or by e-mail at Robert.L.Carter@wrd.state.or.us.

Sincerely,

Rob Carter
Well Construction Specialist

cc: Richard Edwards, Well Inspector

c:\wp\ss98\stadelip.2

Oregon Water Resources Department

REQUEST FOR WRITTEN APPROVAL TO USE CONSTRUCTION METHODS NOT INCLUDED IN OREGON ADMINISTRATIVE RULES 690-200 THROUGH 690-240

Before request can be considered, the following must be answered. Requests shall be submitted to the Well Construction Specialist, Water Resources Department. Requests may also be considered by the appropriate Regional Manager.

Date of request: June 2, 1998

Bonded Well Constructor (name, license and mailing address): Paul R. Stadel

11364 Evergreen Rd. N.E., Silverton Ore. 97381

(1) Location of Well: S.E. 1/4 S.W. 1/4 of Section 27, Township 6S,

Range 1W, Marion County.

Address at well site: 1456 Pine Street N.E.

Silverton, Ore. 97381

(2) Start Card Number(s): 110568

(3) Name and Address of Land Owner: Silver Falls School Dist

4 J, 210 East C Street, Silverton, Ore. 97381

(4) The distance to the nearest well, septic tank or drainfield (if water supply well): well

is far away only & happens to be approx 30 ft. from a lead sewer line, there was no sign of water when we checked it. The neighboring

(5) The unusual conditions which necessitate this request: houses have been

connected to city sewer. As we discussed on the phone, the well won't be used until possibly next spring.

(6) The proposed construction methods that the well constructor believes will be adequate for this well (attach additional pages if needed)

The neighboring wells seem to have approx 13 ft. of clay & then

course conglomerate to approx 35' etc. I am facing a log that


is the nearest to this well. I will try to get the 12' starter

pipe to 18' plus, to get seal as far as we can, plus we will

have a bottom seal to approx ^{80%} of where the rock will

start

(7) Diagram showing the pertinent features of the proposed well design and construction (attach additional pages if needed):



PLEASE NOTE:

- (1) If approved, all other phases of well construction must comply with the appropriate standards described in OAR 690-200 through 690-240.
- (2) If it should be determined at some future date that the well, due to its construction, is allowing groundwater contamination, waste or loss of artesian pressure, the undersigned shall return to the site and rectify the problem.
- (3) If verbal approval was granted, a written request must be submitted to the Department either within three (3) working days of the date of verbal approval or prior to the completion of the associated well work. Failure to submit a written request as described above may void prior approval.

I have read and understand the above information. I further attest that the information provided is accurate to the best of my knowledge.

Bonded Constructor Signature: _____

For Water Resources Department Use Only

Date: 8-23-98

Approved by: [Signature] Denied by: _____

Remarks: _____