

ev 7-21-04



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

June 21, 2004

JENSEN DRILLING CO.
CHRIS HUMPHRIES #1796
1775 HENDERSON AVE
EUGENE OR 97403


Dear Mr. Humphries:

The special standard request you submitted for owner: Skyridge Homeowner's Association, start card number 86488, is approved for the following: the well will be 20 degrees below horizontal. See Oregon Administrative Rule (OAR) 690-210-0005(2). Your special standard request form is enclosed. Also enclosed is the current special standard request form. Please discard all other versions you may have and use this one effective immediately. Note: Although your Water Supply Well Constructor License 1796 is currently suspended, this special standard request was received prior to suspension.

The Well Construction Standards serve to protect ground water resources. By approving and issuing this special construction standard the Oregon Water Resources Department is not representing that a well constructed in accordance with this condition will maintain structural integrity or that it meets engineering standards. The well constructor/or landowner is responsible for ensuring that a well is constructed in a manner that protects ground water resources as required under Oregon Administrative Rules 690-200 through 690-240.

If you have any questions concerning this letter, please contact me at (503) 986-0851, or by e-mail at tracy.l.eichenlaub@wrд.state.or.us.

Respectfully,


Ms. Tracy Eichenlaub
Well Construction Specialist
Enforcement Section

enclosure

cc: Kris Byrd, NW Region Well Inspector

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review of the order must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137.004-0080 and OAR 690-01-0005 you may either petition for judicial review or petition the Director for reconsideration of this order.

Oregon Water Resources Department

REQUEST FOR WRITTEN APPROVAL TO USE CONSTRUCTION METHODS NOT INCLUDED IN OREGON ADMINISTRATIVE RULES 690-200 THROUGH 690-240

Before the request can be considered, this form must be completed. Requests shall be submitted to the Well Construction Specialist, Water Resources Department, 158 12th Street NE, Salem OR 97301. Requests may also be considered by the appropriate Regional Manager.

Date of request: 6-14-04 Oral approval date (if applicable): _____

Bonded Well Constructor (name, license #, and mailing address): Chris Thompson #1796
1775 Henderson Ave, Eugene, OR. 97403

(1) Location of Well: NE 1/4 SE 1/4 of Section 25,
Township 18 N(S) Range 5 E(W) LANE County

Address at well site: 1200 FT West & 750 FT South NE CORNER
of NE 1/4, SE 1/4 Section 25

(2) Start Card Number(s): 86488

(3) Name and Address of Land Owner: Skyline Homeowner's Assoc
PO Box 5509 Eugene, OR 97405

(4) Distance to the nearest septic tank or drainfield (if water supply well) N/A

(5) The unusual site conditions which necessitate this request: Requested by
EGR & Associates - they have designed the proposed
well

(6) The proposed construction methods that the well constructor believes will be adequate for this well: (attach additional pages if needed)

This well will be drilled 20' below horizontal utilizing
16" diameter auger hole used to bedrock interface or
until 20' of cover minimum is greater - see sketch


This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review of the order must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137.004-0080 and OAR 690-01-0005 you may either petition for judicial review or petition the Director for reconsideration of this order.

W-OT
remark: horizontal

Horizontal Well Construction Question 6

The well will be drilled at twenty degrees below horizontal utilizing a ten inch odex system to bedrock interface and continue until 20 feet of cover has been established. At that point a 6 inch .375 wall stabilized pipe will be inserted inside of the 10 inch casing. The six inch casing will be stabilized to maintain center alignment within borehole, and trimee grouted in place as the 10 inch casing is withdrawn. A neat cement grout will be utilized for sealing the conductor casing in place. The hole will then be advanced utilizing a down hole hammer to a depth of approximately 500 feet. A liner may of may not be utilized in completion of the hole.

(7) Diagram showing the pertinent features of the proposed well design and construction:
 (attach additional pages if needed)



PLEASE NOTE:

- (1) If approved, all other phases of well construction must comply with the appropriate standards described in OAR 690-200 through 690-240.
- (2) If it should be determined at some future date that the well, due to its construction, is allowing ground water contamination, waste or loss of artesian pressure, the undersigned shall return to the site and rectify the problem.
- (3) If oral approval was granted, a written request must be submitted to the Department either within three (3) working days of the date of oral approval or prior to the completion of the associated well work. Failure to submit a written request as described above may void prior approval.

I have read and understand the above information. I further attest that the information provided is accurate to the best of my knowledge.

Bonded Constructor Signature: _____

[Handwritten Signature] 4/7/86

 For Water Resources Department Use Only

Date: _____

Approved by: _____ Denied by: _____

Remarks: _____

