STATE OF OREGON

COUNTY OF

JACKSON

CERTIFICATE OF WATER RIGHT

This Is to Certify, That

DAVID B. AND MARY L. LOWRY

of , State of , has made proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of

Anderson Creek

a tributary of Bear Creek

for the purpose of

temperature control of 27.9 acres

under Permit No. 34216 and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from February 18, 1969

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 2.6 cubic feet per second

or its equivalent in case o' rotation, measured at the point of diversion from the stream. The point of diversion is located in the NEL SWL, as projected within Robinson DLC 66, Section 27, T. 38 S., R. 1 W., W. M., 140 feet South and 1630 feet West from the Northerly NE Corner, Robinson DLC 66.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to _____ of one cubic foot per second per acre,

and shall

conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

13.3 acres NEk SEk
4.2 acres SEk SEk
Both projected within Reams DLC 57
Section 21

7.6 acres NWk SWk
2.8 acres SWk SWk
Both projected within Reams DLC 57
Section 22
T. 38 S., R. 1 W., W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described, and is subject to the existing minimum flow policies established by the Water Policy Review Board.

WITNESS the signature of the Water Resources Director, affixed

this date. November 23, 1976

James E. Sexson

Water Resources Director