

STATE OF OREGON

COUNTY OF MALHEUR

CERTIFICATE OF WATER RIGHT

This certificate issued to

U.S. BUREAU OF LAND MANG; DEPT OF THE INTERIOR  
100 OREGON ST  
VALE, OREGON 97918

confirms the right to store water perfected under the terms of the permit. The amount of water to which this right is entitled is limited to an amount actually beneficially used and shall not exceed the amount described, or its equivalent in case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-83964

PERMIT NUMBER: R-12662

SOURCE OF WATER: AN UNNAMED STREAM, A TRIBUTARY OF COW CREEK

STORAGE FACILITY: DOUBLE SPRINGS B 48-6012 RESERVOIR

PURPOSE OR USE OF THE STORED WATER: LIVESTOCK AND WILDLIFE

MAXIMUM STORAGE VOLUME: 0.019 ACRE-FOOT EACH YEAR

WATER MAY BE APPROPRIATED FOR STORAGE DURING THE PERIOD: FEBRUARY 1  
THROUGH APRIL 14 OF EACH YEAR

DATE OF PRIORITY: MARCH 17, 1997

THE MAXIMUM HEIGHT OF THE DAM SHALL NOT EXCEED 3.62 FEET.

DAM LOCATION: NW 1/4 NE 1/4, SECTION 28, T28S, R45E, W.M.

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review of the order must be filed within the 60 days of the date of service.

R-83964.JKS

Certificate Number 81041

THE AREA SUBMERGED BY THE RESERVOIR IS LOCATED AS FOLLOWS:

NW 1/4 NE 1/4  
SECTION 28  
TOWNSHIP 28 SOUTH, RANGE 45 EAST, W.M.

Measurement, recording and reporting conditions:

- A. The Director may require the water user to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the water user to install a meter or other measuring device, the water user shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the water user shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the water user to submit alternative measuring procedures for review and approval.
- B. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative reporting procedures for review and approval.

The storage of water allowed herein is subject to the maintenance of an outlet pipe, or the provision of other means to evacuate water when determined necessary by the Water Resources Director to satisfy prior downstream rights.

Use under this right is limited to the reservoir area. This right does not provide for the appropriation of water for maintaining the water level or maintaining a suitable fresh water condition.

#### **STANDARD CONDITIONS**


Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

Issued December 30, 2004

  
Phillip C. Ward, Director  
Oregon Water Resources Department

Recorded in State Record of Water Right Certificates numbered 81041.