

STATE OF OREGON
 COUNTY OF KLAMATH
 CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

FRANK AND NELL KUONEN
 11800 TINGLEY LANE
 KLAMATH FALLS OR 97603

confirms the right to use the waters of THREE WELLS, WITHIN THE KLAMATH RIVER BASIN, for DOMESTIC USE EXPANDED FOR 40 MOBILE HOME SPACES.

This right was perfected under Permit G-12589. The date of priority is MAY 26, 1992. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.040 CUBIC FOOT PER SECOND, measured at the well.

Period of use is year round.

The wells are located as follows:

| Well | Twp | Rng | Mer | Sec | Q-Q | Measured Distances |
|------|------|-----|-----|-----|-------|--|
| 1 | 40 S | 9 E | WM | 5 | NE SE | 2645 FEET NORTH & 120 FEET WEST FROM SE CORNER, SECTION 5 |
| 2 | 40 S | 9 E | WM | 5 | NE SE | 1425 FEET NORTH & 1231 FEET WEST FROM SE CORNER, SECTION 5 |
| 3 | 40 S | 9 E | WM | 5 | NE SE | 2065 FEET NORTH & 1209 FEET WEST FROM SE CORNER, SECTION 5 |

A description of the place of use to which this right is appurtenant is as follows:

| Twp | Rng | Mer | Sec | Q-Q |
|------|-----|-----|-----|-------|
| 40 S | 9 E | WM | 5 | NE SE |

Measurement, recording and reporting conditions:

- A. The Director may require the water user to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the water user to install a meter or other measuring device, the water user shall install such device within the period stated in the notice. Such installation period shall not be less

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate at any time before it has issued, and after the time has expired for the completion of the appropriation under the permit, or within three months after issuance of the certificate.

than 90 days unless special circumstances warrant a shorter installation period. Once installed, the water user shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the water user to submit alternative measuring procedures for review and approval.

- B. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative reporting procedures for review and approval.

Use of water under authority of this right may be regulated if analysis of data available discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of this right or as those quantities may be subsequently reduced.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The Director may require water level or pump test results every ten years.


Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

Issued SEP 09 2008


Phillip C. Ward, Director
Water Resources Department