

STATE OF OREGON  
 COUNTY OF CLACKAMAS  
 CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

VICTOR SCHNEIDER  
 36612 FARM ROAD  
 MT ANGEL OREGON 97362

confirms the right to use the waters of ONE WELL in the BUTTE CREEK Basin for SUPPLEMENTAL IRRIGATION of 39.7 ACRES.

This right was perfected under Permit G-11131. The date of priority is FEBRUARY 9, 1990. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.50 CUBIC FOOT PER SECOND or its equivalent in case of rotation, measured at the well.

The well is located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Measured Distances
6 S	1 E	WM	5	NE SE			2340 FEET NORTH AND 2740 FEET WEST FROM THE NE CORNER, DLC 41

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year. The right shall be limited to any deficiency in the available supply of any prior right for the same land and shall not exceed the limitation allowed herein.

A description of the place of use to which this right is appurtenant is as follows:

SUPPLEMENTAL IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
6 S	1 E	WM	8	NE NE			14.0
6 S	1 E	WM	9	NE NW			3.1
6 S	1 E	WM	9	NW NW			22.6

**NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW**

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate at any time before it has issued, and after the time has expired for the completion of the appropriation under the permit, or within three months after issuance of the certificate.

The well shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge to determine the water level elevation in the well at all times. When required by the Department, the water user shall install and maintain a weir, meter, or other suitable measuring device and keep a complete record of the amount of ground water withdrawn.

The water user shall annually report a March static water level in the well to the Ground Water/Hydrology Section of the Water Resources Department by April 15 of each year. The measurement shall be made and calculations detailed by a certified water right examiner, registered professional geologist, certified engineering geologist, or professional engineer. Failure to report this annual measurement shall invalidate use under this right.

Use of water from the well shall be void under this right if the well displays an (A) average water level decline of 3 or more feet per year for 5 consecutive years, or (B) a water level decline of 15 or more feet in fewer than 5 consecutive years, or (C) a water level decline of 25 or more feet, or (D) a hydraulic interference decline of 25 or more feet in any neighboring well with senior priority which provides water for an authorized use.

The Water Resources Department has determined that the initial water level in the well is that determined in the initial March 1991 report. That is the level from which previously cited declines will be referenced.

In the event of a request for a change in point of appropriation, an additional point of appropriation or repair of this well, the quantity of water allowed herein together with any other right from the point of appropriation shall not exceed the capacity of this well at the time of perfection of this right.

The Director may require water level or pump tests every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.


This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

Issued           MAR 06 2009          .

  
\_\_\_\_\_  
Phillip C. Ward, Director  
Water Resources Department