

STATE OF OREGON

COUNTY OF GILLIAM

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

WASTE MANAGEMENT DISPOSAL SERVICES of OREGON, INC.
17629 CEDAR SPRINGS LANE
ARLINGTON, OR 97812

confirms the right to use the waters of WELL NO'S 1, 3, AND 6 in the ALKALI CANYON BASIN for INDUSTRIAL USE.

This right was perfected under permit G-8547. The date of priority is JANUARY 8, 1979. The amount of water to which this right is entitled is limited to an amount actually used beneficially and shall not exceed 400 GALLONS PER MINUTE (GPM); BEING 200 GPM AT THE CHEMICAL WASTE MANAGEMENT PROJECT AND 200 GPM AT THE COLUMBIA RIDGE LANDFILL, measured at the wells. Provided further the total appropriation under this right shall not exceed 323 acre-feet of water during the period of April 1 through September 30 of each year.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
2 N	21 E	WM	30	SW NE	WELL 3: 3421 FEET NORTH AND 3453 FEET EAST FROM SW CORNER, SECTION 30
2 N	21 E	WM	31	NW NE	WELL 6: 940 FEET SOUTH AND 1910 FEET WEST FROM NE CORNER, SECTION 31
2 N	21 E	WM	31	SE NE	WELL 1: 1580 FEET SOUTH AND 200 FEET WEST FROM NE CORNER, SECTION 31

A description of the place of use is as follows:

CHEMICAL WASTE MANAGEMENT PROJECT				
Twp	Rng	Mer	Sec	Q-Q
2 N	20 E	WM	25	NE NE
2 N	20 E	WM	25	NW NE
2 N	20 E	WM	25	SW NE
2 N	20 E	WM	25	SE NE
2 N	20 E	WM	25	NE NW
2 N	20 E	WM	25	NW NW
2 N	20 E	WM	25	SW NW
2 N	20 E	WM	25	SE NW
2 N	20 E	WM	25	NE SW

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

CHEMICAL WASTE MANAGEMENT PROJECT				
Twp	Rng	Mer	Sec	Q-Q
2 N	20 E	WM	25	NW SW
2 N	20 E	WM	25	SW SW
2 N	20 E	WM	25	SE SW
2 N	20 E	WM	25	NE SE
2 N	20 E	WM	25	SE SE
2 N	20 E	WM	36	NE NE
2 N	20 E	WM	36	NW NE
2 N	20 E	WM	36	NE NW
2 N	20 E	WM	36	NW NW
2 N	21 E	WM	19	SW SW
2 N	21 E	WM	19	SE SW
2 N	21 E	WM	19	SW SE
2 N	21 E	WM	30	NW NE
2 N	21 E	WM	30	SW NE
2 N	21 E	WM	30	NE NW
2 N	21 E	WM	30	NW NW
2 N	21 E	WM	30	SW NW
2 N	21 E	WM	30	SE NW
2 N	21 E	WM	30	NE SW
2 N	21 E	WM	30	NW SW
2 N	21 E	WM	30	SW SW
2 N	21 E	WM	30	SE SW
2 N	21 E	WM	30	NE SE
2 N	21 E	WM	30	NW SE
2 N	21 E	WM	30	SW SE
2 N	21 E	WM	31	NW NW

COLUMBIA RIDGE LANDFILL				
Twp	Rng	Mer	Sec	Q-Q
2 N	21 E	WM	17	SW SE
2 N	21 E	WM	17	SE SE
2 N	21 E	WM	20	NE NE
2 N	21 E	WM	20	NW NE
2 N	21 E	WM	20	SW NE
2 N	21 E	WM	20	SE NE
2 N	21 E	WM	20	NE NW
2 N	21 E	WM	20	NW NW
2 N	21 E	WM	20	SW NW
2 N	21 E	WM	20	SE NW
2 N	21 E	WM	20	NE SW
2 N	21 E	WM	20	NW SW
2 N	21 E	WM	20	SW SW
2 N	21 E	WM	20	SE SW
2 N	21 E	WM	20	NE SE
2 N	21 E	WM	20	NW SE
2 N	21 E	WM	20	SW SE
2 N	21 E	WM	20	SE SE

COLUMBIA RIDGE LANDFILL

Twp	Rng	Mer	Sec	Q-Q
2 N	21 E	WM	29	NE NE
2 N	21 E	WM	29	NW NE
2 N	21 E	WM	29	SW NE
2 N	21 E	WM	29	SE NE
2 N	21 E	WM	29	NE NW
2 N	21 E	WM	29	NW NW
2 N	21 E	WM	29	SW NW
2 N	21 E	WM	29	SE NW
2 N	21 E	WM	29	NE SW
2 N	21 E	WM	29	NW SW
2 N	21 E	WM	29	SW SW
2 N	21 E	WM	29	SE SW
2 N	21 E	WM	29	NE SE
2 N	21 E	WM	29	NW SE
2 N	21 E	WM	29	SW SE
2 N	21 E	WM	29	SE SE
2 N	21 E	WM	30	NE NE
2 N	21 E	WM	30	NW NE
2 N	21 E	WM	30	SW NE
2 N	21 E	WM	30	SE NE
2 N	21 E	WM	30	SW SW
2 N	21 E	WM	30	SE SW
2 N	21 E	WM	30	NE SE
2 N	21 E	WM	30	NW SE
2 N	21 E	WM	30	SW SE
2 N	21 E	WM	30	SE SE
2 N	21 E	WM	31	NE NE
2 N	21 E	WM	31	NW NE
2 N	21 E	WM	31	SW NE
2 N	21 E	WM	31	SE NE
2 N	21 E	WM	31	NE NW
2 N	21 E	WM	31	NW NW
2 N	21 E	WM	32	NE NE
2 N	21 E	WM	32	NW NE
2 N	21 E	WM	32	SW NE
2 N	21 E	WM	32	SE NE
2 N	21 E	WM	32	NE NW
2 N	21 E	WM	32	NW NW
2 N	21 E	WM	32	SW NW
2 N	21 E	WM	32	SE NW

The well(s) shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The quantity of water diverted at the new points of appropriation (wells 1 & 6), together with the quantity of diverted at the old point of appropriation (well 3), shall not exceed the quantity of water available from the original point of appropriation.

Water shall be acquired from the same aquifer as the original points of appropriation.

The water user shall maintain the in-line flow meters or other measuring devices for the measuring and recording of the

quantity of appropriated.

This certificate is issued to confirm TWO ADDITIONAL POINTS OF APPROPRIATION approved by an order of the Water Resources Director entered July 28, 2006, at Special Order Volume 69, Page 232, approving Transfer Application 10065, and supersedes Certificate 81626, State record of Water Right Certificates.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

Issued JUN 01 2012



Dwight W. French
Water Right Services Administrator, for
Phillip C. Ward, Director