

STATE OF OREGON

COUNTY OF MARION

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

CITY OF SALEM
555 LIBERTY ST SE, ROOM 325
SALEM OR 97301

confirms the right to use the waters of NORTH SANTIAM RIVER, tributary to SANTIAM RIVER for MUNICIPAL USES.

This right was confirmed by decree of the Circuit Court of the State of Oregon for Marion County. The decree is of record at Salem, in the Order Record of the Water Resources Director in Volume 14, at Page 354. The date of priority is 1856. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 55.0 CUBIC FEET PER SECOND, or its equivalent in case of rotation, measured at the point of diversion.

The point of diversion is located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
9 S	1 W	WM	13	SW NE	2	MIDDLE INTAKE: 210 FEET SOUTH AND 310 FEET WEST FROM NE CORNER, SWNE, SEC 13

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q
6 S	2 W	WM	31	SW 1/4
6 S	2 W	WM	31	SE 1/4
6 S	2 W	WM	32	NE SW
6 S	2 W	WM	32	SW SW
6 S	2 W	WM	32	SE SW
6 S	2 W	WM	32	SW SE
6 S	3 W	WM	23	SW NE
6 S	3 W	WM	23	SE NE
6 S	3 W	WM	23	NE SW
6 S	3 W	WM	23	SE SW
6S	3W	WM	23	SE 1/4
6S	3W	WM	25	SW SW
6S	3W	WM	25	SE SW
6S	3W	WM	25	SW SE
6S	3W	WM	25	SE SE
6 S	3 W	WM	26	ALL

NOTICE OF RIGHT TO RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Twp	Rng	Mer	Sec	Q-Q
6S	3W	WM	27	SW SE
6S	3W	WM	27	SE SE
6S	3W	WM	33	NE NE
6S	3W	WM	33	SE NE
6S	3W	WM	33	NE SE
6S	3W	WM	33	SE SE
6 S	3 W	WM	34	ALL
6 S	3 W	WM	35	ALL
6 S	3 W	WM	36	ALL
7 S	2 W	WM	5	NW NE
7 S	2 W	WM	5	SW NE
7 S	2 W	WM	5	NW 1/4
7 S	2 W	WM	5	SW 1/4
7 S	2 W	WM	5	NW SE
7 S	2 W	WM	5	SW SE
7 S	2 W	WM	6	ALL
7 S	2 W	WM	7	ALL
7 S	2 W	WM	8	NW NE
7 S	2 W	WM	8	SW NE
7 S	2 W	WM	8	NW 1/4
7 S	2 W	WM	8	SW 1/4
7 S	2 W	WM	8	NW SE
7 S	2 W	WM	17	NW 1/4
7 S	2 W	WM	17	SW 1/4
7 S	2 W	WM	18	ALL
7 S	2 W	WM	19	ALL
7 S	2 W	WM	20	NW 1/4
7 S	2 W	WM	20	SW 1/4
7 S	2 W	WM	29	NW 1/4
7 S	2 W	WM	29	SW 1/4
7 S	2 W	WM	30	ALL
7 S	2 W	WM	31	ALL
7 S	2 W	WM	32	SW NE
7 S	2 W	WM	32	NW 1/4
7 S	2 W	WM	32	SW 1/4
7 S	2 W	WM	32	SE 1/4
7 S	3 W	WM	1	ALL
7 S	3 W	WM	2	ALL
7 S	3 W	WM	3	NE 1/4
7 S	3 W	WM	3	NW 1/4
7 S	3 W	WM	3	NE SW
7 S	3 W	WM	3	NW SW
7 S	3 W	WM	3	SE 1/4
7 S	3 W	WM	5	SW SE
7 S	3 W	WM	8	ALL
7 S	3 W	WM	9	NW NW
7 S	3 W	WM	9	SW NW
7 S	3 W	WM	9	NWSW
7 S	3 W	WM	9	SWSW
7 S	3 W	WM	9	SE SW

Twp	Rng	Mer	Sec	Q-Q
7 S	3 W	WM	10	NE 1/4
7 S	3 W	WM	10	SE 1/4
7 S	3 W	WM	11	ALL
7 S	3 W	WM	12	ALL
7 S	3 W	WM	13	ALL
7 S	3 W	WM	14	ALL
7 S	3 W	WM	15	NE 1/4
7 S	3 W	WM	15	SW SW
7 S	3 W	WM	15	SE SW
7 S	3 W	WM	15	SE 1/4
7 S	3 W	WM	16	NW NE
7 S	3 W	WM	16	SW NE
7 S	3 W	WM	16	SE NE
7 S	3 W	WM	16	NW 1/4
7 S	3 W	WM	16	SW 1/4
7 S	3 W	WM	16	SE 1/4
7 S	3 W	WM	17	ALL
7 S	3 W	WM	18	NW NE
7 S	3 W	WM	18	SW NE
7 S	3 W	WM	18	SE NE
7 S	3 W	WM	18	NW 1/4
7 S	3 W	WM	18	SW 1/4
7 S	3 W	WM	18	SE 1/4
7 S	3 W	WM	19	NE 1/4
7 S	3 W	WM	19	NE SE
7 S	3 W	WM	19	NW SE
7 S	3 W	WM	19	SE SE
7 S	3 W	WM	20	ALL
7 S	3 W	WM	21	ALL
7 S	3 W	WM	22	ALL
7 S	3 W	WM	23	ALL
7 S	3 W	WM	24	ALL
7 S	3 W	WM	25	ALL
7 S	3 W	WM	26	ALL
7 S	3 W	WM	27	ALL
7 S	3 W	WM	28	ALL
7 S	3 W	WM	29	NE 1/4
7 S	3 W	WM	29	NE NW
7 S	3 W	WM	29	NW NW
7 S	3 W	WM	29	SE 1/4
7 S	3 W	WM	30	NE NE
7 S	3 W	WM	31	SE NE
7 S	3 W	WM	31	NE SE
7 S	3 W	WM	32	NE 1/4
7 S	3 W	WM	32	NE NW
7 S	3 W	WM	32	SW NW
7 S	3 W	WM	32	SE NW
7 S	3 W	WM	32	SW 1/4
7 S	3 W	WM	32	SE 1/4
7 S	3 W	WM	33	ALL
7 S	3 W	WM	34	ALL

Twp	Rng	Mer	Sec	Q-Q
7 S	3 W	WM	35	ALL
7 S	3 W	WM	36	ALL
8 S	2 W	WM	4	NW NW
8 S	2 W	WM	4	SW NW
8 S	2 W	WM	4	SE NW
8 S	2 W	WM	4	SW 1/4
8 S	2 W	WM	5	NW NE
8 S	2 W	WM	5	SW NE
8 S	2 W	WM	5	SE NE
8 S	2 W	WM	5	NW 1/4
8 S	2 W	WM	5	SW 1/4
8 S	2 W	WM	5	SE 1/4
8 S	2 W	WM	6	ALL
8 S	2 W	WM	7	ALL
8 S	2 W	WM	8	NE 1/4
8 S	2 W	WM	8	NW 1/4
8 S	2 W	WM	8	SW 1/4
8 S	2 W	WM	8	NW SE
8 S	2 W	WM	8	SW SE
8 S	2 W	WM	8	SE SE
8 S	2 W	WM	16	NW NW
8 S	2 W	WM	17	NE NE
8 S	2 W	WM	17	NW NE
8 S	2 W	WM	17	SW NE
8 S	2 W	WM	17	NW 1/4
8 S	2 W	WM	17	SW 1/4
8 S	2 W	WM	18	NE 1/4
8 S	2 W	WM	18	NW 1/4
8 S	2 W	WM	18	SE SW
8 S	2 W	WM	18	SE 1/4
8 S	2 W	WM	20	SW NE
8 S	2 W	WM	20	SE NE
8 S	2 W	WM	20	NE NW
8 S	2 W	WM	20	NW NW
8 S	2 W	WM	20	SE NW
8 S	2 W	WM	20	SE SW
8 S	2 W	WM	20	SE 1/4
8 S	2 W	WM	21	NW SW
8 S	2 W	WM	21	SW SW
8 S	2 W	WM	21	SE SW
8 S	2 W	WM	29	NE 1/4
8 S	2 W	WM	29	NE NW
8 S	2 W	WM	29	SE NW
8 S	2 W	WM	29	NE SW
8 S	2 W	WM	29	SE 1/4
8 S	2 W	WM	32	NE NE
8 S	2 W	WM	32	NW NE
8 S	2 W	WM	33	NE NW
8 S	2 W	WM	33	NW NW
8 S	3 W	WM	1	ALL
8 S	3 W	WM	2	ALL

Twp	Rng	Mer	Sec	Q-Q
8 S	3 W	WM	3	ALL
8 S	3 W	WM	4	ALL
8 S	3 W	WM	5	ALL
8 S	3 W	WM	6	SW NE
8 S	3 W	WM	6	SE NE
8 S	3 W	WM	6	SW NW
8 S	3 W	WM	6	SE NW
8 S	3 W	WM	6	NE SW
8 S	3 W	WM	6	NW SW
8 S	3 W	WM	6	SW SW
8 S	3 W	WM	6	NE SE
8 S	3 W	WM	6	NW SE
8 S	3 W	WM	6	SE SE
8 S	3 W	WM	7	NE NE
8 S	3 W	WM	8	NE 1/4
8 S	3 W	WM	8	NE NW
8 S	3 W	WM	8	NW NW
8 S	3 W	WM	8	SE NW
8 S	3 W	WM	8	NE SW
8 S	3 W	WM	8	SE SW
8 S	3 W	WM	8	SE 1/4
8 S	3 W	WM	9	ALL
8 S	3 W	WM	10	ALL
8 S	3 W	WM	11	ALL
8 S	3 W	WM	12	ALL
8 S	3 W	WM	13	NE 1/4
8 S	3 W	WM	13	NW 1/4
8 S	3 W	WM	13	NE SW
8 S	3 W	WM	13	NW SW
8 S	3 W	WM	13	SW SW
8 S	3 W	WM	14	ALL
8 S	3 W	WM	15	ALL
8 S	3 W	WM	16	ALL
8 S	3 W	WM	17	NE 1/4
8 S	3 W	WM	17	NE NW
8 S	3 W	WM	17	SE NW
8 S	3 W	WM	17	NE SW
8 S	3 W	WM	17	SE 1/4
8 S	3 W	WM	21	NE NE
8 S	3 W	WM	21	NW NE
8 S	3 W	WM	22	NE 1/4
8 S	3 W	WM	22	NW 1/4
8 S	3 W	WM	22	NE SW
8 S	3 W	WM	22	NW SW
8 S	3 W	WM	22	NE SE
8 S	3 W	WM	23	ALL
8 S	3 W	WM	24	SW NW
8 S	3 W	WM	24	NE NW
8 S	3 W	WM	26	NW NW

Measurement, recording and reporting conditions:

When in the judgment of the Watermaster it becomes necessary to install headgates and measuring devices:

That the diversion works shall include an in-line flow meter, a weir, or other suitable device for measuring the water to which this right is entitled;

That the type and plans of the measuring device be approved by the Watermaster before the beginning of construction work and that the weir or measuring device be installed under the general supervision of said Watermaster.

The quantity of water diverted at the new point of diversion shall not exceed the quantity of water available from the original point of diversion.

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
9 S	1 W	WM	11	SW SE	370 FEET SOUTH & 565 FEET EAST FROM THE NW CORNER OF THE SW 1/4/ SE 1/4, SECTION 11

This certificate is issued to confirm changes in USE, PLACE OF USE, and POINT OF DIVERSION of water approved by an order of the Water Resources Director entered July 8, 1986, at Special Order Volume 40, Page 224, approving Transfer Application 5476, and supersedes Certificate 46801, State Record of Water Right Certificates.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described; however, water may be applied to lands which are not specifically described above, provided the holder of this right complies with ORS 540.510(3).

This right is subject to all other conditions and limitations contained in said decree.

Issued APR 04 2013



Dwight W. French
Water Right Services Administrator, for
Phillip C. Ward, Director