

STATE OF OREGON

COUNTY OF MARION

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

BOB FESSLER  
11796 MONITOR MCKEE RD NE  
WOODBURN OR 97071

confirms the right to use the waters of TWO WELLS within the PUDDING RIVER BASIN for IRRIGATION of 204.1 ACRES.

This right was perfected under Permit G-2720. The date of priority is JULY 29, 1964. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 1.45 CUBIC FEET PER SECOND, or its equivalent in case of rotation, measured at the well.

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
6 S	2 W	WM	1	SW NE		WELL 1 (ORIGINAL) - 1370 FEET NORTH AND 1510 FEET EAST FROM SW CORNER, LOT 3, SECTION 1
6 S	2 W	WM	1	NE SE	5	WELL 2 (NEW) - 490 FEET NORTH AND 2180 FEET EAST FROM SW CORNER, LOT 3, SECTION 1

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
6 S	2 W	WM	1	SW NE			30.6
6 S	2 W	WM	1	SE NE			36.8
6 S	2 W	WM	1	SE NW	2		18.0
6 S	2 W	WM	1	NE SW	3		12.3
6 S	2 W	WM	1	NE SE		55	13.2
6 S	2 W	WM	1	NE SE	5		22.4
6 S	2 W	WM	1	NW SE		55	10.9
6 S	2 W	WM	1	NW SE	4		24.4
6 S	2 W	WM	1	SW SE		55	21.0
6 S	2 W	WM	1	SE SE		55	14.5

**NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW**

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

The quantity of water diverted at the new point of appropriation (well), together with that diverted at the old point of appropriation, shall not exceed the quantity of water available from the original point of appropriation.

When required by the Department, the water user shall install an in-line flow meter or other suitable device for measuring and recording the quantity of water used. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

Water shall be acquired from the same aquifer as the original point of appropriation.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

This certificate is issued to confirm a change in ADDITIONAL POINT OF APPROPRIATION approved by an order of the Water Resources Director entered OCTOBER 24, 1996, at Special Order Volume 50, Page 777, approving Transfer Application 6903, supercedes Certificate 36211, State record of Water Right Certificates.

SEP 05 2014

Issued \_\_\_\_\_.

A handwritten signature in black ink, appearing to read "Dwight French", is written over a horizontal line.

Dwight French  
Water Right Services Division Administrator, for  
Director  
Oregon Water Resources Department