

STATE OF OREGON  
COUNTY OF COOS  
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

CITY OF BANDON  
PO BOX 67  
BANDON OR 97411

confirms the right to the use of water perfected under the terms of Permit S-3011. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-4982

SOURCE OF WATER: GEIGER CREEK, A TRIBUTARY OF FERRY CREEK

PURPOSE OR USE: DOMESTIC SUPPLY

MAXIMUM RATE: 1.6 CUBIC FEET PER SECOND

DATE OF PRIORITY: JUNE 19, 1916

The point of diversion is located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
28 S	14 W	WM	29	NW SE	1193.45 FEET NORTH AND 2709.05 FEET EAST FROM SW CORNER, SECTION 29

The use shall conform to any reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q
28 S	14 W	WM	19	NE SW
28 S	14 W	WM	19	NW SW
28 S	14 W	WM	19	SW SW
28 S	14 W	WM	19	SE SW
28 S	14 W	WM	19	NE SE
28 S	14 W	WM	19	NW SE
28 S	14 W	WM	19	SW SE
28 S	14 W	WM	19	SE SE
28 S	14 W	WM	29	NWSW
28 S	14 W	WM	30	NE NE

**NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW**

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

Twp	Rng	Mer	Sec	Q-Q
28 S	14 W	WM	30	NW NE
28 S	14 W	WM	30	SW NE
28 S	14 W	WM	30	SE NE
28 S	14 W	WM	30	NE NW
28 S	14 W	WM	30	NW NW
28 S	14 W	WM	30	SW NW
28 S	14 W	WM	30	SE NW
28 S	14 W	WM	30	NE SW
28 S	14 W	WM	30	NW SW
28 S	14 W	WM	30	SW SW
28 S	14 W	WM	30	SE SW
28 S	14 W	WM	30	NE SE
28 S	14 W	WM	30	NW SE
28 S	14 W	WM	30	SW SE
28 S	14 W	WM	30	SE SE
28 S	14 W	WM	31	NE NW
28 S	14 W	WM	31	NW NW
28 S	14 W	WM	31	SE NW
28 S	15 W	WM	25	NE NE
28 S	15 W	WM	25	NW NE
28 S	15 W	WM	25	SW NE
28 S	15 W	WM	25	SE NE
28 S	15 W	WM	25	NE NW
28 S	15 W	WM	25	SE NW
28 S	15 W	WM	25	NE SW
28 S	15 W	WM	25	NW SW
28 S	15 W	WM	25	SW SW
28 S	15 W	WM	25	SE SW
28 S	15 W	WM	25	NE SE
28 S	15 W	WM	25	NW SE
28 S	15 W	WM	25	SW SE
28 S	15 W	WM	25	SE SE
28 S	15 W	WM	36	NE NE
28 S	15 W	WM	36	NW NE
28 S	15 W	WM	36	NE NW
28 S	15 W	WM	36	NW NW
28 S	15 W	WM	36	SW NW
28 S	15 W	WM	36	SE NW
28 S	15 W	WM	36	NE SW
28 S	15 W	WM	36	NW SW
28 S	15 W	WM	36	SW SW
28 S	15 W	WM	36	SE SW
28 S	15 W	WM	36	NE SE
28 S	15 W	WM	36	NW SE
28 S	15 W	WM	36	SW SE
28 S	15 W	WM	36	SE SE

The quantity of water diverted at the new point of diversion, located below the confluence of Ferry Creek and Geiger Creek, together with that diverted at the originally authorized points of diversion, shall not exceed the quantity of water lawfully available at the original points of diversion.

The water user shall maintain a headgate, an in-line flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the headgate and measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.


Water shall be acquired from the same surface water source as the original point of diversion.

The water user shall maintain a fish screen as approved by the Oregon Department of Fish and Wildlife.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

This certificate is issued for a partial perfection of Permit S-3011 as described in OAR-690-320-0040 and by an order of the Water Resources Director entered FEB 03 2017, at Volume 103, Page 231.

Issued FEB 03 2017



Dwight French  
Water Right Services Division Administrator, for  
Thomas M. Byler, Director  
Oregon Water Resources Department