

STATE OF OREGON
COUNTY OF MORROW
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

POTLATCH CORPORATION
PO BOX 38
BOARDMAN, OR 97818

confirms the right to use the waters of the COLUMBIA RIVER, a tributary of the PACIFIC OCEAN for IRRIGATION of 1425.07 ACRES.

This right was perfected under Permit S-37150. The date of priority is JULY 25, 1973. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 30.72 CUBIC FEET PER SECOND, PROVIDED THE TOTAL QUANTITY DIVERTED UNDER THE RIGHTS PERFECTED UNDER PERMIT 37150 DOES NOT EXCEED 140.1 CFS or its equivalent in case of rotation, measured at the point of diversion from the source.

The point of diversion is located as follows:

Twp	Rng	Mer	Sec	Q - Q	GLot	Measured Distances
4 N	25 E	WM	2	NE NW	7	SOUTH 86 DEGREES 22 MINUTES 46 SECONDS WEST, 2829 FEET FROM THE NE CORNER OF SECTION 2

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-FORTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 4.5 acre-feet per acre for each acre irrigated during the irrigation season of each year. The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use to which this right is appurtenant is as follows:

Twp	Rng	Mer	Sec	Q - Q	Acres
3 N	26 E	WM	1	NE NE	6.32
3 N	26 E	WM	1	NW NE	6.40
3 N	26 E	WM	1	SW NE	6.92
3 N	26 E	WM	1	SE NE	7.24
3 N	26 E	WM	1	NE NW	6.14
3 N	26 E	WM	1	NW NW	6.36
3 N	26 E	WM	1	SW NW	6.29
3 N	26 E	WM	1	SE NW	6.35
3 N	26 E	WM	1	NE SW	5.37

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Twp	Rng	Mer	Sec	Q - Q	Acres
3 N	26 E	WM	1	NW SW	9.47
3 N	26 E	WM	1	SW SW	8.36
3 N	26 E	WM	1	SE SW	4.93
3 N	26 E	WM	1	NE SE	6.58
3 N	26 E	WM	1	NW SE	9.91
3 N	26 E	WM	1	SW SE	10.24
3 N	26 E	WM	1	SE SE	6.61
3 N	26 E	WM	2	NE NE	5.54
3 N	26 E	WM	2	NW NE	7.43
3 N	26 E	WM	2	SW NE	7.59
3 N	26 E	WM	2	SE NE	5.64
3 N	26 E	WM	2	NE NW	6.15
3 N	26 E	WM	2	NW NW	6.22
3 N	26 E	WM	2	SW NW	6.45
3 N	26 E	WM	2	SE NW	6.19
3 N	26 E	WM	2	NE SW	6.51
3 N	26 E	WM	2	NW SW	7.08
3 N	26 E	WM	2	SW SW	7.01
3 N	26 E	WM	2	SE SW	5.88
3 N	26 E	WM	2	NE SE	7.30
3 N	26 E	WM	2	NW SE	9.05
3 N	26 E	WM	2	SW SE	8.25
3 N	26 E	WM	2	SE SE	5.92
3 N	26 E	WM	3	NE NE	4.05
3 N	26 E	WM	3	NW NE	7.15
3 N	26 E	WM	3	SW NE	7.65
3 N	26 E	WM	3	SE NE	6.21
3 N	26 E	WM	3	NE NW	8.06
3 N	26 E	WM	3	NW NW	7.72
3 N	26 E	WM	3	SW NW	6.71
3 N	26 E	WM	3	SE NW	6.66
3 N	26 E	WM	3	NE SW	6.90
3 N	26 E	WM	3	NW SW	6.57
3 N	26 E	WM	3	SW SW	6.92
3 N	26 E	WM	3	SE SW	6.68
3 N	26 E	WM	3	NE SE	5.44
3 N	26 E	WM	3	NW SE	6.45
3 N	26 E	WM	3	SW SE	8.07
3 N	26 E	WM	3	SE SE	6.42
3 N	26 E	WM	5	NE NE	7.98
3 N	26 E	WM	5	NW NE	6.45
3 N	26 E	WM	5	SW NE	5.44
3 N	26 E	WM	5	SE NE	6.59
3 N	26 E	WM	5	NE NW	7.57
3 N	26 E	WM	5	NW NW	4.80
3 N	26 E	WM	5	SW NW	5.00
3 N	26 E	WM	5	SE NW	8.53
3 N	26 E	WM	5	NE SW	6.88
3 N	26 E	WM	5	NW SW	6.12
3 N	26 E	WM	5	SW SW	5.85
3 N	26 E	WM	5	SE SW	7.26
3 N	26 E	WM	5	NE SE	6.88
3 N	26 E	WM	5	NW SE	7.32

Twp	Rng	Mer	Sec	Q - Q	Acres
3 N	26 E	W/M	5	SW SE	7.43
3 N	26 E	W/M	5	SE SE	7.22
3 N	26 E	W/M	6	NE NE	6.53
3 N	26 E	W/M	6	NW NE	6.14
3 N	26 E	W/M	6	SW NE	5.89
3 N	26 E	W/M	6	SE NE	6.94
3 N	26 E	W/M	6	NE NW	12.15
3 N	26 E	W/M	6	SW NW	5.98
3 N	26 E	W/M	6	SE NW	11.95
3 N	26 E	W/M	6	NE SW	11.59
3 N	26 E	W/M	6	NW SW	7.07
3 N	26 E	W/M	6	SE SW	6.20
3 N	26 E	W/M	6	SE SW	11.24
3 N	26 E	W/M	6	NE SE	7.66
3 N	26 E	W/M	6	NW SE	5.04
3 N	26 E	W/M	6	SW SE	4.55
3 N	26 E	W/M	6	SE SE	7.49
3 N	26 E	W/M	7	NE NE	9.49
3 N	26 E	W/M	7	NW NE	3.57
3 N	26 E	W/M	7	SW NE	3.95
3 N	26 E	W/M	7	SE NE	10.22
3 N	26 E	W/M	7	NE NW	10.93
3 N	26 E	W/M	7	NW NW	6.45
3 N	26 E	W/M	7	SW NW	5.79
3 N	26 E	W/M	7	SE NW	10.45
3 N	26 E	W/M	7	NE SW	11.48
3 N	26 E	W/M	7	NW SW	6.67
3 N	26 E	W/M	7	SW SW	4.90
3 N	26 E	W/M	7	SE SW	10.57
3 N	26 E	W/M	7	NE SE	9.28
3 N	26 E	W/M	7	NW SE	4.00
3 N	26 E	W/M	7	SW SE	3.17
3 N	26 E	W/M	7	SE SE	8.13
3 N	26 E	W/M	8	NE NE	6.84
3 N	26 E	W/M	8	NW NE	5.60
3 N	26 E	W/M	8	SW NE	3.24
3 N	26 E	W/M	8	SE NE	9.04
3 N	26 E	W/M	8	NE SE	7.15
3 N	26 E	W/M	8	NW SE	2.32
3 N	26 E	W/M	8	SW SE	4.79
3 N	26 E	W/M	8	SE SE	0.08
3 N	26 E	W/M	9	NE NE	6.69
3 N	26 E	W/M	9	NW NE	6.11
3 N	26 E	W/M	9	SW NE	6.01
3 N	26 E	W/M	9	SE NE	6.96
3 N	26 E	W/M	9	NE NW	7.94
3 N	26 E	W/M	9	NW NW	6.25
3 N	26 E	W/M	9	SW NW	4.88
3 N	26 E	W/M	9	SE NW	7.22
3 N	26 E	W/M	9	NE SW	9.29
3 N	26 E	W/M	9	NW SW	5.66
3 N	26 E	W/M	9	SW SW	0.01

Twtp	Rng	Mer	Sec	Q - Q	Acres
3 N	26 E	WM	9	SE SW	2.98
3 N	26 E	WM	9	NE SE	7.40
3 N	26 E	WM	9	NW SE	5.80
3 N	26 E	WM	9	SW SE	2.10
3 N	26 E	WM	9	SE SE	3.55
3 N	26 E	WM	11	NE NE	7.15
3 N	26 E	WM	11	NW NE	6.99
3 N	26 E	WM	11	SW NE	7.90
3 N	26 E	WM	11	SE NE	7.12
3 N	26 E	WM	11	NE NW	7.39
3 N	26 E	WM	11	NW NW	7.16
3 N	26 E	WM	11	SW NW	6.88
3 N	26 E	WM	11	SE NW	5.97
3 N	26 E	WM	11	NE SW	7.33
3 N	26 E	WM	11	NW SW	4.14
3 N	26 E	WM	11	SW SW	6.02
3 N	26 E	WM	11	SE SW	6.08
3 N	26 E	WM	11	NE SE	6.18
3 N	26 E	WM	11	NW SE	7.01
3 N	26 E	WM	11	SW SE	7.76
3 N	26 E	WM	11	SE SE	5.71
3 N	26 E	WM	12	NE NE	5.69
3 N	26 E	WM	12	NW NE	9.18
3 N	26 E	WM	12	SW NE	9.09
3 N	26 E	WM	12	SE NE	6.42
3 N	26 E	WM	12	NE NW	6.36
3 N	26 E	WM	12	NW NW	5.79
3 N	26 E	WM	12	SW NW	7.74
3 N	26 E	WM	12	SE NW	6.29
3 N	26 E	WM	12	NE SW	6.45
3 N	26 E	WM	12	NW SW	6.98
3 N	26 E	WM	12	SW SW	6.97
3 N	26 E	WM	12	SE SW	7.54
3 N	26 E	WM	12	NE SE	5.52
3 N	26 E	WM	12	NW SE	8.28
3 N	26 E	WM	12	SW SE	7.86
3 N	26 E	WM	12	SE SE	5.10
3 N	26 E	WM	13	NE NE	6.99
3 N	26 E	WM	13	NW NE	6.05
3 N	26 E	WM	13	SW NE	6.87
3 N	26 E	WM	13	SE NE	0.06
3 N	26 E	WM	13	NE NW	5.95
3 N	26 E	WM	13	NW NW	5.49
3 N	26 E	WM	13	SW NW	1.18
3 N	26 E	WM	13	SE NW	7.58
3 N	26 E	WM	13	NE SW	7.36
3 N	26 E	WM	13	NW SW	1.74
3 N	26 E	WM	13	SW SW	6.45
3 N	26 E	WM	13	SE SW	7.73
3 N	26 E	WM	13	NE SE	7.30
3 N	26 E	WM	13	NW SE	6.46
3 N	26 E	WM	13	SW SE	6.70
3 N	26 E	WM	13	SE SE	7.68

Twp	Rng	Mer	Sec	Q - Q	Acres
3 N	27 E	W/M	5	NE SW	7.38
3 N	27 E	W/M	5	NW SW	5.92
3 N	27 E	W/M	5	SW SW	6.60
3 N	27 E	W/M	5	SE SW	7.71
3 N	27 E	W/M	5	NE SE	1.79
3 N	27 E	W/M	5	NW SE	7.72
3 N	27 E	W/M	5	SW SE	5.99
3 N	27 E	W/M	5	SE SE	6.71
3 N	27 E	W/M	6	NE NE	3.89
3 N	27 E	W/M	6	NW NE	3.66
3 N	27 E	W/M	6	SW NE	5.14
3 N	27 E	W/M	6	SE NE	7.47
3 N	27 E	W/M	6	NE NW	11.53
3 N	27 E	W/M	6	NW NW	4.88
3 N	27 E	W/M	6	SW NW	5.94
3 N	27 E	W/M	6	SE NW	11.75
3 N	27 E	W/M	6	NE SW	8.87
3 N	27 E	W/M	6	NW SW	9.86
3 N	27 E	W/M	6	SW SW	10.11
3 N	27 E	W/M	6	SE SW	8.11
3 N	27 E	W/M	6	NE SE	7.73
3 N	27 E	W/M	6	NW SE	6.03
3 N	27 E	W/M	6	SW SE	4.28
3 N	27 E	W/M	6	SE SE	7.09
3 N	27 E	W/M	7	NE NE	6.25
3 N	27 E	W/M	7	NW NE	5.67
3 N	27 E	W/M	7	SW NE	6.71
3 N	27 E	W/M	7	SE NE	8.28
3 N	27 E	W/M	7	NE NW	11.20
3 N	27 E	W/M	7	NW NW	8.59
3 N	27 E	W/M	7	SW NW	10.46
3 N	27 E	W/M	7	SE NW	11.63
3 N	27 E	W/M	7	NE SW	11.88
3 N	27 E	W/M	7	NW SW	8.72
3 N	27 E	W/M	7	SW SW	4.01
3 N	27 E	W/M	7	SE SW	11.05
3 N	27 E	W/M	7	NE SE	9.06
3 N	27 E	W/M	7	NW SE	4.65
3 N	27 E	W/M	7	SW SE	3.94
3 N	27 E	W/M	7	SE SE	7.67
3 N	27 E	W/M	9	NE SE	0.42
3 N	27 E	W/M	9	NW SE	0.15
3 N	27 E	W/M	9	SW SE	5.98
3 N	27 E	W/M	9	SE SE	6.13
4 N	26 E	W/M	34	SW SE	0.22
TOTAL:					1425.07

The water user shall install and maintain headgates, in-line flow meters, weirs, or other suitable devices for controlling, measuring and recording the quantity of water diverted. In-line flow meters shall be installed at each canal pump station. The type and plans of the headgate and measuring devices must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

The water user shall operate and maintain the headgates and measuring devices, as needed. The Watermaster may operate the headgates and monitor accuracy of the measuring devices, as needed.

The water user shall install and maintain a soil moisture monitoring program. The monitoring shall include neutron probe data (or other monitoring data of similar or superior accuracy) at 1, 2, 3, 4 and 5 foot depths, at weekly intervals, beginning one week prior to the irrigation season and continuing one week past the end of the irrigation season. The monitoring program and the location of the monitoring sites shall be approved by the Watermaster. Review of the monitoring program can occur at any time with a formal request from the water user or the Watermaster.

Monitoring shall include one paired data sampling site with access tubes between adjacent tree rows for every 1000 acres of each major soil type in each age class (each paired site shall consist of a pair of access tubes located within the non-irrigated strip between the tree rows and at the outer edges of that strip). Major soil types with less than 1000 acres in a given age class will have one paired site. Monitoring shall include one access tube for each soil type located outside the planted area to be used as control for each major soil type. Soil types are as identified in attached soil classification map dated 12/2/2000. This data will be supplemented with other ongoing monitoring data from tubes in the tree rows as normally required by the water user for accurate irrigation scheduling, and as reasonably approved by the Watermaster.

The water user shall supply, to the Watermaster, bi-annual reports of water use and monitoring data. The first report will cover the period through June of each year and the second report will cover the remainder of the growing season. Monitoring equipment, monitoring sites and monitoring data in a reasonable summary format as approved by the Watermaster shall be available to the Watermaster promptly upon request. The water user shall promptly inform the Watermaster of encroachment events into any areas without water rights, including the areas between tree rows and inform the Watermaster of the course of action to correct the problem.

If water use under the irrigation system delivers water to areas without water rights, including the area between the tree rows, the Watermaster may regulate the water use until soil moisture and flow data demonstrate that the areas without water rights are no longer receiving water.

This certificate is issued to correct a scrivener's error in the date of issuance of the Final Order approving T-12522 described on Certificate 92928. This Certificate supersedes Certificate 92928, and describes the portion of water right Certificate 76586, NOT modified by the provisions of an order of the Water Resources Director entered March 31, 2017, and recorded at Volume 104, Page 293, approving Transfer Application T-12522.

The issuance of this superseding certificate does not confirm the status of the water right in regard to the provisions of ORS 540.610 pertaining to forfeiture or abandonment.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

WITNESS the signature of the Water Resources Director, affixed APR 11 2017.



Dwight French, Water Right Services Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department