

STATE OF OREGON
 COUNTY OF MULTNOMAH
 CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

METRO PARKS AND GREENSPACES
 600 NE GRAND AVE
 PORTLAND OR 97232

confirms the right to store water perfected under the terms of Permit R-13162. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-84711

SOURCE OF WATER: MULTNOMAH CHANNEL, A TRIBUTARY OF COLUMBIA RIVER

STORAGE FACILITY: MULTNOMAH CHANNEL NORTH RESERVOIR AND MULTNOMAH CHANNEL SOUTH RESERVOIR

PURPOSE OR USE OF THE STORED WATER: WETLAND ENHANCEMENT, WILDLIFE AND FISH LIFE

MAXIMUM STORAGE VOLUME: 443.0 ACRE-FEET (AF), BEING 203.00 AF IN MULTNOMAH CHANNEL NORTH RESERVOIR AND 240.0 AF IN MULTNOMAH CHANNEL SOUTH RESERVOIR

WATER MAY BE DIVERTED FOR STORAGE YEAR ROUND.

DATE OF PRIORITY: MARCH 26, 2001

The outlets are located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
2 N	1 W	WM	7	NW SW		SOUTH OUTLET - 2557 FEET NORTH AND 712 FEET EAST FROM SW CORNER, SECTION 7
2 N	2 W	WM	1	NE NE	1	NORTH OUTLET - 1058 FEET SOUTH AND 398 FEET WEST FROM NE CORNER, SECTION 1

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

The area submerged by Multnomah Channel South Reservoir is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	DLC
2 N	1 W	WM	7	SW NW		
2 N	1 W	WM	7	NE SW		
2 N	1 W	WM	7	NW SW		
2 N	1 W	WM	7	SW SW		
2 N	1 W	WM	7	SE SW		
2 N	1 W	WM	18	NE NW		
2 N	1 W	WM	18	NW NW		
2 N	2 W	WM	12	NE NE	1	
2 N	2 W	WM	12	NW NE		
2 N	2 W	WM	12	SE NE		41
2 N	2 W	WM	12	NE SE		41

The area submerged by Multnomah Channel North Reservoir is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot
2 N	1 W	WM	6	SW NW	1
2 N	1 W	WM	6	NW SW	1
2 N	1 W	WM	6	SW SW	1
2 N	2 W	WM	1	NE NE	1
2 N	2 W	WM	1	SE NE	2
2 N	2 W	WM	1	NE SE	
2 N	2 W	WM	1	SW SE	
2 N	2 W	WM	1	SE SE	3

Measurement, recording and reporting conditions:

- A. The water user shall maintain the meter or other suitable measuring device approved by the Director in good working order, shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

Routine maintenance of each dam, its spillway and all appurtenant structures shall be performed as necessary to remove trees, brush and debris, and to repair slumps, areas of erosion, or defective equipment.

The earthen dams and their resultant reservoirs shall be maintained according to the approved plans and specifications on file with the Oregon Water Resources Dam Safety program.

The complete structure shall not be enlarged, modified, altered or otherwise changed without prior written approval of the Director of the Water Resources Department or the Director's authorized representative. Except for routine repair and maintenance, plans and specifications prepared by an Oregon licensed engineer are required for any significant modification, alteration, or rehabilitation of the dam, spillway, or appurtenant structures.

The use may be restricted if the quality of the source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

The water user shall maintain and operate fishway at the obstruction that will provide adequate upstream and downstream passage for fish.

Use under this right is limited to the reservoir area. This right does not provide for the appropriation of water for maintaining the water level or maintaining a suitable fresh water condition.

The storage of water allowed herein is subject to the installation and maintenance of a fully functional conduit/gate assembly having a minimum diameter of 8 inches.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The right to store water for the above purpose is restricted to beneficial use at the place of use described.

Issued JUL 10 2017



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department