

STATE OF OREGON  
 COUNTY OF MULTNOMAH  
 CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

CITY OF TROUTDALE  
 342 SW 4TH ST  
 TROUTDALE OR 97060

confirms the right to the use of water perfected under the terms of Permit G-2320. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the well(s). The specific limits and conditions of the use are listed below.

SOURCE OF WATER: A WELL IN BEAVER CREEK BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE: 0.81 CUBIC FOOT PER SECOND, OR ITS EQUIVALENT, IN CASE OF ROTATION, MEASURED AT THE WELL, FURTHER LIMITED TO NO MORE THAN 162.25 ACRE-FEET DURING THE IRRIGATION SEASON OF EACH YEAR

DATE OF PRIORITY: DECEMBER 26, 1962

The well is located as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 N	3 E	WM	36	SW SW	50	DRINKER WELL - 1540 FEET SOUTH AND 1570 FEET WEST FROM CENTER 1/4 CORNER, SECTION 36

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q
1 N	3 E	WM	23	NE NE
1 N	3 E	WM	23	NW NE
1 N	3 E	WM	23	SW NE
1 N	3 E	WM	23	SE NE
1 N	3 E	WM	24	NW NW
1 N	3 E	WM	24	SW NW
1 N	3 E	WM	24	SE NW
1 N	3 E	WM	24	NE SW
1 N	3 E	WM	24	NW SW
1 N	3 E	WM	24	SW SW
1 N	3 E	WM	24	SE SW
1 N	3 E	WM	25	SW NE

Twp	Rng	Mer	Sec	Q-Q
1 N	3 E	WM	25	NE NW
1 N	3 E	WM	25	NW NW
1 N	3 E	WM	25	SW NW
1 N	3 E	WM	25	SE NW
1 N	3 E	WM	25	NE SW
1 N	3 E	WM	25	NW SW
1 N	3 E	WM	25	SW SW
1 N	3 E	WM	25	SE SW
1 N	3 E	WM	25	NE SE
1 N	3 E	WM	25	NW SE
1 N	3 E	WM	25	SW SE
1 N	3 E	WM	25	SE SE

**NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW**

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Twp	Rng	Mer	Sec	Q-Q
1 N	3 E	WM	26	NE NE
1 N	3 E	WM	26	NW NE
1 N	3 E	WM	26	SW NE
1 N	3 E	WM	26	SE NE
1 N	3 E	WM	26	NE NW
1 N	3 E	WM	26	NW NW
1 N	3 E	WM	26	SW NW
1 N	3 E	WM	26	SE NW
1 N	3 E	WM	26	NE SW
1 N	3 E	WM	26	NW SW
1 N	3 E	WM	26	SW SW
1 N	3 E	WM	26	SE SW
1 N	3 E	WM	26	NE SE
1 N	3 E	WM	26	NW SE
1 N	3 E	WM	26	SW SE
1 N	3 E	WM	26	SE SE
1 N	3 E	WM	35	NE NE
1 N	3 E	WM	35	NW NE
1 N	3 E	WM	35	SW NE
1 N	3 E	WM	35	SE NE
1 N	3 E	WM	35	NE NW
1 N	3 E	WM	35	NW NW
1 N	3 E	WM	35	SW NW
1 N	3 E	WM	35	SE NW
1 N	3 E	WM	35	NE SW
1 N	3 E	WM	35	NW SW
1 N	3 E	WM	35	SW SW
1 N	3 E	WM	35	SE SW
1 N	3 E	WM	35	NE SE
1 N	3 E	WM	35	NW SE
1 N	3 E	WM	35	SW SE
1 N	3 E	WM	35	SE SE
1 N	3 E	WM	36	NE NE
1 N	3 E	WM	36	NW NE
1 N	3 E	WM	36	SW NE

Twp	Rng	Mer	Sec	Q-Q
1 N	3 E	WM	36	SE NE
1 N	3 E	WM	36	NE NW
1 N	3 E	WM	36	NW NW
1 N	3 E	WM	36	SW NW
1 N	3 E	WM	36	SE NW
1 N	3 E	WM	36	NE SW
1 N	3 E	WM	36	NW SW
1 N	3 E	WM	36	SW SW
1 N	3 E	WM	36	SE SW
1 N	3 E	WM	36	NE SE
1 N	3 E	WM	36	NW SE
1 N	3 E	WM	36	SW SE
1 N	3 E	WM	36	SE SE
1 N	4 E	WM	30	SW SW
1 N	4 E	WM	31	NW NW
1 N	4 E	WM	31	SW NW
1 N	4 E	WM	31	NW SW
1 S	3 E	WM	1	NE NE
1 S	3 E	WM	1	NW NE
1 S	3 E	WM	1	SW NE
1 S	3 E	WM	1	SE NE
1 S	3 E	WM	1	NE NW
1 S	3 E	WM	1	NW NW
1 S	3 E	WM	1	SW NW
1 S	3 E	WM	1	SE NW
1 S	3 E	WM	1	NE SW
1 S	3 E	WM	1	NW SW
1 S	3 E	WM	1	SW SW
1 S	3 E	WM	1	SE SW
1 S	3 E	WM	1	NE SE
1 S	3 E	WM	1	NW SE
1 S	3 E	WM	1	SW SE
1 S	3 E	WM	1	SE SE

When required by the Department, the water user shall install, maintain and operate headgates and measuring devices. The diversion works shall include an in line flow meter, a weir, or other suitable device for measuring the water to which the water user is entitled. The types and plans of the measuring device must be approved by the Watermaster prior to beginning construction and shall be installed under the general supervision of the Department.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described; however, water may be applied to lands which are not specifically described above, provided the holder of this right complies with ORS 540.510(3).

This certificate is issued to confirm a change in CHARACTER OF USE approved by an order of the Water Resources Director entered DECEMBER 7, 1976, at Special Order Volume 28, Page 170, approving Transfer Application 3119 supersedes Certificate 34708, State record of Water Right Certificates.

**JAN 24 2018**

Issued \_\_\_\_\_



Dwight French  
Water Right Services Division Administrator, for  
Thomas M. Byler, Director  
Oregon Water Resources Department