

STATE OF OREGON  
 COUNTY OF LAKE  
 CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

U.S. BUREAU OF LAND MANAGEMENT  
 1301 SOUTH G ST  
 LAKEVIEW OR 97630

confirms the right to the use of water perfected under the terms of Permit S-20854. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

SOURCE OF WATER: HART LAKE, A TRIBUTARY OF WARNER LAKES AND STREAMS

PURPOSE OR USE: SUPPLEMENTAL IRRIGATION OF 3176.47 ACRES

MAXIMUM RATE: 20.8 CUBIC FEET PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 1 OF EACH YEAR

DATE OF PRIORITY: MARCH 15, 1951

The point of diversion is located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
36 S	25 E	WM	18	SW SW	12	POD 8 - 96 FEET NORTH AND 4528 FEET WEST FROM SE CORNER, SECTION 18

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-FORTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the lands shall not exceed the limitation allowed herein, and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use is as follows:

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
35 S	24 E	WM	24	NE NW	1	20.00
35 S	24 E	WM	24	NW NW		10.00
35 S	24 E	WM	24	SW NW	2	40.00
35 S	24 E	WM	24	NW SW	3	28.14
35 S	24 E	WM	24	SW SW	4	23.80
35 S	24 E	WM	25	NW NW	1	31.17

**NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW**

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
35 S	24 E	WM	25	SW NW	2	39.94
35 S	24 E	WM	25	SE NW	3	14.29
35 S	24 E	WM	25	NE SW	4	33.30
35 S	24 E	WM	25	NW SW		33.00
35 S	24 E	WM	25	SW SW		39.90
35 S	24 E	WM	25	SE SW	5	33.30
35 S	24 E	WM	36	NE NW	1	33.30
35 S	24 E	WM	36	NW NW		40.00
35 S	24 E	WM	36	SW NW		40.00
35 S	24 E	WM	36	SE NW	2	33.30
35 S	24 E	WM	36	NE SW	3	33.30
35 S	24 E	WM	36	NW SW		40.00
35 S	24 E	WM	36	SW SW		40.00
35 S	24 E	WM	36	SE SW	4	33.30
35 S	25 E	WM	30	NW SW		2.37
35 S	25 E	WM	30	SW SW	4	35.40
35 S	25 E	WM	30	SE SW		1.80
35 S	25 E	WM	31	NW NW	1	40.00
35 S	25 E	WM	31	SW NW	2	40.00
35 S	25 E	WM	31	NE SW	5	19.55
35 S	25 E	WM	31	NW SW	3	40.00
35 S	25 E	WM	31	SW SW	4	39.00
35 S	25 E	WM	31	SE SW		35.00
36 S	24 E	WM	1	NE NW	1	32.74
36 S	24 E	WM	1	NW NW	2	36.65
36 S	24 E	WM	1	SW NW		24.00
36 S	24 E	WM	1	SE NW	3	35.27
36 S	24 E	WM	1	NE SW	4	35.25
36 S	24 E	WM	1	NW SW		34.00
36 S	24 E	WM	1	SW SW		40.00
36 S	24 E	WM	1	SE SW	5	35.22
36 S	24 E	WM	12	NE NW	1	35.05
36 S	24 E	WM	12	NW NW		40.00
36 S	24 E	WM	12	SW NW		40.00
36 S	24 E	WM	12	SE NW	2	34.75
36 S	24 E	WM	12	NE SW	3	34.75
36 S	24 E	WM	12	SE SW	4	34.15
36 S	24 E	WM	13	NE NW	1	34.00
36 S	24 E	WM	13	SE NW	4	34.00
36 S	24 E	WM	13	NE SW	5	14.00
36 S	25 E	WM	6	NW NE	8	23.00
36 S	25 E	WM	6	SW NE	7	20.00
36 S	25 E	WM	6	NE NW	9	34.00
36 S	25 E	WM	6	NW NW	10	38.00
36 S	25 E	WM	6	SW NW	11	40.10
36 S	25 E	WM	6	SE NW		40.00
36 S	25 E	WM	6	NE SW		35.00
36 S	25 E	WM	6	NW SW	12	40.18
36 S	25 E	WM	6	SW SW	13	40.26
36 S	25 E	WM	6	SE SW		40.00
36 S	25 E	WM	6	NW SE	3	1.20
36 S	25 E	WM	6	NW SE	6	25.80

**SUPPLEMENTAL IRRIGATION**

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
36 S	25 E	WM	6	SW SE	4	11.40
36 S	25 E	WM	6	SW SE	5	28.60
36 S	25 E	WM	6	SE SE		10.00
36 S	25 E	WM	7	NE NE	1	30.70
36 S	25 E	WM	7	NE NE	8	7.30
36 S	25 E	WM	7	NW NE	8	38.50
36 S	25 E	WM	7	NW NE	1	1.50
36 S	25 E	WM	7	SW NE		40.00
36 S	25 E	WM	7	SE NE	2	21.30
36 S	25 E	WM	7	SE NE	7	18.70
36 S	25 E	WM	7	NE NW		40.00
36 S	25 E	WM	7	NW NW	9	40.26
36 S	25 E	WM	7	SW NW	10	40.18
36 S	25 E	WM	7	SE NW		40.00
36 S	25 E	WM	7	NE SW		40.00
36 S	25 E	WM	7	NW SW	11	40.10
36 S	25 E	WM	7	SW SW	12	40.02
36 S	25 E	WM	7	SE SW		40.00
36 S	25 E	WM	7	NE SE	3	11.20
36 S	25 E	WM	7	NE SE	6	25.80
36 S	25 E	WM	7	NW SE		39.00
36 S	25 E	WM	7	SW SE		31.00
36 S	25 E	WM	7	SE SE	4	3.70
36 S	25 E	WM	7	SE SE	5	34.30
36 S	25 E	WM	8	NW NW		12.00
36 S	25 E	WM	8	SW NW		28.00
36 S	25 E	WM	18	NE NE	1	9.60
36 S	25 E	WM	18	NE NE	8	19.40
36 S	25 E	WM	18	NW NE		34.00
36 S	25 E	WM	18	SW NE		31.00
36 S	25 E	WM	18	SE NE	2	12.70
36 S	25 E	WM	18	SE NE	7	25.30
36 S	25 E	WM	18	NE NW		40.00
36 S	25 E	WM	18	NW NW	9	40.00
36 S	25 E	WM	18	SW NW	10	40.00
36 S	25 E	WM	18	SE NW		40.00
36 S	25 E	WM	18	NE SW		40.00
36 S	25 E	WM	18	NW SW	11	40.00
36 S	25 E	WM	18	SW SW	12	37.08
36 S	25 E	WM	18	SE SW		40.00
36 S	25 E	WM	18	NE SE	3	30.20
36 S	25 E	WM	18	NE SE	6	6.80
36 S	25 E	WM	18	NW SE		37.00
36 S	25 E	WM	18	SW SE	5	41.30
36 S	25 E	WM	18	SE SE	4	26.00
36 S	25 E	WM	19	NW NE	8	22.00
36 S	25 E	WM	19	NE NW	9	6.00

The quantity of water diverted at the new point of diversion, shall not exceed the quantity of water lawfully available at the original point of diversion described as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
36 S	25 E	WM	18	SW SW	9	NORTH 77 DEGREES 18 MINUTES EAST, 8745.1 FEET FROM SW CORNER, SECTION 14, T36S, R24E

The water user shall maintain and operate a fish screening and/or by-pass device, as appropriate, at the point of diversion consistent with the Oregon Department of Fish and Wildlife's operational and maintenance standards.

Water use measurement conditions:


- a. The water user shall maintain, in good working order, a totalizing flow meter or other suitable measuring device as approved by the Director at the point of diversion.
- b. The water user shall allow the Watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the Watermaster shall request access upon reasonable notice.

The water user shall maintain a headgate to control and regulate the quantity of water diverted as required by the Department.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

This certificate is issued to confirm a change in POINT OF DIVERSION approved by an order of the Water Resources Director entered June 7, 2012, at Special Order Volume 87, Page 667, approving Transfer Application T-10750, and together with Certificate 85599, supercedes Certificate 22209, State record of Water Right Certificates.

Issued           FEB 9 2018          .



Dwight French  
 Water Right Services Division Administrator, for  
 Thomas M. Byler, Director  
 Oregon Water Resources Department