

STATE OF OREGON
COUNTY OF JACKSON
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

MEDFORD IRRIGATION DISTRICT
5045 JACKSONVILLE HWY
CENTRAL POINT OR 97502

confirms the right to the use of water perfected under the terms of Permit E-19. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the points of diversion from the source. The specific limits and conditions of the use are listed below.

SOURCE OF WATER: NORTH AND SOUTH FORKS LITTLE BUTTE CREEK, A TRIBUTARY OF LITTLE BUTTE CREEK

PURPOSE OR USE: MUNICIPAL AND INDUSTRIAL USE WITHIN THE CITY OF CENTRAL POINT AS DESCRIBED BELOW

MAXIMUM RATE: 1.13 CUBIC FEET PER SECOND

PERIOD OF USE: MUNICIPAL USE OF WATER SHALL BE LIMITED TO THE IRRIGATION SEASON, BEING APRIL 1 TO OCTOBER 1 OF EACH YEAR

DATE OF PRIORITY: JULY 23, 1909

The points of diversion are located as follows:

Twsp	Rng	Mer	Sec	Q-Q	Measured Distances
36 S	1 E	WM	8	SW SW	BRADSHAW DROP (ORIGINAL)
36 S	2 E	WM	20	SE NE	NORTH FORK LITTLE BUTTE CREEK (ORIGINAL) - 40 FEET NORTH AND 620 FEET WEST FROM E1/4 CORNER, SECTION 20
36 S	2 E	WM	29	NE SE	SOUTH FORK LITTLE BUTTE CREEK (ORIGINAL) - 780 FEET SOUTH AND 400 FEET WEST FROM E1/4 CORNER, SECTION 29
36 S	2 W	WM	13	SW NW	ADDITIONAL POD – SOUTH 25° 25' 28" EAST 4385.6 FEET FROM NE CORNER, DLC 42

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

A description of the place of use is as follows:

MUNICIPAL AND INDUSTRIAL USES				
Twp	Rng	Mer	Sec	Q-Q
36 S	2 W	WM	34	NE SW
36 S	2 W	WM	34	SE SW
36 S	2 W	WM	34	NE SE
36 S	2 W	WM	34	NW SE
36 S	2 W	WM	34	SW SE
36 S	2 W	WM	34	SE SE
36 S	2 W	WM	35	SW SW
36 S	2 W	WM	35	SE SE
36 S	2 W	WM	36	NE SW
36 S	2 W	WM	36	SW SW
36 S	2 W	WM	36	SE SW
37 S	2 W	WM	1	NE NW
37 S	2 W	WM	1	NW NW
37 S	2 W	WM	1	SW NW
37 S	2 W	WM	1	SE NW
37 S	2 W	WM	1	NE SW
37 S	2 W	WM	1	NW SW
37 S	2 W	WM	1	SW SW
37 S	2 W	WM	1	SE SW
37 S	2 W	WM	2	NE NE
37 S	2 W	WM	2	SE NE
37 S	2 W	WM	2	NW NW
37 S	2 W	WM	2	SW NW
37 S	2 W	WM	2	SE NW
37 S	2 W	WM	2	NE SW
37 S	2 W	WM	2	NW SW
37 S	2 W	WM	2	SW SW
37 S	2 W	WM	2	SE SW
37 S	2 W	WM	2	NE SE
37 S	2 W	WM	2	NW SE
37 S	2 W	WM	2	SW SE
37 S	2 W	WM	2	SE SE
37 S	2 W	WM	3	NE NE
37 S	2 W	WM	3	NW NE
37 S	2 W	WM	3	SW NE
37 S	2 W	WM	3	SE NE
37 S	2 W	WM	3	NE NW
37 S	2 W	WM	3	NW NW
37 S	2 W	WM	3	SW NW
37 S	2 W	WM	3	SE NW
37 S	2 W	WM	3	NE SW
37 S	2 W	WM	3	NW SW
37 S	2 W	WM	3	SW SW
37 S	2 W	WM	3	SE SW
37 S	2 W	WM	3	NE SE

MUNICIPAL AND INDUSTRIAL USES				
Twp	Rng	Mer	Sec	Q-Q
37 S	2 W	WM	3	NW SE
37 S	2 W	WM	3	SW SE
37 S	2 W	WM	3	SE SE
37 S	2 W	WM	10	NE NE
37 S	2 W	WM	10	NW NE
37 S	2 W	WM	10	SW NE
37 S	2 W	WM	10	SE NE
37 S	2 W	WM	10	NE NW
37 S	2 W	WM	10	NW NW
37 S	2 W	WM	10	SW NW
37 S	2 W	WM	10	SE NW
37 S	2 W	WM	10	NE SW
37 S	2 W	WM	10	NW SW
37 S	2 W	WM	10	SW SW
37 S	2 W	WM	10	SE SW
37 S	2 W	WM	10	NE SE
37 S	2 W	WM	10	NW SE
37 S	2 W	WM	10	SW SE
37 S	2 W	WM	10	SE SE
37 S	2 W	WM	11	NE NE
37 S	2 W	WM	11	NW NE
37 S	2 W	WM	11	SW NE
37 S	2 W	WM	11	SE NE
37 S	2 W	WM	11	NE NW
37 S	2 W	WM	11	NW NW
37 S	2 W	WM	11	SW NW
37 S	2 W	WM	11	SE NW
37 S	2 W	WM	11	NE SW
37 S	2 W	WM	11	NW SW
37 S	2 W	WM	11	SW SW
37 S	2 W	WM	11	SE SW
37 S	2 W	WM	11	NE SE
37 S	2 W	WM	11	NW SE
37 S	2 W	WM	11	SW SE
37 S	2 W	WM	11	SE SE
37 S	2 W	WM	12	NE NW
37 S	2 W	WM	12	NW NW
37 S	2 W	WM	12	SW NW
37 S	2 W	WM	12	SE NW
37 S	2 W	WM	12	NE SW
37 S	2 W	WM	12	NW SW
37 S	2 W	WM	12	SW SW
37 S	2 W	WM	12	SE SW

The quantity of water diverted at the additional point of diversion, together with that diverted at the original points of diversion, shall not exceed the quantity of water lawfully available at the original points of diversion.

The water user shall maintain a suitable device for measuring and recording the quantity of water diverted. The Lake Creek gaging station on Little Butte Creek (Station number 14346700) is an acceptable measuring point for use in fulfillment of this requirement.

Prior to diverting water, the water user shall install a fish screening and/or by-pass device, as appropriate, at the new point of diversion consistent with the Oregon Department of Fish and Wildlife's (ODFW) design and construction standards. Prior to installation, the water user shall obtain written approval from ODFW that the required fish screening and/or by-pass device meets ODFW's criteria. After October 1, 2007, no further diversion of water will be allowed until adequate fish screening and/or by-pass devices have been installed and approved by ODFW. After installation and approval, the device(s) shall be operated and maintained consistent with ODFW standards.


A claim of beneficial use was submitted prior to installation of an approved fish screening and/or by-pass device, this confirming certificate is conditioned to require that this water right be leased instream prior to diversion of any water.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described; however, water may be applied to lands which are not specifically described above, provided the holder of this right complies with ORS 540.510(3).

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described, and is subject to all other conditions and limitations contained in the original certificate and any related decrees.

This certificate is issued to confirm a change in CHARACTER OF USE, PLACE OF USE AND AN ADDITIONAL POINT OF DIVERSION approved by an order of the Water Resources Director entered May 31, 2007, at Special Order Volume 72, Page 238, approving Transfer Application 10120, and together with Certificate 83381, supercedes Certificate 80570, State record of Water Right Certificates.

Issued MAY 25 2018 .



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department