

STATE OF OREGON

COUNTY OF LINN

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

JCK LEASING LLC
PO BOX H
STAYTON OR 97383-0998

confirms the right to the use of water perfected under the terms of Permit G-1255. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the wells. The specific limits and conditions of the use are listed below.

SOURCE OF WATER: TWO WELLS IN THE NORTH SANTIAM RIVER BASIN

PURPOSE OR USE: IRRIGATION OF 42.6 ACRES AND SUPPLEMENTAL IRRIGATION OF 25.5 ACRES

MAXIMUM RATE: 0.86 CUBIC FOOT PER SECOND (CFS), LIMITED TO 0.57 CFS FROM WELL 1 (DEEP WELL) AND 0.46 FROM WELL 2 (SHALLOW WELL), IF AVAILABLE AT THE ORIGINAL POINT OF APPROPRIATION: NW¼ SW¼, SECTION 15, TOWNSHIP 9 SOUTH, RANGE 1 WEST, W.M.; 26 CHAINS NORTH AND 25 CHAINS WEST FROM THE S¼ CORNER OF SECTION 15

DATE OF PRIORITY: FEBRUARY 19, 1959

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
9 S	1 W	WM	15	SW SE	WELL 2 (SHALLOW WELL) - 1330 FEET NORTH AND 107 FEET EAST FROM S¼ CORNER, SECTION 15
9 S	1 W	WM	15	SW SE	WELL 1 (DEEP WELL) - 1300 FEET NORTH AND 575 FEET EAST FROM S¼ CORNER, SECTION 15

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 2.5 FOR IRRIGATION acre-feet per acre for each acre irrigated during the irrigation season of each year.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use is as follows:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
9 S	1 W	WM	15	SW SE	22.0
9 S	1 W	WM	15	SE SE	20.6

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

SUPPLEMENTAL					
Twp	Rng	Mer	Sec	Q-Q	Acres
9 S	1 W	WM	15	SW SE	13.0
9 S	1 W	WM	15	SE SE	12.5

Water shall be acquired from the same aquifer (water source) as the original point of appropriation, being the shallow alluvial aquifer.

The quantity of water diverted at the new points of appropriation (wells) shall not exceed the quantity of water lawfully available from the original point of appropriation described as follows:


Twp	Rng	Mer	Sec	Q-Q	Measured Distances
9 S	1 W	WM	15	SE SW	1250 FEET NORTH AND 910 FEET WEST FROM S1/4 CORNER, SECTION 15

When required by the Department, the water user shall install and maintain an in-line flow meter or other suitable device for measuring and recording the quantity of water appropriated. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

This certificate is issued to confirm a change in POINT OF APPROPRIATION and ADDITIONAL POINT OF APPROPRIATION approved by an order of the Water Resources Director entered October 27, 2006, at Special Order Volume 70, Page 403, approving Transfer Application 8710, supercedes Certificate 75832, State record of Water Right Certificates.

Issued JUN 15 2018


 Dwight French
 Water Right Services Division Administrator, for
 Thomas M. Byler, Director
 Oregon Water Resources Department