

STATE OF OREGON  
 COUNTY OF HARNEY  
 CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

MATTHEW F STASHIN  
 21762 SW MOUNTAIN HOME ROAD  
 SHERWOOD OR 97140

NORTHWEST FARM CREDIT SERVICES, FLCA  
 3370 10<sup>TH</sup> STREET, SUITE B  
 BAKER CITY OR 97814

confirms the right to use the waters of THREE WELLS in the MALHEUR LAKE BASIN for IRRIGATION OF 367.0 ACRES.

This right was perfected under Permit G-17595. The date of priority is AUGUST 18, 1975. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 4.45 CUBIC FEET PER SECOND (CFS) , being 1.48 CFS FROM EACH OF THE WELLS or its equivalent in case of rotation, measured at the wells.

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
24 S	33 E	WM	18	NW NE	WELL 2 - 32 FEET NORTH AND 28.7 FEET WEST FROM THE SE CORNER OF THE NW¼ NE¼ OF SECTION 18
24 S	33 E	WM	18	SW SE	WELL 3 - 42.7 FEET SOUTH AND 32.9 FEET WEST FROM THE NE CORNER OF THE SW¼ SE¼ OF SECTION 18
24 S	33 E	WM	18	NE SW	WELL 4 - 60.5 FEET NORTH AND 304.75 FEET EAST FROM THE SW CORNER OF THE NE¼ SW¼ OF SECTION 18

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

A description of the place of use to which this right is appurtenant is as follows:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
24 S	33 E	WM	18	NE NE		32.3
24 S	33 E	WM	18	NW NE		29.8
24 S	33 E	WM	18	SW NE		29.9
24 S	33 E	WM	18	SE NE		32.4
24 S	33 E	WM	18	NE SW		29.8
24 S	33 E	WM	18	NW SW	3	28.8
24 S	33 E	WM	18	SW SW	4	28.7
24 S	33 E	WM	18	SE SW		29.7
24 S	33 E	WM	18	NE SE		31.4
24 S	33 E	WM	18	NW SE		31.4
24 S	33 E	WM	18	SW SE		31.4
24 S	33 E	WM	18	SE SE		31.4
Total						367.0

The Department requires the water user to measure and report annual static water levels for each well on the right. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of the measurement.

The water user shall report annual March static water-level measurements whether or not the well is used. The reference levels against which future measurements will be compared are 20.1 feet below ground surface for Well 2, 13.8 feet below ground surface for Well 3, and 18.5 feet below ground surface for Well 4. The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this right. If more than one well is involved, the water use may submit an alternative measurement and reporting plan for review and approval by the Department.

The wells shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the wells at all times.


The water user shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

This certificate describes that portion of water right Certificate 92313, State Record of Water Right Certificates, NOT modified by the provisions of an order of the Water Resources Director entered MAR 18 2019, approving Transfer Application T-12812.

The issuance of this superseding certificate does not confirm the status of the water right in regard to the provisions of ORS 540.610 pertaining to forfeiture or abandonment.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

WITNESS the signature of the Water Resources Director, affixed MAR 18 2019



Dwight French, Water Right Services Administrator, for  
Thomas M. Byler, Director  
Oregon Water Resources Department