STATE OF OREGON

COUNTY OF CLACKAMAS

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

BARRY R. BUSHUE HELEN JOY BUSHUE 9880 SE REVENUE RD BORING OR 97009

NORTHWEST FARM CREDIT SERVICES PCA PO BOX 13309 SALEM OR 97309

confirms the right to the use of water perfected under the terms of Permit G-12291. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-12354

SOURCE OF WATER: TWO WELLS IN JOHNSON CREEK BASIN

PURPOSE OR USE: NURSERY OPERATIONS ON 57.1 ACRES

RATE OF USE: THE AMOUNT OF WATER USED FOR NURSERY OPERATIONS IS LIMITED TO A DIVERSION OF 269.0 GALLONS PER MINUTE (GPM), BEING 220.9 GPM FROM WELL 1 (NEW WELL 1) AND 48.1 GPM FROM WELL 2 (OLD WELL 1)

PERIOD OF ALLOWED USE: YEAR ROUND

DATE OF PRIORITY: DECEMBER 18, 1990

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
1 S	4 E	WM	29	NE SE	WELL 2 (OLD WELL 1) – 1670 FEET NORTH AND 355 FEET WEST FROM SE CORNER, SECTION 29
1 S	4 E	WM	29	SE SE	WELL 1 (NEW WELL 1) - 410 FEET SOUTH AND 670 FEET WEST FROM NE CORNER, SESE, SECTION 29

The amount of water used for NURSERY OPERATIONS is limited to a diversion of 0.15 cubic foot per second per acre. For the irrigation of **containerized nursery plants**, the amount of water diverted is limited to ONE-FORTIETH of one cubic foot per second (or its equivalent) and 5.0 acre feet per acre per year. For the irrigation of **in ground nursery plants** the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre per year. The use of water for NURSERY OPERATIONS may be made at anytime of the year that the use is beneficial. For the irrigation of **any other crop**, the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre during the irrigation season of each year.

A description of the place of use is as follows:

NURSERY OPERATIONS										
Twp	Rng	Mer	Sec	Q-Q	Acres					
1 S	4 E	WM	28	NW SW	3.4					
1 S	4 E	WM	29	NE SE	18.3					
1 S	4 E	WM	29	SE SE	18.4					
1 S	4 E	WM	_32	NE NE	17.0					
	57.1									

Measurement, recording and reporting conditions for WELL 2 (OLD WELL 1):

- A. The water user shall maintain the meter or other suitable measuring device as approved by the Director in good working order.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative reporting procedures for review and approval.

Measurement, recording and reporting conditions for WELL 1 (NEW WELL 1):

The water user shall maintain a meter or other suitable measuring device as approved by the Department. The water user shall maintain the measuring device, shall keep a complete record of the amount of water diverted and shall submit a report which includes the recorded water use measurements to the Department annually or as may be required by the Director.

Limited Water Level Decline/Interference Condition

To monitor the effect of water use from the well authorized under this right, the Director may require the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement. The measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement; and
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well if annual water level measurements reveal any of the following events:

- (A) An average water level decline of three or more feet per year for five consecutive years; or
- (B) A water level decline of 15 or more feet in fewer than five consecutive years; or
- (C) A water level decline of 25 or more feet; or
- (D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The reference level against which any future measurements will be compared is 248.85 feet below land surface for Well 1 (New Well 1).

The reference level against which any future measurements will be compared for use of water from Well 2 (Old Well 1) is 81.70 feet below land surface as measured at Old Well #2 (CLAC 974).

The period of non-use or restricted use shall continue until the water level rises above the decline level which triggered the action or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this right. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

The quantity of water diverted at the new point of appropriation (well), together with the quantity diverted at the old points of appropriation, shall not exceed the quantity of water lawfully available from the original points of appropriation.

Water shall be acquired from the same aquifer as the original point of appropriation.

The wells shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine the water level elevation in the well at all times.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

Issued

DEC 13 2018

Dwight French

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department