

STATE OF OREGON

COUNTY OF CROOK

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

SHOTGUN RANCH LLC
40791 SE SHOTGUN RD
POST OR 97752

confirms the right to use the waters of DRAKE CREEK, a tributary of CROOKED RIVER for purpose of IRRIGATION OF 42.0 ACRES and STOCK USE.

This right was confirmed by decree of the Circuit Court of the State of Oregon for Crook County. The decree is of record at Salem, in the Order Record of the Water Resources Director in Volume 1, at Page 449. The date of priority is from the year 1888.

The amount of water to which such right is entitled and is hereby confirmed for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed a reasonable amount for stock use, and 53/100 cubic foot per second from February 1st to December 1st of each year for irrigation.

The use hereunder shall conform to any reasonable rotation system ordered by the proper state officer.

The points of diversion are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
17 S	20 E	WM	10	NW SW	DRAKE CREEK #1 (REAM DITCH) – ORIGINAL – 220 FEET SOUTH AND 260 FEET EAST FROM W1/4 CORNER, SECTION 10
17 S	20 E	WM	10	SW SW	DRAKE CREEK #2 – ADDITIONAL – 90 FEET NORTH AND 670 FEET EAST FROM SW CORNER, SECTION 10

A description of the lands irrigated under such right, and to which the water hereby confirmed is appurtenant, or, if for other purposes, the place where such water is put to beneficial use, is as follows:

IRRIGATION AND STOCK USE					
Twp	Rng	Mer	Sec	Q-Q	Acres
17 S	20 E	WM	3	SW SW	6.2
17 S	20 E	WM	4	NE SE	1.0
17 S	20 E	WM	4	SE SE	30.4
17 S	20 E	WM	9	NE NE	4.2
17 S	20 E	WM	10	NW NW	0.2

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Water use measurement conditions:

- A. The water user shall maintain the weir or another suitable measuring device approved by the Director in good working order at each new point of diversion.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The water user shall maintain and operate the fish screen at the new points of diversion. If Oregon Department of Fish and Wildlife (ODFW) determines the screen is not functioning properly, and is unsuccessful in working with the water user to meet ODFW standards, ODFW may request that OWRD regulate the use of water until OWRD receives notification from ODFW that the fish screen is functioning properly.

The quantity of water diverted at the new and additional point of diversion, together with that diverted at the original points of diversion, shall not exceed the quantity of water lawfully available at the original points of diversion.

The right to use water for the above purpose is restricted to beneficial use on the lands or place of use described and is subject to all other conditions and limitations contained in the decree.

This certificate is issued to confirm changes in ADDITIONAL POINT OF DIVERSION and PLACE OF USE approved by an order of the Water Resources Director entered DECEMBER 31, 2014, at Special Order Volume 93, Page 995, approving Transfer Application 11750, and together with Certificate 89788, supersedes Certificate 649, State record of Water Right Certificates.

Issued JUL 12 2019



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department