

STATE OF OREGON
COUNTY OF DOUGLAS
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

DOUGLAS COUNTY WATER RESOURCES
1036 SE DOUGLAS AVE
COURTHOUSE ROOM 304
ROSEBURG OR 97470

confirms the right to the use of water perfected under the terms of Permit S-52931. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-72336

SOURCE OF WATER: COW CREEK, SOUTH UMPQUA RIVER AND GALESVILLE RESERVOIR CONSTRUCTED UNDER PERMIT R-9964, TRIBUTARIES OF UMPQUA RIVER

PURPOSE or USE: IRRIGATION OF 40.1 ACRES, SUPPLEMENTAL IRRIGATION OF 22.06 ACRES, INDUSTRIAL USE AND MUNICIPAL USE FOR CITY OF RIDDLE.

MAXIMUM RATE/VOLUME ALLOWED: COW CREEK 1.087 CUBIC FEET PER SECOND, BEING 0.017 CFS FOR IRRIGATION, 0.07 CFS FOR MUNICIPAL USE, 1.0 CFS FOR INDUSTRIAL USE; SOUTH UMPQUA RIVER 0.486 CFS FOR IRRIGATION; GALESVILLE RESERVOIR (STORED WATER ONLY) 265.15 ACRE-FEET (AF), BEING 55.15 AF FOR SUPPLEMENTAL IRRIGATION, 10.0 AF FOR MUNICIPAL USE, 200.0 AF FOR INDUSTRIAL USE

PERIOD OF USE: APRIL 1 THROUGH APRIL 30 FOR IRRIGATION FROM COW CREEK; MARCH 1 THROUGH APRIL 30 FOR IRRIGATION FROM SOUTH UMPQUA RIVER; APRIL 1 TO OCTOBER 1 FOR SUPPLEMENTAL IRRIGATION FROM STORED WATER WITHIN THE COW CREEK SUBBASIN; MARCH 1 THROUGH OCTOBER 31 FOR SUPPLEMENTAL IRRIGATION FROM STORED WATER WITHIN THE SOUTH UMPQUA BASIN (EXCLUDING THE COW CREEK SUBBASIN); JANUARY 1 THROUGH APRIL 30 FOR MUNICIPAL AND INDUSTRIAL USE FROM COW CREEK; YEAR ROUND FOR MUNICIPAL AND INDUSTRIAL USE FROM STORED WATER.

DATE OF PRIORITY: APRIL 20, 1992

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

Point of diversion location:

GALESVILLE RESERVOIR					
Twp	Rng	Mer	Sec	Q-Q	Measured Distances
31 S	4 W	WM	28	SW NE	180 FEET NORTH AND 3030 FEET EAST FROM W 1/4 CORNER, SECTION 28

Points of diversion of live flow and withdrawal of stored water:

COW CREEK DIVERSIONS					
Twp	Rng	Mer	Sec	Q-Q	Measured Distances
30 S	6 W	WM	24	SW NE	CONTRACT U&I 91-1: 1950 FEET SOUTH AND 2630 FEET WEST FROM NE CORNER, SECTION 24
30 S	6 W	WM	24	SW NE	CONTRACT U&I 91-2: 650 FEET NORTH AND 1750 FEET WEST FROM E 1/4 CORNER, SECTION 24
32 S	4 W	WM	4	NE NW	CONTRACT I-91-5: 1080 FEET SOUTH AND 380 FEET WEST FROM N 1/4 CORNER, SECTION 4
32 S	5 W	WM	20	SE SW	CONTRACT I-92-6: 1070 FEET NORTH AND 1620 FEET EAST FROM SW CORNER, SECTION 20

SOUTH UMPQUA RIVER DIVERSIONS						
Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
27 S	6 W	WM	13	NW SW		CONTRACT I-90-10: 1330 FEET NORTH AND 1320 FEET EAST FROM SW CORNER, SECTION 13
30 S	5 W	WM	18	NW SE		CONTRACT I-91-1: 1910 FEET NORTH AND 930 FEET EAST FROM S 1/4 CORNER, SECTION 18
27 S	6 W	WM	15	SE SE		CONTRACT I-91-3: 500 FEET NORTH AND 900 FEET WEST FROM SE CORNER, SECTION 15
27 S	6 W	WM	14	NE SW	52	CONTRACT I-91-4: 820 FEET SOUTH AND 2110 FEET EAST FROM W 1/4 CORNER, SECTION 14
27 S	6 W	WM	14	NE SW	52	CONTRACT I-91-6: 860 FEET SOUTH AND 2210 FEET EAST FROM W 1/4 CORNER, SECTION 14
28 S	6 W	WN	16	NE NE		CONTRACT I-91-9: 860 FEET SOUTH AND 1090 FEET WEST FROM NE CORNER, SECTION 16
26 S	6 W	WM	31	SE SE		CONTRACT I-92-1: 1050 FEET NORTH AND 80 FEET WEST FROM SE CORNER, SECTION 31
28 S	6 W	WM	3	NE NW		CONTRACT I-92-3: 110 FEET SOUTH AND 100 FEET WEST FROM N 1/4 CORNER, SECTION 3
28 S	6 W	WM	28	NW NE		CONTRACT IR-92-4: 170 FEET SOUTH AND 2320 FEET WEST FROM NE CORNER, SECTION 28
27 S	6 W	WM	13	SE SE	56	CONTRACT I-92-5: 1130 FEET NORTH AND 870 FEET WEST FROM SE CORNER, SECTION 13
27 S	6 W	WM	14	SW NW		CONTRACT I-92-7: 220 FEET NORTH AND 360 FEET EAST FROM W 1/4 CORNER, SECTION 14

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-SEVENTIETH of one cubic foot per second (or its equivalent) and 3.5 acre-feet from within the Cow Creek subbasin and ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet within the remainder of the South Umpqua basin for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:

PRIMARY IRRIGATION FROM COW CREEK						
Twp	Rng	Mer	Sec	Q-Q	Acres	Contract
32 S	5 W	WM	20	SE NW	0.1	I-92-6
32 S	5 W	WM	20	NE SW	1.1	I-92-6

SUPPLEMENTAL IRRIGATION FROM GALESVILLE RESERVOIR WITHIN THE COW CREEK SUBBASIN						
Twp	Rng	Mer	Sec	Q-Q	Acres	Contract
32 S	4 W	WM	4	NE NW	0.9	I-91-5
32 S	5 W	WM	20	SE NW	2.8	I-92-6
32 S	5 W	WM	20	NE SW	9.5	I-92-6
32 S	5 W	WM	20	SE SW	1.5	I-92-6

PRIMARY IRRIGATION FROM SOUTH UMPQUA RIVER							
Twp	Rng	Mer	Sec	Q-Q	DLC	Acres	Contract
26 S	6 W	WM	32	NW SW		5.0	I-92-1
27 S	6 W	WM	14	NE SW	52	0.8	I-91-4
27 S	6 W	WM	14	NE SW	52	1.0	I-91-6
27 S	6 W	WM	34	SW SE		0.7	I-92-3
27 S	6 W	WM	3	NW NE		0.8	I-92-3
28 S	6 W	WM	16	NE NE		5.3	I-91-9
28 S	6 W	WM	16	NW NE		11.8	I-91-9
28 S	6 W	WM	21	SW SE		8.6	IR-92-4
30 S	5 W	WM	18	NW SE		4.9	I-91-1

SUPPLEMENTAL IRRIGATION FROM GALLESVILLE RESERVOIR WITHIN THE SOUTH UMPUA RIVER BASIN								
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres	Contract
27 S	6 W	WM	13	SW SW	5		0.2	I-90-10
27 S	6 W	WM	13	SE SW	6		0.16	I-90-10
27 S	6 W	WM	13	SE SE		56	0.3	I-92-5
27 S	6 W	WM	14	SW NW			0.3	I-92-7
27 S	6 W	WM	14	NW SW			0.2	I-92-7
27 S	6 W	WM	34	SW SE			0.8	I-92-3
28 S	6 W	WM	3	NE NW			0.3	I-92-3
28 S	6 W	WM	3	NW NE			2.5	I-92-3
28 S	6 W	WM	15	NE SE			2.6	I-91-3

INDUSTRIAL USE CONTRACT U&I 91-2				
Twp	Rng	Mer	Sec	Q-Q
30 S	6 W	WM	13	NE NW
30 S	6 W	WM	13	NW NW
30 S	6 W	WM	13	SW NW
30 S	6 W	WM	13	SE NW
30 S	6 W	WM	13	NE SW
30 S	6 W	WM	13	NW SW
30 S	6 W	WM	13	SW SW
30 S	6 W	WM	13	SE SW

MUNICIPAL USE CONTRACT U & I 91-1
WITHIN THE SERVICE AREA OF THE CITY OF RIDDLE

Measurement, recording and reporting conditions:

- A. The water user shall maintain the meter or other suitable measuring device as approved by the Director in good working order.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative reporting procedures for review and approval.
- D. For the authorized points of diversion on Cow Creek and the South Umpqua River and the points of withdrawal for water released from Galesville Reservoir, where the amount of water authorized for diversion (withdrawal) is less than 0.10 cfs a measuring device shall not be required at this time.

For those points of withdrawal for water released from Galesville Reservoir where the water is being used as a supplemental supply on existing rights of record, a measuring device shall not be required at this time.

The Director may in the future, require the water user to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the water user to install a meter or other measuring device, the water user shall install such a device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the water user shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the water user to submit alternative measuring procedures for review and approval.

The use of water under this right is subject to the terms and conditions of contract No.s U&I 91-1, U&I 91-2, I-91-5, I-92-6, I-90-10, I-91-1, I-91-3, I-91-4, I-91-6, I-91-9, I-92-1, I-92-3, IR-92-4, I-92-5, and I-92-7 (or satisfactory replacements) between Douglas County and individual water users, and copies of which are on file in the records of the Water Resources Department.

This right is limited to any deficiency in the available supply of any prior right existing for the same land.

At the points of diversion on Cow Creek and the South Umpqua River and at the points of withdrawal for water released from Galesville Reservoir the water user shall maintain and operate fish screening as required by the Oregon Department of Fish and Wildlife to prevent fish from entering the proposed diversion.

The water user shall not construct, operate or maintain any dam or artificial obstruction to fish passage in the channel of the subject streams without providing a fishway to ensure adequate upstream and downstream passage for fish. The water user is hereby directed to contact the Oregon Department of Fish and Wildlife Passage Coordinator, Portland, Oregon before beginning construction of any in-channel obstruction.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.


This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described; however, water may be applied to lands which are not specifically described above, provided the holder of this right complies with ORS 540.510(3).

Issued SEP 27 2019.



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

