

STATE OF OREGON
COUNTY OF MORROW
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

FARMLAND RESERVE INC.
C/O AGRINORTHWEST
PO BOX 2308
PASCO WA 99302

confirms the right to use the waters of the COLUMBIA RIVER, a tributary of the PACIFIC OCEAN, for IRRIGATION of 7472.54 ACRES.

This right was perfected under Permit S-36940. The date of priority is JUNE 29, 1973. The amount of water to which this right is entitled is limited to an amount actually beneficially used and shall not exceed 184.71 CUBIC FEET PER SECOND if available at the original point of diversion: LOT 7 (NE 1/4 NW 1/4), SECTION 2, T 4 N, R 25 E, W.M.; SOUTH 86 DEGREES 22 MINUTES 46 SECONDS WEST, 2811 FEET FROM THE NE CORNER, SECTION 2, or its equivalent in case of rotation, measured at the point of diversion from the source.

The point of diversion is located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
4 N	25 E	WM	2	NE NW	7	COLUMBIA RIVER PUMP STATION - SOUTH 86 DEGREES 22 MINUTES 46 SECONDS WEST, 2829 FEET FROM NE CORNER, SECTION 2

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-FORTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 4.5 acre-feet for each acre irrigated during the irrigation season of each year.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use is as follows:


Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
3N	26E	WM	5	NE NE	2	30.71
3N	26E	WM	5	NW NE	2	32.42
3N	26E	WM	5	SW NE	1	31.18
3N	26E	WM	5	SE NE	1	29.86
3N	26E	WM	5	NE NW	2	31.08
3N	26E	WM	5	NW NW	2	33.35
3N	26E	WM	5	SW NW	1	32.43
3N	26E	WM	5	SE NW	1	30.06

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.


Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
3N	26E	WM	6	NE NE	2	29.74
3N	26E	WM	6	NW NE	2	32.63
3N	26E	WM	6	SW NE	1	31.99
3N	26E	WM	6	SE NE	1	28.50
3N	26E	WM	6	NE NW	2	29.18
3N	26E	WM	6	NW NW	2	32.48
3N	26E	WM	6	SW NW	1	33.04
3N	26E	WM	6	SE NW	1	28.48
3N	26E	WM	6	NE SW	1	28.77
3N	26E	WM	6	NW SW	2	32.41
3N	26E	WM	6	SW SW	2	33.00
3N	26E	WM	6	SE SW	1	28.64
3N	26E	WM	6	NE SE		29.63
3N	26E	WM	6	NW SE		31.73
3N	26E	WM	6	SW SE		31.79
3N	26E	WM	6	SE SE		29.09
3N	26E	WM	7	NE NE		23.83
3N	26E	WM	7	NW NE		35.24
3N	26E	WM	7	SW NE		35.17
3N	26E	WM	7	SE NE		23.29
3N	26E	WM	7	NE NW	1	25.96
3N	26E	WM	7	NW NW	2	38.30
3N	26E	WM	7	SW NW	2	38.87
3N	26E	WM	7	SE NW	1	26.26
3N	26E	WM	7	NE SW	1	25.23
3N	26E	WM	7	NW SW	2	37.54
3N	26E	WM	7	SW SW	2	37.10
3N	26E	WM	7	SE SW	1	24.92
3N	26E	WM	7	NE SE		24.48
3N	26E	WM	7	NW SE		35.09
3N	26E	WM	7	SW SE		34.66
3N	26E	WM	7	SE SE		24.90
3N	27E	WM	18	NESW		3.70
4 N	26 E	WM	16	NE SW		1.01
4 N	26 E	WM	16	NW SW		12.26
4 N	26 E	WM	16	SW SW		32.57
4 N	26 E	WM	16	SE SW		37.73
4 N	26 E	WM	16	SW SE		16.69
4 N	26 E	WM	16	SE SE		5.43
4 N	26 E	WM	17	NE SE		22.08
4 N	26 E	WM	17	NW SE		7.48
4 N	26 E	WM	17	SW SE		31.72
4 N	26 E	WM	17	SE SE		31.67
4 N	26 E	WM	20	NE NE		38.90
4 N	26 E	WM	20	NW NE		25.71
4 N	26 E	WM	20	SW NE		31.70
4 N	26 E	WM	20	SE NE		32.36
4 N	26 E	WM	20	NE SE		38.32
4 N	26 E	WM	20	NW SE		26.46
4 N	26 E	WM	20	SW SE		32.19
4 N	26 E	WM	20	SE SE		33.41
4 N	26 E	WM	21	NE NE		40.40

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
4 N	26 E	WM	21	NW NE		33.72
4 N	26 E	WM	21	SW NE		34.42
4 N	26 E	WM	21	SE NE		35.69
4 N	26 E	WM	21	NE NW		34.19
4 N	26 E	WM	21	NW NW		36.07
4 N	26 E	WM	21	SW NW		30.93
4 N	26 E	WM	21	SE NW		39.56
4 N	26 E	WM	21	NE SW		36.17
4 N	26 E	WM	21	NW SW		36.65
4 N	26 E	WM	21	SW SW		32.52
4 N	26 E	WM	21	SE SW		40.13
4 N	26 E	WM	21	NE SE		40.20
4 N	26 E	WM	21	NW SE		33.79
4 N	26 E	WM	21	SW SE		33.35
4 N	26 E	WM	21	SE SE		36.31
4 N	26 E	WM	22	NE NE		11.64
4 N	26 E	WM	22	NW NE		23.49
4 N	26 E	WM	22	SW NE		35.32
4 N	26 E	WM	22	SE NE		16.15
4 N	26 E	WM	22	NE NW		2.43
4 N	26 E	WM	22	NW NW		14.36
4 N	26 E	WM	22	SW NW		35.29
4 N	26 E	WM	22	SE NW		39.13
4 N	26 E	WM	22	NE SW		34.29
4 N	26 E	WM	22	NW SW		33.26
4 N	26 E	WM	22	SW SW		35.72
4 N	26 E	WM	22	SE SW		38.98
4 N	26 E	WM	22	NE SE		32.95
4 N	26 E	WM	22	NW SE		39.04
4 N	26 E	WM	22	SW SE		33.37
4 N	26 E	WM	22	SE SE		23.35
4 N	26 E	WM	23	SW NE		22.41
4 N	26 E	WM	23	SE NE		21.67
4 N	26 E	WM	23	NE NW		4.87
4 N	26 E	WM	23	NW NW		4.09
4 N	26 E	WM	23	SW NW		35.92
4 N	26 E	WM	23	SE NW		37.96
4 N	26 E	WM	23	NE SW		28.30
4 N	26 E	WM	23	NW SW		31.82
4 N	26 E	WM	23	SW SW		37.89
4 N	26 E	WM	23	SE SW		35.15
4 N	26 E	WM	23	NE SE		35.70
4 N	26 E	WM	23	NW SE		35.03
4 N	26 E	WM	23	SW SE		37.35
4 N	26 E	WM	23	SE SE		35.56
4 N	26 E	WM	24	SW NE	1	0.56
4 N	26 E	WM	24	SW NW		8.56
4 N	26 E	WM	24	SE NW	6	1.15
4 N	26 E	WM	24	NE SW		35.45
4 N	26 E	WM	24	NW SW		35.91
4 N	26 E	WM	24	SW SW		37.11
4 N	26 E	WM	24	SE SW		35.51



Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
4 N	26 E	WM	24	NE SE		26.73
4 N	26 E	WM	24	NW SE		33.87
4 N	26 E	WM	24	SW SE		37.24
4 N	26 E	WM	24	SE SE		35.32
4 N	26 E	WM	25	NE NE		29.76
4 N	26 E	WM	25	NW NE		34.04
4 N	26 E	WM	25	SW NE		36.81
4 N	26 E	WM	25	SE NE		37.84
4 N	26 E	WM	25	NE NW		34.00
4 N	26 E	WM	25	NW NW		35.24
4 N	26 E	WM	25	SW NW		36.80
4 N	26 E	WM	25	SE NW		39.33
4 N	26 E	WM	25	NE SW		34.32
4 N	26 E	WM	25	NW SW		34.10
4 N	26 E	WM	25	SW SW		38.33
4 N	26 E	WM	25	SE SW		36.53
4 N	26 E	WM	25	NE SE		32.75
4 N	26 E	WM	25	NW SE		33.14
4 N	26 E	WM	25	SW SE		38.09
4 N	26 E	WM	25	SE SE		34.17
4 N	26 E	WM	26	NE NE		34.21
4 N	26 E	WM	26	NW NE		34.05
4 N	26 E	WM	26	SW NE		37.52
4 N	26 E	WM	26	SE NE		38.46
4 N	26 E	WM	26	NE NW		32.72
4 N	26 E	WM	26	NW NW		25.98
4 N	26 E	WM	26	SW NW		37.34
4 N	26 E	WM	26	SE NW		38.90
4 N	26 E	WM	26	NE SW		33.54
4 N	26 E	WM	26	NW SW		17.41
4 N	26 E	WM	26	SW SW		20.62
4 N	26 E	WM	26	SE SW		36.41
4 N	26 E	WM	26	NE SE		33.64
4 N	26 E	WM	26	NW SE		33.39
4 N	26 E	WM	26	SW SE		38.42
4 N	26 E	WM	26	SE SE		36.86
4 N	26 E	WM	27	NE NE		33.16
4 N	26 E	WM	27	NW NE		38.48
4 N	26 E	WM	27	SW NE		33.35
4 N	26 E	WM	27	SE NE		25.32
4 N	26 E	WM	27	NE NW		33.79
4 N	26 E	WM	27	NW NW		32.95
4 N	26 E	WM	27	SW NW		35.59
4 N	26 E	WM	27	SE NW		38.55
4 N	26 E	WM	27	NE SW		34.47
4 N	26 E	WM	27	NW SW		33.25
4 N	26 E	WM	27	SW SW		35.42
4 N	26 E	WM	27	SE SW		38.87
4 N	26 E	WM	27	NE SE		33.01
4 N	26 E	WM	27	NW SE		38.93
4 N	26 E	WM	27	SW SE		34.29
4 N	26 E	WM	27	SE SE		25.79

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
4 N	26 E	WM	28	NE NE		39.72
4 N	26 E	WM	28	NW NE		33.35
4 N	26 E	WM	28	SW NE		33.34
4 N	26 E	WM	28	SE NE		35.56
4 N	26 E	WM	28	NE NW		35.40
4 N	26 E	WM	28	NW NW		36.57
4 N	26 E	WM	28	SW NW		33.26
4 N	26 E	WM	28	SE NW		39.11
4 N	26 E	WM	28	NE SW		35.45
4 N	26 E	WM	28	NW SW		36.39
4 N	26 E	WM	28	SW SW		33.71
4 N	26 E	WM	28	SE SW		38.75
4 N	26 E	WM	28	NE SE		39.68
4 N	26 E	WM	28	NW SE		33.21
4 N	26 E	WM	28	SW SE		33.80
4 N	26 E	WM	28	SE SE		36.36
4 N	26 E	WM	29	NE NE		37.94
4 N	26 E	WM	29	NW NE		26.76
4 N	26 E	WM	29	SW NE		31.16
4 N	26 E	WM	29	SE NE		33.30
4 N	26 E	WM	29	NE SE		37.15
4 N	26 E	WM	29	NW SE		26.65
4 N	26 E	WM	29	SW SE		31.00
4 N	26 E	WM	29	SE SE		34.32
4 N	26 E	WM	32	NE NE		36.91
4 N	26 E	WM	32	NW NE		27.38
4 N	26 E	WM	32	SW NE		31.52
4 N	26 E	WM	32	SE NE		34.71
4 N	26 E	WM	32	NE SE		36.22
4 N	26 E	WM	32	NW SE		29.74
4 N	26 E	WM	32	SW SE		31.68
4 N	26 E	WM	32	SE SE		34.83
4 N	26 E	WM	33	NE NE		39.63
4 N	26 E	WM	33	NW NE		33.04
4 N	26 E	WM	33	SW NE		34.08
4 N	26 E	WM	33	SE NE		35.58
4 N	26 E	WM	33	NE NW		35.50
4 N	26 E	WM	33	NW NW		35.79
4 N	26 E	WM	33	SW NW		33.56
4 N	26 E	WM	33	SE NW		38.23
4 N	26 E	WM	33	NE SW		35.71
4 N	26 E	WM	33	NW SW		34.26
4 N	26 E	WM	33	SW SW		33.35
4 N	26 E	WM	33	SE SW		36.70
4 N	26 E	WM	33	NE SE		3.13
4 N	26 E	WM	33	NW SE		23.25
4 N	26 E	WM	33	SW SE		18.98
4 N	26 E	WM	34	NE NE		32.57
4 N	26 E	WM	34	NW NE		38.43
4 N	26 E	WM	34	SW NE		32.90
4 N	26 E	WM	34	SE NE		24.06
4 N	26 E	WM	34	NE NW		34.20



Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
4 N	26 E	WM	34	NW NW		33.28
4 N	26 E	WM	34	SW NW		34.64
4 N	26 E	WM	34	SE NW		38.44
4 N	26 E	WM	34	NE SW		33.35
4 N	26 E	WM	34	NW SW		21.95
4 N	26 E	WM	34	NW SE		2.66
4 N	26 E	WM	35	NE NE		36.01
4 N	26 E	WM	35	NW NE		35.17
4 N	26 E	WM	35	SW NE		31.08
4 N	26 E	WM	35	SE NE		32.06
4 N	26 E	WM	35	NE NW		36.38
4 N	26 E	WM	35	NW NW		34.97
4 N	26 E	WM	35	SW NW		30.55
4 N	26 E	WM	35	SE NW		31.07
4 N	26 E	WM	36	NE NE		32.14
4 N	26 E	WM	36	NW NE		35.95
4 N	26 E	WM	36	SW NE		32.14
4 N	26 E	WM	36	SE NE		30.39
4 N	26 E	WM	36	NE NW		35.46
4 N	26 E	WM	36	NW NW		35.96
4 N	26 E	WM	36	SW NW		32.00
4 N	26 E	WM	36	SE NW		30.65

Water user measurement conditions:

- A. The water user shall maintain the totalizing flow meter or other suitable measuring device approved by the Director at each point of diversion in good working order.
- B. The water user shall allow the watermaster access to the meters or measuring devices; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The water user shall maintain headgates, in-line flow meters, weirs, or other suitable devices for controlling, measuring and recording the quantity of water diverted. In-line flow meters shall be installed at the Cherokee Strip pump site, Booster Pump Station #1 and each field control manifold. The type and plans of the headgates and measuring devices must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

The water user shall operate and maintain headgates and measuring devices, as needed. The Watermaster may operate the headgates and monitor accuracy of the measuring devices, as needed.

The quantity of water diverted at the new point of diversion shall not exceed the quantity of water lawfully available at the original point of diversion.

The use confirmed herein may be made only at times when sufficient water is available to satisfy all prior rights, including rights for maintaining instream flows. The right to use water for the above purpose is restricted to beneficial use on the lands or place of use described.

This certificate is issued to confirm a change in PLACE OF USE approved by an order of the Water Resources Director entered MARCH 31, 2017, at Special Order Volume 104, Page 293, approving Transfer Application T-12522, and together with Certificate 92930, supersedes Certificate 83589, 83590, 83591, 83592, and 89511, State Record of Water Right Certificates.

Issued JUL 31 2020.



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

