

STATE OF OREGON

COUNTY OF CROOK

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

PHILIP AND PENELOPE KNIGHT
 34645 SW CLOUDREST LANE
 HILLSBORO OR 97123

confirms the right to use the waters of CROOKED RIVER, a tributary of DESCHUTES RIVER for IRRIGATION of 20.0 ACRES.

This right was perfected under Permit S-17167. The priority date is JULY 23, 1946. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.5 CUBIC FOOT PER SECOND, or its equivalent in case of rotation, measured at the point of diversion.

The point of diversion is located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
13 S	13 E	WM	34	SE SW	1250 FEET NORTH AND 2220 FEET EAST FROM SW CORNER, SECTION 34

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to a diversion of ONE-FORTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use to which this appurtenant is as follows:

Twp	Rng	Mer	Sec	Q-Q	Acres
13 S	13 E	WM	34	NE SW	5.8
13 S	13 E	WM	34	SE SW	6.6
13 S	13 E	WM	34	NW SE	0.8
13 S	13 E	WM	34	SW SE	6.8

The quantity of water diverted at the new point of diversion, together with that diverted at the original point of diversion, shall not exceed the quantity of water lawfully available at the original point of diversion described as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
14 S	14 E	WM	22	NE NE	DIRECT DIVERSION NO. 47A - 1300 FEET SOUTH FROM NE CORNER, SECTION 22

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Water use measurement conditions:


- A. The water user shall maintain, in good working order, a totalizing flow meter or other suitable measuring device approved by the Director at the new point of diversion.
- B. The water user shall allow the Watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The water user shall operate and maintain the fish screen at the new point of diversion consistent with the Oregon Department of Fish and Wildlife's (ODFW) operational and maintenance standards. If ODFW determines the screen is not functioning properly, and is unsuccessful in working with the water user to meet ODFW standards, ODFW may request that Oregon Water Resources Department (OWRD) regulate the use of water until OWRD receives notification from ODFW that the fish screen is functioning properly.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

This certificate is issued to confirm changes in POINT OF DIVERSION and PLACE OF USE approved by an order of the Water Resources Director entered JULY 26, 2019, at Special Order Volume 113, Page 746, approving Transfer Application T-12795 and together with Certificate 94474, supersedes Certificate 87331, State Record of Water Right Certificates.

Issued APR 09 2021.



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department