

STATE OF OREGON

COUNTIES OF MORROW AND UMATILLA

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

MADISON RANCHES INC.
29299 MADISON ROAD
ECHO OR 97826

EQUITABLE AGRIFINANCE, LLC
6300 C STREET SW, MS 3B-CR
CEDAR RAPIDS IA 52499

EQUITABLE LIFE INSURANCE CO.
c/o EQUITABLE AGRIFINANCE, LLC
6300 C STREET SW, MS 3B-CR
CEDAR RAPIDS IA 52499

NORTHWEST FARM CREDIT SERVICES, FLCA
12 SW NYE AVENUE
PENDLETON OR 97801

NORTHWEST FARM CREDIT SERVICES, PCA
650 HAWTHORNE AVENUE, SUITE 210
SALEM OR 97301

confirms the right to the use of water perfected under the terms of Permit S-55324. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-86866

DATE OF PRIORITY: MAY 21, 2007

SOURCE OF WATER: COLUMBIA RIVER, A TRIBUTARY OF PACIFIC OCEAN

PURPOSE OR USE: IRRIGATION OF 7605.6 ACRES TO MAKE UP DEFICIENCY IN RATE/VOLUME (*WHICH INCLUDES RAISING THE SOIL MOISTURE TO FIELD CAPACITY TO BE UTILIZED BY PLANT GROWTH IN THE SUBSEQUENT GROWING SEASON) AND SUPPLEMENTAL IRRIGATION OF 9.0 ACRES

MAXIMUM RATE: 22.3 CUBIC FEET PER SECOND (CFS) AS FURTHER LIMITED BELOW

| USE | LIMIT (CFS PER ACRE) | DUTY (AF PER ACRE) | PERIOD OF USE |
|-------------|----------------------|------------------------|--|
| IRRIGATION* | 1/40 | 4.5 MAX | MARCH 1 – APRIL 14 AND OCTOBER 1 – NOVEMBER 1 |
| IRRIGATION* | 1/40 | FURTHER LIMITED TO 1.5 | NOVEMBER 2 – FEBRUARY 29 |

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

The amount of water secured under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-FORTIETH of one cubic foot per second and 4.5 acre-feet per each acre irrigated during the periods from March 1 through April 14 and from October 1 through November 1, not to exceed 1.5 acre-feet per acre irrigated during the period from November 2 through the end of February, provided the use of water shall not exceed 4.5 acre-feet for each acre irrigated in any one year.

POINT OF DIVERSION LOCATION:

| Twtp | Rng | Mer | Sec | Q-Q | Measured Distances |
|------|------|-----|-----|-------|---|
| 4 N | 25 E | WM | 2 | NE NW | POD 1 - 150 FEET SOUTH AND 2990 FEET WEST FROM NE CORNER, SECTION 2 |

THE PLACE OF USE IS LOCATED AS FOLLOWS:

| IRRIGATION TO MAKE UP DEFICIENCY | | | | | | |
|----------------------------------|------|-----|-----|-------|------|-------|
| Twtp | Rng | Mer | Sec | Q-Q | GLot | Acres |
| 3 N | 26 E | WM | 23 | NE NE | | 0.3 |
| 3 N | 26 E | WM | 23 | SE NE | | 0.3 |
| 3 N | 26 E | WM | 24 | NE NE | | 31.8 |
| 3 N | 26 E | WM | 24 | NW NE | | 31.2 |
| 3 N | 26 E | WM | 24 | SW NE | | 32.1 |
| 3 N | 26 E | WM | 24 | SE NE | | 33.0 |
| 3 N | 26 E | WM | 24 | NE NW | | 31.4 |
| 3 N | 26 E | WM | 24 | NW NW | | 32.9 |
| 3 N | 26 E | WM | 24 | SW NW | | 32.9 |
| 3 N | 26 E | WM | 24 | SE NW | | 30.5 |
| 3 N | 26 E | WM | 24 | NE SW | | 7.2 |
| 3 N | 26 E | WM | 24 | NW SW | | 6.9 |
| 3 N | 26 E | WM | 24 | SW SW | | 37.4 |
| 3 N | 26 E | WM | 24 | SE SW | | 37.7 |
| 3 N | 26 E | WM | 24 | NE SE | | 39.4 |
| 3 N | 26 E | WM | 24 | NW SE | | 13.3 |
| 3 N | 26 E | WM | 24 | SW SE | | 11.5 |
| 3 N | 26 E | WM | 24 | SE SE | | 36.5 |
| 3 N | 26 E | WM | 25 | NE NE | | 11.2 |
| 3 N | 26 E | WM | 25 | SE NE | | 11.6 |
| 3 N | 26 E | WM | 25 | NE NW | | 17.5 |
| 3 N | 26 E | WM | 25 | NW NW | | 32.3 |
| 3 N | 26 E | WM | 25 | SW NW | | 38.8 |
| 3 N | 26 E | WM | 25 | SE NW | | 0.2 |
| 3 N | 26 E | WM | 25 | NE SW | | 38.2 |
| 3 N | 26 E | WM | 25 | NW SW | | 29.7 |
| 3 N | 26 E | WM | 25 | SW SW | | 14.5 |
| 3 N | 26 E | WM | 25 | SE SW | | 38.1 |
| 3 N | 26 E | WM | 25 | NE SE | | 18.2 |
| 3 N | 26 E | WM | 25 | NW SE | | 10.4 |
| 3 N | 26 E | WM | 25 | SW SE | | 10.3 |
| 3 N | 26 E | WM | 25 | SE SE | | 16.8 |
| 3 N | 26 E | WM | 26 | NE NE | | 1.3 |
| 3 N | 26 E | WM | 26 | SE NE | | 2.1 |
| 3 N | 26 E | WM | 26 | NE SE | | 1.3 |
| 3 N | 27 E | WM | 1 | NE NE | 1 | 1.3 |
| 3 N | 27 E | WM | 1 | SW NE | | 13.7 |
| 3 N | 27 E | WM | 1 | SE NE | | 15.0 |
| 3 N | 27 E | WM | 1 | NE SW | | 30.3 |

| IRRIGATION TO MAKE UP DEFICIENCY | | | | | | |
|----------------------------------|------|-----|-----|-------|------|-------|
| Twp | Rng | Mer | Sec | Q-Q | GLot | Acres |
| 3 N | 27 E | WM | 1 | NW SW | | 19.2 |
| 3 N | 27 E | WM | 1 | SW SW | | 34.6 |
| 3 N | 27 E | WM | 1 | SE SW | | 34.8 |
| 3 N | 27 E | WM | 1 | NE SE | | 34.4 |
| 3 N | 27 E | WM | 1 | NW SE | | 40.3 |
| 3 N | 27 E | WM | 1 | SW SE | | 28.6 |
| 3 N | 27 E | WM | 1 | SE SE | | 34.0 |
| 3 N | 27 E | WM | 2 | SE SW | | 25.4 |
| 3 N | 27 E | WM | 2 | SW SE | | 24.1 |
| 3 N | 27 E | WM | 2 | SE SE | | 0.1 |
| 3 N | 27 E | WM | 11 | NE NE | | 36.7 |
| 3 N | 27 E | WM | 11 | NW NE | | 37.2 |
| 3 N | 27 E | WM | 11 | SW NE | | 12.9 |
| 3 N | 27 E | WM | 11 | SE NE | | 39.3 |
| 3 N | 27 E | WM | 11 | NE NW | | 36.9 |
| 3 N | 27 E | WM | 11 | NW NW | | 2.1 |
| 3 N | 27 E | WM | 11 | SW NW | | 36.2 |
| 3 N | 27 E | WM | 11 | SE NW | | 35.3 |
| 3 N | 27 E | WM | 11 | NE SW | | 32.8 |
| 3 N | 27 E | WM | 11 | NW SW | | 27.2 |
| 3 N | 27 E | WM | 11 | SW SW | | 30.8 |
| 3 N | 27 E | WM | 11 | SE SW | | 39.6 |
| 3 N | 27 E | WM | 11 | NE SE | | 33.2 |
| 3 N | 27 E | WM | 11 | NW SE | | 39.9 |
| 3 N | 27 E | WM | 11 | SW SE | | 33.8 |
| 3 N | 27 E | WM | 11 | SE SE | | 19.3 |
| 3 N | 27 E | WM | 12 | NE NE | | 23.7 |
| 3 N | 27 E | WM | 12 | NW NE | | 31.8 |
| 3 N | 27 E | WM | 12 | SW NE | | 33.0 |
| 3 N | 27 E | WM | 12 | SE NE | | 38.4 |
| 3 N | 27 E | WM | 12 | NE NW | | 36.7 |
| 3 N | 27 E | WM | 12 | NW NW | | 28.1 |
| 3 N | 27 E | WM | 12 | SW NW | | 33.8 |
| 3 N | 27 E | WM | 12 | SE NW | | 39.0 |
| 3 N | 27 E | WM | 12 | NE SW | | 26.8 |
| 3 N | 27 E | WM | 12 | NW SW | | 39.9 |
| 3 N | 27 E | WM | 12 | SW SW | | 30.1 |
| 3 N | 27 E | WM | 12 | SE SW | | 19.4 |
| 3 N | 27 E | WM | 12 | NE SE | | 37.6 |
| 3 N | 27 E | WM | 12 | NW SE | | 12.0 |
| 3 N | 27 E | WM | 13 | NE NE | | 33.3 |
| 3 N | 27 E | WM | 13 | NW NE | | 31.3 |
| 3 N | 27 E | WM | 13 | SW NE | | 29.2 |
| 3 N | 27 E | WM | 13 | SE NE | | 35.8 |
| 3 N | 27 E | WM | 13 | NE NW | | 38.9 |
| 3 N | 27 E | WM | 13 | NW NW | | 34.0 |
| 3 N | 27 E | WM | 13 | SW NW | | 32.9 |
| 3 N | 27 E | WM | 13 | SE NW | | 19.5 |
| 3 N | 27 E | WM | 13 | NE SW | | 0.3 |
| 3 N | 27 E | WM | 13 | NW SW | | 36.9 |
| 3 N | 27 E | WM | 13 | SW SW | | 5.9 |

| IRRIGATION TO MAKE UP DEFICIENCY | | | | | | |
|----------------------------------|------|-----|-----|-------|------|-------|
| Twtp | Rng | Mer | Sec | Q-Q | GLot | Acres |
| 3 N | 27 E | WM | 13 | SE SW | | 0.1 |
| 3 N | 27 E | WM | 13 | NE SE | | 35.7 |
| 3 N | 27 E | WM | 13 | NW SE | | 34.0 |
| 3 N | 27 E | WM | 13 | SW SE | | 30.2 |
| 3 N | 27 E | WM | 13 | SE SE | | 28.3 |
| 3 N | 27 E | WM | 14 | NE NE | | 34.4 |
| 3 N | 27 E | WM | 14 | NW NE | | 40.2 |
| 3 N | 27 E | WM | 14 | SW NE | | 31.3 |
| 3 N | 27 E | WM | 14 | SE NE | | 33.6 |
| 3 N | 27 E | WM | 14 | NE NW | | 30.6 |
| 3 N | 27 E | WM | 14 | NW NW | | 21.5 |
| 3 N | 27 E | WM | 14 | SW NW | | 12.5 |
| 3 N | 27 E | WM | 14 | SE NW | | 37.6 |
| 3 N | 27 E | WM | 14 | NE SW | | 39.4 |
| 3 N | 27 E | WM | 14 | NW SW | | 13.2 |
| 3 N | 27 E | WM | 14 | SE SW | | 0.1 |
| 3 N | 27 E | WM | 14 | NE SE | | 37.0 |
| 3 N | 27 E | WM | 14 | NW SE | | 10.7 |
| 3 N | 27 E | WM | 14 | SE SE | | 6.0 |
| 3 N | 27 E | WM | 15 | NW NW | | 16.4 |
| 3 N | 27 E | WM | 15 | SW NW | | 36.9 |
| 3 N | 27 E | WM | 15 | NW SW | | 7.9 |
| 3 N | 27 E | WM | 16 | NE NE | | 17.2 |
| 3 N | 27 E | WM | 16 | NW NE | | 16.6 |
| 3 N | 27 E | WM | 16 | SW NE | | 15.3 |
| 3 N | 27 E | WM | 16 | SE NE | | 38.6 |
| 3 N | 27 E | WM | 16 | NE NW | | 38.6 |
| 3 N | 27 E | WM | 16 | NW NW | | 13.3 |
| 3 N | 27 E | WM | 16 | SW NW | | 14.6 |
| 3 N | 27 E | WM | 16 | SE NW | | 38.6 |
| 3 N | 27 E | WM | 16 | NE SW | | 34.4 |
| 3 N | 27 E | WM | 16 | NW SW | | 36.0 |
| 3 N | 27 E | WM | 16 | SW SW | | 27.9 |
| 3 N | 27 E | WM | 16 | SE SW | | 26.0 |
| 3 N | 27 E | WM | 16 | NE SE | | 8.6 |
| 3 N | 27 E | WM | 17 | NE NE | | 36.4 |
| 3 N | 27 E | WM | 17 | NW NE | | 22.3 |
| 3 N | 27 E | WM | 17 | SW NE | | 24.5 |
| 3 N | 27 E | WM | 17 | SE NE | | 35.9 |
| 3 N | 27 E | WM | 17 | NE NW | | 34.2 |
| 3 N | 27 E | WM | 17 | NW NW | | 26.9 |
| 3 N | 27 E | WM | 17 | SW NW | | 34.5 |
| 3 N | 27 E | WM | 17 | SE NW | | 39.7 |
| 3 N | 27 E | WM | 17 | NE SW | | 5.5 |
| 3 N | 27 E | WM | 17 | NW SW | | 3.0 |
| 3 N | 27 E | WM | 17 | NE SE | | 0.2 |
| 3 N | 27 E | WM | 19 | NE NW | | 22.3 |
| 3 N | 27 E | WM | 19 | NW NW | 1 | 39.0 |
| 3 N | 27 E | WM | 19 | SW NW | 2 | 40.0 |
| 3 N | 27 E | WM | 19 | SE NW | | 22.8 |
| 3 N | 27 E | WM | 19 | NW SW | 3 | 13.5 |

IRRIGATION TO MAKE UP DEFICIENCY

| Twp | Rng | Mer | Sec | Q-Q | GLot | Acres |
|-----|------|-----|-----|-------|------|-------|
| 3 N | 27 E | WM | 19 | SW SW | 4 | 11.7 |
| 3 N | 27 E | WM | 19 | NE SE | | 34.0 |
| 3 N | 27 E | WM | 19 | NW SE | | 29.0 |
| 3 N | 27 E | WM | 19 | SW SE | | 29.2 |
| 3 N | 27 E | WM | 19 | SE SE | | 38.3 |
| 3 N | 27 E | WM | 20 | NE NE | | 1.2 |
| 3 N | 27 E | WM | 20 | NW NE | | 30.8 |
| 3 N | 27 E | WM | 20 | SW NE | | 36.6 |
| 3 N | 27 E | WM | 20 | SE NE | | 2.1 |
| 3 N | 27 E | WM | 20 | NE NW | | 23.2 |
| 3 N | 27 E | WM | 20 | SE NW | | 28.8 |
| 3 N | 27 E | WM | 20 | NE SW | | 23.7 |
| 3 N | 27 E | WM | 20 | NW SW | | 0.8 |
| 3 N | 27 E | WM | 20 | SW SW | | 23.2 |
| 3 N | 27 E | WM | 20 | SE SW | | 27.8 |
| 3 N | 27 E | WM | 20 | NE SE | | 0.4 |
| 3 N | 27 E | WM | 20 | NW SE | | 31.5 |
| 3 N | 27 E | WM | 20 | SW SE | | 34.8 |
| 3 N | 27 E | WM | 20 | SE SE | | 0.7 |
| 3 N | 27 E | WM | 23 | NE NE | | 2.6 |
| 3 N | 27 E | WM | 23 | NW NE | | 27.6 |
| 3 N | 27 E | WM | 23 | SW NE | | 40.2 |
| 3 N | 27 E | WM | 23 | SE NE | | 7.8 |
| 3 N | 27 E | WM | 23 | NE NW | | 14.2 |
| 3 N | 27 E | WM | 23 | SE NW | | 26.5 |
| 3 N | 27 E | WM | 23 | NE SW | | 2.1 |
| 3 N | 27 E | WM | 23 | NE SE | | 33.9 |
| 3 N | 27 E | WM | 23 | NW SE | | 16.3 |
| 3 N | 27 E | WM | 23 | SW SE | | 11.9 |
| 3 N | 27 E | WM | 23 | SE SE | | 24.6 |
| 3 N | 27 E | WM | 24 | NE NE | | 39.1 |
| 3 N | 27 E | WM | 24 | NW NE | | 6.2 |
| 3 N | 27 E | WM | 24 | SW NE | | 13.0 |
| 3 N | 27 E | WM | 24 | SE NE | | 28.2 |
| 3 N | 27 E | WM | 24 | NE SW | | 4.9 |
| 3 N | 27 E | WM | 24 | SE SW | | 0.4 |
| 3 N | 27 E | WM | 24 | NW SE | | 1.7 |
| 3 N | 27 E | WM | 24 | SW SE | | 0.1 |
| 3 N | 27 E | WM | 25 | NE NW | | 3.8 |
| 3 N | 27 E | WM | 25 | NW NW | | 8.0 |
| 3 N | 27 E | WM | 25 | SW NW | | 33.0 |
| 3 N | 27 E | WM | 25 | SE NW | | 0.4 |
| 3 N | 27 E | WM | 25 | NE SW | | 20.7 |
| 3 N | 27 E | WM | 25 | NW SW | | 36.2 |
| 3 N | 27 E | WM | 25 | SW SW | | 40.4 |
| 3 N | 27 E | WM | 25 | SE SW | | 30.8 |
| 3 N | 27 E | WM | 26 | NE NE | | 32.2 |
| 3 N | 27 E | WM | 26 | NW NE | | 21.7 |
| 3 N | 27 E | WM | 26 | SE NE | | 23.3 |
| 3 N | 27 E | WM | 26 | NE NW | | 10.2 |
| 3 N | 27 E | WM | 26 | NW NW | | 24.2 |

| IRRIGATION TO MAKE UP DEFICIENCY | | | | | | |
|----------------------------------|------|-----|-----|-------|------|-------|
| Twtp | Rng | Mer | Sec | Q-Q | GLot | Acres |
| 3 N | 27 E | WM | 26 | SW NW | | 29.3 |
| 3 N | 27 E | WM | 26 | SE NW | | 14.2 |
| 3 N | 27 E | WM | 26 | NE SW | | 34.7 |
| 3 N | 27 E | WM | 26 | NW SW | | 38.3 |
| 3 N | 27 E | WM | 26 | SW SW | | 25.3 |
| 3 N | 27 E | WM | 26 | SE SW | | 24.2 |
| 3 N | 27 E | WM | 26 | NE SE | | 7.2 |
| 3 N | 27 E | WM | 26 | SE SE | | 8.6 |
| 3 N | 27 E | WM | 27 | NW NW | | 21.0 |
| 3 N | 27 E | WM | 27 | SW NW | | 21.4 |
| 3 N | 27 E | WM | 27 | NE SW | | 8.2 |
| 3 N | 27 E | WM | 27 | NW SW | | 20.4 |
| 3 N | 27 E | WM | 27 | SW SW | | 21.1 |
| 3 N | 27 E | WM | 27 | SE SW | | 8.3 |
| 3 N | 27 E | WM | 27 | NE SE | | 13.6 |
| 3 N | 27 E | WM | 27 | NW SE | | 36.4 |
| 3 N | 27 E | WM | 27 | SW SE | | 37.0 |
| 3 N | 27 E | WM | 27 | SE SE | | 14.0 |
| 3 N | 27 E | WM | 28 | NE NE | | 35.3 |
| 3 N | 27 E | WM | 28 | NW NE | | 3.5 |
| 3 N | 27 E | WM | 28 | SW NE | | 3.4 |
| 3 N | 27 E | WM | 28 | SE NE | | 35.5 |
| 3 N | 27 E | WM | 28 | NE SE | | 36.6 |
| 3 N | 27 E | WM | 28 | NW SE | | 5.2 |
| 3 N | 27 E | WM | 28 | SW SE | | 5.3 |
| 3 N | 27 E | WM | 28 | SE SE | | 37.4 |
| 3 N | 27 E | WM | 29 | NE NE | | 10.4 |
| 3 N | 27 E | WM | 29 | NW NE | | 39.3 |
| 3 N | 27 E | WM | 29 | SW NE | | 36.8 |
| 3 N | 27 E | WM | 29 | SE NE | | 9.1 |
| 3 N | 27 E | WM | 29 | NE NW | | 21.6 |
| 3 N | 27 E | WM | 29 | NW NW | | 36.4 |
| 3 N | 27 E | WM | 29 | SW NW | | 36.7 |
| 3 N | 27 E | WM | 29 | SE NW | | 33.1 |
| 3 N | 27 E | WM | 29 | NE SW | | 23.2 |
| 3 N | 27 E | WM | 29 | NW SW | | 37.8 |
| 3 N | 27 E | WM | 29 | SW SW | | 37.4 |
| 3 N | 27 E | WM | 29 | SE SW | | 23.4 |
| 3 N | 27 E | WM | 29 | NE SE | | 14.9 |
| 3 N | 27 E | WM | 29 | NW SE | | 38.3 |
| 3 N | 27 E | WM | 29 | SW SE | | 38.6 |
| 3 N | 27 E | WM | 29 | SE SE | | 15.5 |
| 3 N | 27 E | WM | 30 | NE NE | | 33.2 |
| 3 N | 27 E | WM | 30 | NW NE | | 34.7 |
| 3 N | 27 E | WM | 30 | SW NE | | 32.2 |
| 3 N | 27 E | WM | 30 | SE NE | | 30.9 |
| 3 N | 27 E | WM | 30 | NE NW | | 7.3 |
| 3 N | 27 E | WM | 30 | NW NW | 1 | 47.7 |
| 3 N | 27 E | WM | 30 | SW NW | 2 | 48.5 |
| 3 N | 27 E | WM | 30 | SE NW | | 7.3 |
| 3 N | 27 E | WM | 30 | NE SW | | 12.9 |

IRRIGATION TO MAKE UP DEFICIENCY

| Twp | Rng | Mer | Sec | Q-Q | GLot | Acres |
|-----|------|-----|-----|-------|------|-------|
| 3 N | 27 E | WM | 30 | NW SW | 3 | 45.8 |
| 3 N | 27 E | WM | 30 | SW SW | 4 | 43.4 |
| 3 N | 27 E | WM | 30 | SE SW | | 11.5 |
| 3 N | 27 E | WM | 30 | NE SE | | 24.0 |
| 3 N | 27 E | WM | 30 | NW SE | | 38.9 |
| 3 N | 27 E | WM | 30 | SW SE | | 37.0 |
| 3 N | 27 E | WM | 30 | SE SE | | 22.3 |
| 3 N | 27 E | WM | 34 | NE NE | | 34.4 |
| 3 N | 27 E | WM | 34 | NW NE | | 14.9 |
| 3 N | 27 E | WM | 34 | SW NE | | 9.3 |
| 3 N | 27 E | WM | 34 | SE NE | | 34.1 |
| 3 N | 27 E | WM | 34 | SW NW | | 6.7 |
| 3 N | 27 E | WM | 34 | SE NW | | 12.6 |
| 3 N | 27 E | WM | 34 | NE SW | | 40.2 |
| 3 N | 27 E | WM | 34 | NW SW | | 36.2 |
| 3 N | 27 E | WM | 34 | SW SW | | 25.0 |
| 3 N | 27 E | WM | 34 | SE SW | | 34.6 |
| 3 N | 27 E | WM | 34 | NE SE | | 40.2 |
| 3 N | 27 E | WM | 34 | NW SE | | 33.6 |
| 3 N | 27 E | WM | 34 | SW SE | | 18.7 |
| 3 N | 27 E | WM | 34 | SE SE | | 37.3 |
| 3 N | 27 E | WM | 35 | NW NE | | 1.2 |
| 3 N | 27 E | WM | 35 | NE NW | | 39.6 |
| 3 N | 27 E | WM | 35 | NW NW | | 36.7 |
| 3 N | 27 E | WM | 35 | SW NW | | 18.7 |
| 3 N | 27 E | WM | 35 | SE NW | | 18.6 |
| 3 N | 27 E | WM | 35 | NW SW | | 26.9 |
| 3 N | 27 E | WM | 35 | SW SW | | 17.6 |
| 3 N | 27 E | WM | 36 | NE NW | | 2.8 |
| 3 N | 27 E | WM | 36 | NW NW | | 7.3 |
| 3 N | 27 E | WM | 36 | NW SW | | 7.6 |
| 3 N | 28 E | WM | 6 | NE NW | 3 | 19.8 |
| 3 N | 28 E | WM | 6 | NW NW | 4 | 19.4 |
| 3 N | 28 E | WM | 6 | SW NW | 5 | 32.6 |
| 3 N | 28 E | WM | 6 | SE NW | | 35.3 |
| 3 N | 28 E | WM | 6 | NE SW | | 25.8 |
| 3 N | 28 E | WM | 6 | NW SW | 6 | 25.8 |
| 3 N | 28 E | WM | 6 | SW SW | 7 | 32.1 |
| 3 N | 28 E | WM | 6 | SE SW | | 35.2 |
| 3 N | 28 E | WM | 7 | NE NW | | 32.3 |
| 3 N | 28 E | WM | 7 | NW NW | 1 | 33.6 |
| 3 N | 28 E | WM | 7 | SW NW | 2 | 28.3 |
| 3 N | 28 E | WM | 7 | SE NW | | 24.2 |
| 3 N | 28 E | WM | 7 | NE SW | | 34.0 |
| 3 N | 28 E | WM | 7 | NW SW | 3 | 21.6 |
| 3 N | 28 E | WM | 7 | SW SW | 4 | 23.9 |
| 3 N | 28 E | WM | 7 | SE SW | | 33.5 |
| 3 N | 28 E | WM | 7 | SW SE | | 1.3 |
| 3 N | 28 E | WM | 17 | NE SW | | 4.5 |
| 3 N | 28 E | WM | 17 | NW SW | | 38.4 |
| 3 N | 28 E | WM | 17 | SW SW | | 39.7 |

| IRRIGATION TO MAKE UP DEFICIENCY | | | | | | |
|----------------------------------|------|-----|-----|-------|------|-------|
| Twp | Rng | Mer | Sec | Q-Q | GLot | Acres |
| 3 N | 28 E | WM | 17 | SE SW | | 5.0 |
| 3 N | 28 E | WM | 18 | NW NE | | 1.7 |
| 3 N | 28 E | WM | 18 | NE NW | | 36.1 |
| 3 N | 28 E | WM | 18 | NW NW | 1 | 28.4 |
| 3 N | 28 E | WM | 18 | SW NW | 2 | 30.3 |
| 3 N | 28 E | WM | 18 | SE NW | | 23.8 |
| 3 N | 28 E | WM | 18 | NE SW | | 24.7 |
| 3 N | 28 E | WM | 18 | NW SW | 3 | 32.2 |
| 3 N | 28 E | WM | 18 | SE SW | | 13.2 |
| 3 N | 28 E | WM | 18 | NE SE | | 2.4 |
| 3 N | 28 E | WM | 18 | SW SE | | 1.1 |
| 3 N | 28 E | WM | 18 | SE SE | | 35.7 |
| 3 N | 28 E | WM | 19 | NE NE | | 35.7 |
| 3 N | 28 E | WM | 19 | NW NE | | 1.4 |
| 3 N | 28 E | WM | 19 | SW NE | | 2.9 |
| 3 N | 28 E | WM | 19 | SE NE | | 31.1 |
| 3 N | 28 E | WM | 19 | NE NW | | 3.3 |
| 3 N | 28 E | WM | 19 | NW NW | 1 | 15.4 |
| 3 N | 28 E | WM | 19 | SW NW | 2 | 8.4 |
| 3 N | 28 E | WM | 19 | SE NW | | 0.2 |
| 3 N | 28 E | WM | 19 | NW SW | 3 | 0.1 |
| 3 N | 28 E | WM | 19 | NE SE | | 8.0 |
| 3 N | 28 E | WM | 19 | NW SE | | 33.2 |
| 3 N | 28 E | WM | 19 | SW SE | | 1.7 |
| 3 N | 28 E | WM | 19 | SE SE | | 1.5 |
| 3 N | 28 E | WM | 20 | NW NW | | 12.9 |
| 3 N | 28 E | WM | 20 | SW NW | | 6.5 |
| 3 N | 28 E | WM | 20 | NW SW | | 4.2 |
| 3 N | 28 E | WM | 30 | SW NW | 2 | 0.8 |
| 3 N | 28 E | WM | 30 | SE NW | | 0.1 |
| 3 N | 28 E | WM | 30 | NE SW | | 0.1 |
| 3 N | 28 E | WM | 30 | NW SW | 3 | 1.5 |
| 3 N | 28 E | WM | 30 | SW SW | 4 | 1.6 |
| 3 N | 28 E | WM | 30 | NE SE | | 17.3 |
| 3 N | 28 E | WM | 30 | NW SE | | 7.1 |
| 3 N | 28 E | WM | 30 | SW SE | | 16.5 |
| 3 N | 28 E | WM | 30 | SE SE | | 33.8 |

| SUPPLEMENTAL IRRIGATION | | | | | |
|-------------------------|------|-----|-----|-------|-------|
| Twp | Rng | Mer | Sec | Q-Q | Acres |
| 3 N | 27 E | WM | 1 | NW SW | 9.0 |

Measurement, recording and reporting conditions:

- A. The water user shall maintain, in good working order, a totalizing flow meter or other suitable measuring device as approved by the Director at each point of diversion.
- B. The water user shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.

- C. The water user shall allow the watermaster access to the meters or measuring devices; provided however, where any meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the water user to submit alternative measuring and reporting procedures for review and approval.

The use allowed herein may be made when water can be put to beneficial use by irrigation, either for immediate crop growth or for forecast requirements to raise the soil moisture to field capacity to be utilized by plant growth in the subsequent growing season.

The use of water for out-of-season irrigation allowed herein shall not establish priority of right against future appropriations for beneficial uses or storage for such beneficial uses, other than those for irrigation during the allowed period of out-of-season use.

The water user shall maintain and operate fish screening and by-pass devices consistent with current Oregon Department Fish and Wildlife's (ODFW) standards.

The water user shall not construct, operate or maintain any dam or artificial obstruction to fish passage in the channel of the subject stream without providing a fishway to ensure adequate upstream and downstream passage for fish, unless the water user has requested and been granted a fish passage waiver by the Oregon Fish and Wildlife Commission. The water user is hereby directed to contact an Oregon Department of Fish and Wildlife Fish Passage Coordinator, before beginning construction of any in-channel obstruction.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.


This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

Issued **OCT 07 2022**



Dwight French
Water Right Services Division Administrator, for
Douglas E. Woodcock, Acting Director
Oregon Water Resources Department