

STATE OF OREGON  
 COUNTY OF YAMHILL  
 CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

PINE RIDGE WINERY  
 DBA ARCHERY SUMMIT WINERY  
 PO BOX 85  
 DUNDEE, OR 97115

confirms the right to the use of water perfected under the terms of Permit G-17811. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-16914

SOURCE OF WATER: WELL 2 (YAMH 54642) IN WILLAMETTE RIVER BASIN

PURPOSE OR USE: IRRIGATION USE ON 2.3 ACRES

MAXIMUM RATE: 0.028 CUBIC FOOT PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: AUGUST 10, 2007

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
4 S	3 W	WM	3	NE NW	62	WELL 2- 20 FEET NORTH AND 405 FEET EAST FROM SW CORNER, DLC 62

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

Twp	Rng	Mer	Sec	Q-Q	DLC	Acres
4 S	3 W	WM	3	NW NE	62	0.7
4 S	3 W	WM	3	NE NW	62	1.6

**NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW**

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

The quantity of water diverted at the point of appropriation (Well2) shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 1) as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
4 S	3 W	WM	3	NE NW	62	WELL 1- 770 FEET SOUTH AND 1200 FEET WEST FROM THE N1/4 CORNER OF SECTION 3

Water shall be acquired from the same aquifer as the original point of appropriation.

Measurement, recording and reporting conditions:

- A. The water user shall maintain, in good working order, a totalizing flow meter(s) at each point of appropriation. The water user shall keep a complete record of the amount of water used each month and shall submit an annual report which includes the recorded water use measurements to the Department by December 1 of each year. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.
  - B. The water user shall allow the watermaster access to the meter(s); provided however, where the meter is located within a private structure, the watermaster shall request access upon reasonable notice.
- (1) Use of water from the well, as allowed herein, shall be controlled or shut off if the well displays:
    - (a) An average water level decline of three or more feet per year for five consecutive years; or
    - (b) A total water level decline of fifteen or more feet; or
    - (c) A hydraulic interference decline of fifteen or more feet in any neighboring well providing water for senior exempt uses or wells covered by prior rights.
  - (2) The water user/appropriator shall be responsible for complying with each of the following requirements for measuring water levels in the well(s).
    - (a) Use of water from a new well shall not begin until an initial static water level in the well has been measured and reported to the Department.
    - (b) In addition to the measurement required in subsection (a) of this section, a water level measurement shall be made each year during the period March 1 through March 31.
    - (c) All water level measurements shall be made by a qualified individual. Qualified individuals are certified water rights examiners, registered geologists, registered professional engineers, licensed land surveyors, licensed water well constructor, licensed pump installer, or the water user/appropriator.
    - (d) Any qualified individual measuring a well shall use standard methods of procedure and equipment designed for the purpose of well measurement. The equipment used shall be well suited to the conditions of construction at the well. A list of standard methods of procedure and suitable equipment shall be available from the Department.
    - (e) The water user/appropriator shall submit a record of the measurement to the Department on a form available from the Department. The record of measurement shall include both measurements and calculations, shall include a certification as to their accuracy signed by the individual making the measurements, and shall be submitted to the Department within 90 days from the date of measurement. The Department shall determine when any of the declines cited in section (1) are evidenced by the well measurement required in section (2).

Irrigation allowed under this right shall be by drip irrigation or by an equally efficient method.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port and may also include an air line and pressure gauge adequate to determine the water level elevation in the well at all times.

The use may be restricted if the quality of the source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

The Director may require water level or pump test results every ten years.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

**JUN 02 2023**

Issued \_\_\_\_\_



Dwight French  
Water Right Services Division Administrator, for  
Douglas E. Woodcock, Acting Director  
Oregon Water Resources Department