

## STATE OF OREGON

## COUNTY OF YAMHILL

## CERTIFICATE OF WATER RIGHT

## THIS CERTIFICATE ISSUED TO

J BACON FARMS LLC  
14841 SW MCCABE CHAPEL RD  
MCMINNVILLE OR 97128

confirms the right to the use of water perfected under the terms of Permit S-36991. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

SOURCE OF WATER: SOUTH YAMHILL RIVER, A TRIBUTARY OF YAMHILL RIVER

PURPOSE OR USE: IRRIGATION OF 38.4 ACRES

MAXIMUM RATE: 0.48 CUBIC FOOT PER SECOND

DATE OF PRIORITY: JUNE 13, 1972

The point of diversion is located as follows:

Twtp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
5 S	5 W	WM	12	NW NW	64	850 FEET SOUTH AND 180 FEET EAST FROM NW CORNER, SECTION 12

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year, and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use is as follows:

Twtp	Rng	Mer	Sec	Q-Q	DLC	Acres
5 S	5 W	WM	11	NE NW	65	9.0
5 S	5 W	WM	11	NW NW	65	6.9
5 S	5 W	WM	11	SW NW	65	9.6
5 S	5 W	WM	11	SE NW	65	12.9

**NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW**

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Measurement, recording and reporting conditions:

- A. The water user shall maintain the totalizing flow meter or other suitable measuring device as approved by the Director in good working order, at the point of diversion.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described, and is subject to the existing minimum flow policies established by the Water Policy Review Board.

This certificate is issued to confirm a change in PLACE OF USE approved by an order of the Water Resources Director entered October 25, 2012, at Special Order Volume 88 Page 651, approving Transfer Application T-11426, supercedes Certificate 45126, State record of Water Right Certificates.

Issued MAY 02 2025.



Katherine Ratcliffe  
Water Right Services Division Administrator, for  
Ivan Gall, Director  
Oregon Water Resources Department