

## STATE OF OREGON

## COUNTY OF MORROW, UMATILLA

## CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

FARMLAND RESERVE, INC.  
PO BOX 2308  
PASCO WA 99302

confirms the right to use the waters of the COLUMBIA RIVER, a tributary of the PACIFIC OCEAN for IRRIGATION of 133.59 ACRES.

This right was perfected under Permit S-37150. The date of priority is JULY 25, 1973. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 3.51 CUBIC FEET PER SECOND (CFS), PROVIDED THE TOTAL QUANTITY DIVERTED UNDER THE RIGHTS PERFECTED UNDER PERMIT S-37150 DOES NOT EXCEED 140.1 CFS, or its equivalent in case of rotation, measured at the point of diversion.

The point of diversion is located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
4 N	25 E	WM	2	NE NW	7	COLUMBIA RIVER PUMP STATION - SOUTH 86 DEGRESS 22 MINUTES 46 SECONDS WEST, 2829 FEET FROM NE CORNER, SECTION 2

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-FORTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 4.5 acre-feet per acre for each acre irrigated during the irrigation season of each year. The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use to which this right is appurtenant is as follows:

Twp	Rng	Mer	Sec	Q-Q	Acres
2 N	27 E	WM	1	SE NE	6.38
2 N	27 E	WM	1	NE SE	37.75
2 N	27 E	WM	1	NW SE	2.42
2 N	27 E	WM	1	SW SE	0.47
2 N	27 E	WM	1	SE SE	26.40
2 N	28 E	WM	8	SW NW	4.42
2 N	28 E	WM	8	NE SW	0.23
2 N	28 E	WM	8	NW SW	36.09
2 N	28 E	WM	8	SW SW	19.43

**NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW**

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.



Water use measurement conditions:

- A. The water user shall maintain in good working order, a totalizing flow meter or another suitable measuring device approved by the Director, at each point of appropriation.
- B. The water user shall the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

The water user shall install and maintain headgates, in-line flow meters, weirs or other suitable devices for controlling, measuring and recording the quantity of water diverted. In-line flow meters shall be installed at each canal pump station. The type and plans of the headgate and measuring devices must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

The water user shall operate and maintain the headgates and measuring devices, as needed. The Watermaster may operate the headgates and monitor accuracy of the measuring devices, as needed.

The water user shall install and maintain a soil moisture monitoring program. The monitoring shall include neutron probe data (or other monitoring data of similar or superior accuracy) at 1, 2, 3, 4 and 5 foot depths, at weekly intervals, beginning one week prior to the irrigation season and continuing one week past the end of the irrigation season. The monitoring program and the location of the monitoring sites shall be approved by the Watermaster. Review of the monitoring program can occur at any time with a formal request from the water user or the Watermaster.

Monitoring shall include one paired data sampling site with access tubes between adjacent tree rows for every 1000 acres of each major soil type in each age class (each paired site shall consist of a pair of access tubes located within the non-irrigated strip between the tree rows and at the outer edges of that strip). Major soil types with less than 1000 acres in a given age class will have one paired site. Monitoring shall include one access tube for each soil type located outside the planted area to be used as control for each major soil type. Soil types are as identified in attached soil classification map dated 12/2/2000. This data will be supplemented with ongoing monitoring data from tubes in the tree rows as normally required by the water user for accurate irrigation scheduling, and as reasonably approved by the Watermaster.

The water user shall supply, to the Watermaster, bi-annual reports of water use and monitoring data. The first report will cover the period through June of each year and the second report will cover the remainder of the growing season. Monitoring equipment, monitoring sites and monitoring data in a reasonable summary format as approved the Watermaster shall be available to the Watermaster promptly upon request. The water user shall promptly inform the Watermaster of encroachment events into any areas without water rights, including areas between tree rows and inform the Watermaster of the course of action to correct the problem.

If water use under the irrigation system delivers water to areas without water rights, including the area between the tree rows, the Watermaster may regulate the water use until soil moisture and flow data demonstrate that the areas without water rights are no longer receiving water.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

The use confirmed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

This certificate is issued to confirm a change in PLACE OF USE approved by an order of the Water Resources Director entered APRIL 5, 2023, at Special Order Volume 128, Page 53, approving Transfer Application T-13525, supersedes Certificate 92990, State Record of Water Right Certificates.

Issued DEC 19 2025.



Katherine Ratcliffe  
Water Right Services Division Administrator, for  
Ivan Gall, Director  
Oregon Water Resources Department

