

STATE OF OREGON

COUNTY OF HARNEY

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

ERICK KEERINS
CHRISTINA KEERINS
40410 SODHOUSE LANE
PRINCETON OR 97721

confirms the right to the use of water perfected under the terms of Permit G-15008. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15181

SOURCE OF WATER: THREE WELLS IN MALHEUR LAKE BASIN

PURPOSE or USE: IRRIGATION OF 522.4 ACRES

MAXIMUM RATE: 6.46 CUBIC FEET PER SECOND (CFS); FURTHER LIMITED TO 5.64 CFS FROM WELL 1, 3.83 CFS FROM WELL 2, AND 2.73 CFS FROM WELL 3, IN ANY COMBINATION NOT TO EXCEED 6.46 CFS TOTAL

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: JULY 6, 2000

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	33 E	WM	5	SW NW	WELL 3 (NEW)- 1670 FEET SOUTH AND 730 FEET EAST FROM NW CORNER, SECTION 5
27 S	33 E	WM	5	NW SW	WELL 1 - 1470 FEET NORTH AND 300 FEET EAST FROM SW CORNER, SECTION 5
27 S	33 E	WM	6	SE NE	WELL 2 - 2410 FEET SOUTH AND 320 FEET WEST FROM NE CORNER, SECTION 6

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	33 E	WM	5	NE NW	3	29.3
27 S	33 E	WM	5	NW NW	4	29.8
27 S	33 E	WM	5	SW NW		34.7
27 S	33 E	WM	5	SE NW		32.7
27 S	33 E	WM	5	NE SW		26.1
27 S	33 E	WM	5	NW SW		38.4
27 S	33 E	WM	5	SW SW		38.8
27 S	33 E	WM	5	SE SW		33.3
27 S	33 E	WM	6	SW NE		35.9
27 S	33 E	WM	6	SE NE		36.7
27 S	33 E	WM	6	NE SE		37.3
27 S	33 E	WM	6	NW SE		36.4
27 S	33 E	WM	6	SW SE		12.5
27 S	33 E	WM	6	SE SE		38.4
27 S	33 E	WM	7	NE NE		31.7
27 S	33 E	WM	8	NW NW		30.4

The combined quantity of water diverted at the new point of appropriation, together with that diverted at the old points of appropriation, shall not exceed the quantity of water lawfully available at the original points of appropriation.

Measurement, recording and reporting conditions:

- A. The water user shall maintain the meter or other suitable measuring device approved by the Director in good working order, shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine the water level elevation in the well at all times.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

Water shall be acquired from the same ground water source as the original points of appropriation.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

Issued MAR 06 2026.



Katherine Ratcliffe
Water Right Services Division Administrator, for
Ivan Gall, Director
Oregon Water Resources Department

