

13

18

- GLO EAST 79.68 CH. -

24

19 400 58.15 AC.

200 33.93 AC.

100 160.00 AC.

LOT 39.24

300 6.07 AC.
N88°24'21"W 119.05'
S88°03'34"W 26.37'
S28°42'33"W 37.06'
S30°50'41"W 132.87'
S54°08'05"W 130.98'
N45°43'03"E 2187.85' FR
W1/4 SEC19

①
②
③
④
⑤

600 52.50 AC.

500 27.66 AC.

LOT 39.00
402 1.12 AC.

SEE 1912 DEED
RESURVEY FOR DIVISION

CERTIFICATE NO. 69837

R-75834

Apply for
Permit No.

SEE M60-35

SEE MAP 29 5 24

900 39.36 AC.

1600 2.00 AC.

600

1500 5.06 AC.

1400 4.33 AC.

1300 7.77 AC.

1200 3.52 AC.

1100 16.44 AC.

1000 3.52 AC.

LOT 1 32.65

LOT 2 33.60

404 1.50 AC.

403 6.97 AC.

NW COR. 401
DLC NO. 42
1700 6.65 AC.

NE COR. HIGH CARSON
DLC NO. 42

1800 37.20 AC.

MLP 8/115
PAR 2

1801 5.00 AC.

1900 14.00 AC.

SEE M10-77
SEE M60-38

2000 2.00 AC.

2100 7.78 AC.

19-04

MYRTLE RD

SOUTH

24

19

1224.74'

1275.77'

4.20 CH.

888°43'49"E

12