

REGISTRATION NO. GR-1061

CERTIFICATE NO. GR-1023

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Harling E. Fether

of Hubbard R.F.D. 378 County of Marion

State of Ore, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well

(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 1 mi S Hubbard

(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N84°13'E 4.1115 Chs. From SW Corner Whitney D.C. #48

(Give distance and bearing to corner of section or other legal subdivision)

being within ~~SE 1/4~~ SE 1/4 of Sec. 19, Twp. 4 S, Rge. 1 W

(Smallest legal subdivision)

(Twp. or S.) (R. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____

(Name of plat or addition)

County of _____

(If within city or town, give name)

3. Construction Work was begun on Aug 50; was completed on Aug 50

(Date)

(Date)

and the ground water claimed was first used for the purposes set out below on Sept-50

(Date)

since which time the water has been used Intermittently

(Continuously or Intermittently)

from May to Nov

(Date)

(Date)

4. Quantity of water claimed and used is 40 gallons per minute: 15 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 120 feet. Type Drilled

(Dug or drilled)

diameter 6 5/8 inches. Elevation of ground at well site 140 feet, mean sea level.

(As near as known)

Depth to water table 4.5 feet.

7. Capacity of Well: 40 g.p.m. with 5 feet drawdown.

g.p.m. with _____ feet drawdown.

Date of test Aug 50

If Flowing Well: Measured discharge _____ g.p.m. on _____

(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____

(Date)

Water is controlled by _____

(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

6 5/8" inch diameter Full Depth from 0 to 120 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

(Number per foot and size of perforations, or describe screen) from to
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Top Soil	7'	
Sub Soil	7-37	
Blue shale	37-61	
Brown shale fine sand	61-65	
Sulphur shale	65	
fine sand	65-77	
Red sand course	77	
sand	77-82	
yellow clay	82-111	
Blue shale	111-116	
Gravel younger alluvial	116-121	

