

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Cletus Bittler
of Rt 1 - Box 19 Mt Angel County of Marion
State of Oregon, do hereby make application for a certificate of registration as evidence
of a right to appropriate ground water.

1. Source from which water is withdrawn is partially flowing well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 2 miles E N/E of Mt Angel
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 1523.2' N and 200.3' W from Sec Cor L, 2, 11, 12 T 6 S R 1 W
(Give distance and bearing to corner of section or other legal subdivision)
being within NE 1/4 of the SE 1/4 of Sec. 2, Twp. 6 S, Rge. 1 W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:
in Lot _____, Block _____ of _____
(Name of plat or addition)

County of Marion
(If within city or town, give name)

3. Construction Work was begun on 3 April 1953; was completed on 20 April 1953
(Date) (Date)
and the ground water claimed was first used for the purposes set out below on May 1953
(Date)
since which time the water has been used continuously
(Continuously or intermittently)
from May 1953 to present date
(Date) (Date)

4. Quantity of water claimed and used is 200 gallons per minute; _____ acre
feet per year.

5. Purpose or Purposes for which water is used irrigation of pasture, field crops
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 288 feet. Type drilled
(Dug or drilled)
diameter 8 inches. Elevation of ground at well site 200 feet, mean sea level.
(As near as known)
Depth to water table see below feet. flowing well

7. Capacity of Well: 200 g.p.m. with 128 feet drawdown.
_____ g.p.m. with _____ feet drawdown.
_____ of test _____

Flowing Well: Measured discharge 12 g.p.m. on From Feb to May each year
(Date)
_____ in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by no control is on casing well flows only from Feb till
(Csp. valve, etc.)
irrigation season begins. Pump just rests on casing, so there is no way to
control flow.

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

8 inch diameter well casing from top to 191 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details: casing rests on rock at a depth of 191'

9. Perforated Casings or Screens:

no perforations from to
(Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Dirt	18	0 - 18
Cement Gravel	3	18 - 21
blue Clay	39	21 - 60
Blue and Yellow Clay	100	60 - 160
Red Clay	10	160 - 170
Soft Rotten Rock	5	170 - 175
Red Clay	16	175 - 191
Basalt Rock with Softer Streaks	97	191 - 288
(last 3 feet have the most water coming from hard rock at very bottom)		

