

RECEIVED
MAR 4 1958
STATE ENGINEER
SALEM, OREGON

REGISTRATION NO. GR-1111
CERTIFICATE NO. GR-1071

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Ernest and Lena Gourley
of Rt. 1, Box 276, Albany County of Linn
State of Oregon do hereby make application for a certificate of registration as evidence
of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well
(Flowing well, pump well, infiltration trench, or tunnel)
2. Location is: 7 miles East of Albany, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 72° 15' W. from the NE corner Reuben Streithoff DLC 37, T. 11 S., R. 2 W.
(Give distance and bearing to corner of section or other legal subdivision)
being within NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec. 6, Twp. 11 S., Rge. 2 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)
or (b) within limits of recorded platted property, town or city:
in Lot _____, Block _____ of _____
(Name of plat or addition)
County of Linn
(If within city or town, give name)

3. Construction Work was begun on Nov. 1, 1940; was completed on Nov. 9, 1940
(Date) (Date)
and the ground water claimed was first used for the purposes set out below on May 25, 1941
(Date)
since which time the water has been used continuously
(Continuously or Intermittently)
from May 25, 1941 to Present Time
(Date) (Date)

4. Quantity of water claimed and used is 272 gallons per minute; 146 acre
feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)
6. Description of Well: Depth 60 feet, Type Drilled
(Dug or drilled)
diameter 8 inches, Elevation of ground at well site 250 feet, mean sea level.
(As near as known)
Depth to water table 10 feet.

7. Capacity of Well: 300 g.p.m. with 45 feet drawdown.
g.p.m. with 0 feet drawdown.

Date of Not tested

If Not tested Measured discharge _____ g.p.m. on _____
(Date)

Shut-off _____ at ground surface _____ lbs. per sq. in. on _____
(Date)

Water controlled by _____
(Cap, valve, etc.)

If log of well is not available, give name and address of driller. Willard Sloper

Rt. 1, Albany, Oregon. (No longer drilling wells)

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Pacific Deep Well Turbine Capacity 300 g.p.m.
(Make, type and size)

(b) Motor 15 H. P. electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
11 S	2 W	6	SW $\frac{1}{4}$ of NE $\frac{1}{4}$	0.4	May 25, 1941
11 S	2 W	6	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	7.5	May 25, 1941
11 S	2 W	6	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	32.2	May 25, 1941
11 S	2 W	6	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	17.5	May 25, 1941
11 S	2 W	6	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	0.4	May 25, 1941
11 S	2 W	6	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	0.4	May 25, 1941
				58.4	


135-56

beginning at the Northeast corner of the D.L.C. of Heusen Street off, Lot No. 713 and Claim No. 37 in T. 11 S., R. 2 W., and Chain No. 30 in T. 11 S., R. 2 W., thence S. 19° 30' E. 40 chains to the southeast corner of said Claim, thence N. 70° 30' W. 33.75 chains to a stone 6 by 6 by 12 inches, thence N. 19° 30' E. 40 chains to a stone 6 by 12 inches, thence S. 71° E. 23.75 chains to the place of beginning, containing 58.4 acres, and except a certain tract of land said and conveyed to Lewis Cox and wife as aave- heard in the southwest corner of the above described tract. Also, beginning at a stone 6 by 12 inches in the north boundary of the D.L.C. of Heusen Street off lot. no. 713 in T. 11 S., R. 2 W. and 23.75 chains distant from the west east corner thereof, and running thence S. 19° 30' E. 100 rods, thence N. 70° 30' W. 45 rods to the center of the county road; thence N. 19° 30' E. 05 rods to the place of beginning, containing 05 acres more or less, all lying and being in Linn County, Oregon.

--	--	--	--	--	--

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate said water made or held by the registrant.

Township 11 S Range 2 W., W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON

County of Linn ss.

I, Ernest & Lena Gourley, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Ernest Gourley
Lena Gourley
(Signature of Registrant)

Subscribed and sworn to before me this 25th day of February, 1958

My commission expires July 13, 1960


[Signature]
(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON }
County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 25 day of February, 1958, at o'clock M. and has been duly recorded in said office in Book No. 6 of Registration Statements on page GR 1071 C



Witness my hand this 30th day of June, 1958
Laura A. Stanley
(State Engineer)

By (Deputy) **GR 1071 C**