

RECEIVED
MAR 6 1958
STATE ENGINEER
SALEM, OREGON

REGISTRATION NO. GR-1116
CERTIFICATE NO. GR-1076

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Raymond L. Phillips
of 52 km Ore - Rts, B. 1860 County of MARION
State of OREGON, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is PUMP WELL
(Flowing well, pump well, infiltration trench, or tunnel)
2. Location is: 2 miles East of H. Corners on State St
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 1838 feet west and 542 feet south of N.E. cor of The J.C. Explains
(Give distance and bearing to corner of section or other legal subdivision)
being within Sec. 28, Sublot 2 of Sec. 28, Twp. 7 S, Rge. 2 W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)
County of MARION
(If within city or town, give name)

3. Construction Work was begun on June 10th 1951; was completed on June 15th 1951
(Date) (Date)
and the ground water claimed was first used for the purposes set out below on June 17th 1951
(Date)
since which time the water has been used CONTINUOUSLY
(Continuously or Intermittently)
from June 17th 1951 to JAN 1958
(Date) (Date)

4. Quantity of water claimed and used is 250 gallons per minute; 4.16 acre feet per year.

5. Purpose or Purposes for which water is used FOR AGRICULTURE AND WATERING CATTLE
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 93 feet. Type DUG
(Dug or drilled)
diameter 8 inches. Elevation of ground at well site 19.5' feet, mean sea level.
(As near as known)
Depth to water table 21 feet.

7. Capacity of Well: 250 APPROX g.p.m. with 1 feet drawdown.
_____ g.p.m. with _____ feet drawdown.
Date of test June 16th 1951

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by GATE
(Cap, valve, etc.)

