

Registration No. GR. - 1178

Certificate No. GR. - 1139

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, Henry Greber  
 of Brooks Rt 1 Box 8 County of Marion  
(Mailing address)  
 State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 2 miles west of Brooks  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 15 Chs Est 2 1/2 chs from N 1/4 Sec 18  
(Give distance and bearing to corner of section or other legal subdivision)

being within SW 2 of NW 4 of Sec. 18, Twp. 6 Twp. N, Rge. 2 W. 2 E.  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)  
 County of Marion  
(If within city or town, give name)

3. Construction Work was begun on 1952; was completed on 1952  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1952  
(Date)

since which time the water has been used irrigation intermittently  
(Continuously or intermittently)

from 1952 to Sept. 1957  
(Date) (Date)

4. Quantity of water claimed and used is 150 gallons per minute; 75 acre feet per year.

5. Purpose or Purposes for which water is used irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

\*6. Description of Well: Depth 116 feet. Type drilled  
(Dug or drilled)

diameter 8 inches. Elevation of ground at well site 178 feet, mean sea level.  
(As near as known)

Depth to water table 25 feet.

7. Capacity of Well: 1100 g.p.m. with 110 feet drawdown.

1100 g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test 11/1/57

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)





Township 6S Range 2W W.M.  
North

E 0						
0	18					

Locate well and acreage of irrigated land on plat.

Scale: 2 1/4" = 1 Mile

STATE OF OREGON

County of Marion } ss.

I, Henry Greber, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Henry Greber  
(Signature of Registrant)

Subscribed and sworn to before me this 13<sup>th</sup> day of March, 1958.

My commission expires Sept. 8, 1962

Clifford  
(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 13 day of March, 1958, at 2:00 o'clock P. M. and has been duly recorded in said office in Book No. 6 of Registration Statements on page GR-1139

Witness my hand this 28 day of August, 1958.

Lewis A. Stanley  
(State Engineer)

By \_\_\_\_\_ (Deputy)

GR-1139