

RECEIVED
MAR 18 1958
STATE ENGINEER
SALEM, OREGON

Registration No. GR - 1208
Certificate No. GR - 1168

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, H. Kenneth Severance
of Rt. 2, Box 402 C, Albany County of Linn
State of Oregon do hereby make application for a certificate of registration as evidence
of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 3 miles south of Jefferson, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 28° 15' E. 1150.4 feet from NW corner D1C 60, T. 10 S., R 3 W.
(Give distance and bearing to corner of section or other legal subdivision)

being within NW 1/4 of NE 1/4 of Sec. 16, Twp. 10 S. Rge. 3 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)
County of Linn
(If within city or town, give name)

3. Construction Work was begun on 1954; was completed on 1954
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1954
(Date)

since which time the water has been used continuously
(Continuously or intermittently)

from 1954 to present time
(Date) (Date)

4. Quantity of water claimed and used is 860 gallons per minute; 15.0 acre
feet per year.

5. Purpose or Purposes for which water is used Irrigation
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 36 feet. Type Drilled
(Dug or drilled)

diameter 6 inches. Elevation of ground at well site 210 feet, mean sea level.
(As near as known)

Depth to water table 12 feet.

7. Capacity of Well: 200 g.p.m. with 10 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test Estimated - not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

6 inch diameter steel casing from 0 to 35 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

Slot perforations from 29 to 35
 (Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Not available		↓

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump 1" centrifugal Capacity 75 g.p.m.
(Make, type and size)

(b) Motor 3 H. P. electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.


Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10 S	3 W	16	NW 1/4 of NE 1/4	6.0	1954

The line, at a 2" iron rod, 700.0 feet from a pile on the west line of and 3.00 chains from the northwest corner of the John Hecker D.I. 11.000 in T. 10 S., R. 3 W. of the Will. Mer. in Lin. County, Oregon; and running thence 200.00' N. parallel with the north line of said claim to a distance of 700.0 feet to a 1/4" iron pipe; thence 9.00' E. parallel with the west line of said claim to a distance of 700.0 feet to a 1/4" iron pipe; thence 31.00' E. parallel with the north line of claim to a distance of 700.0 feet to a 2" iron rod; thence 31.00' S. 341.00 feet to the place of beginning and containing 6.00 acres. Also, a right-of-way easement over a strip of ground 10 feet in width, the South line of which is described as follows: Beginning at an iron pipe on the west line of and 3.00 chains from the northwest corner of the John Hecker D.I. 11.000 in T. 10 S., R. 3 W. of the Will. Mer. in Lin. County, Oregon; and running thence N. 90.00' E. parallel with the north line of said claim to a distance of 700.0 feet to a 1/4" iron rod.

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 10 S Range 3 W, W.M.

North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Linn } ss.

I, H. Kenneth Severance, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

H. Kenneth Severance
(Signature of Registrant)

Subscribed and sworn to before me this 14th day of April, 1958

My commission expires _____

[Signature]
(Notary Public)

NOTARY PUBLIC FOR OREGON

My Commission Expires April 3, 1960

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON } ss.
County of Marion

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 18th day of March, 1958, at 8:00 o'clock A.M. and has been duly recorded in said office in Book No. 6 of Registration Statements on page GR-1168

Witness my hand this 17 day of September, 1958

\$ 15.00

Lewis A. Stanley
(State Engineer)

By _____ (Deputy)

GR - 1168