Registration No. GR = 1413

Certificate No. GR - 1367

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:	
회사를 들었는 이번 동생들이 되었다는 시민들이 보고 있다.	
i, fames a Trugues	1,177.2
1. James a Hughes Millon Frewaler R3 Box 829	County of Umulilla
State of Drugow, do hereby make application of a right to appropriate ground water.	IOL & CELTITICATE OF LESSINATION TO CAMPAGE
	Diamela
1. Source from which water is withdrawn is	ing well, pump well, infiltration trench, or tunnel)
2. Location is: 2 Miles 7 (Approximate distance and direct	in two parent city or town)
and is more particularly described as follows:	I de a classian
(a) 520 Sept Forty 4 75 feet A Swilly of Swill Of SE (Give distance and bearing to corner of so being within Swill Of Sec. 24	of the state of th
being within 14 of 114 of Sec. 26	, Twp. 6 N Rge
(Smallest legal subdivision)	
or (b) within limits of recorded platted property, town or c	
in Lot Block of	was of plot to addition)
(If within city or town, give name)	10
3. Construction Work was begun on	was completed on
and the ground water claimed was first used for the purposes set	
since which time the water has been used	Continuously or intermittently)
from 1913 to 1958 (Date)	
4. Quantity of water claimed and used is /50	gallons per minute: 33 acre
foot per year	
5. Purpose or Purposes for which water is used	notice and I regular
(Perpettie, brigation, municipal, manufacturing	g, industrial, etc.)
6 Description of Well: Depth 70 feet Type	thing 50 t tollaid &
6. Description of Well: Depth 70 feet. Type diameter 4 Dell inches. Elevation of ground at well site	(Dug or drilled)
diameter	(As near as known)
Depth to water tablefeet.	
	feet drawdown
1. Capacity of work and a second	leet arawawa-
No TesT gpm. with	feet drawdown.
	기가 되는 경험을 가는 이번째 얼마다
Date of test	
If Flowing Well: Measured discharge g.F	o.m. on (Date)
Shut-in pressure at ground surface	lbs. per sq. in. on
	(Date)
Water is controlled by	(Cap, valve, etc.)

X 6 inch dismoter Con	crete	from	to .	fe
4 inch diameter 54	リラ 海子 自然がた しょうしん 大学 だんしゃ	والمنافع المادي	49 to	
inch diameter		from	to .	fe
inch diameter		from		fe
		$\langle \cdot \cdot \rangle$		
cribe and show depth of shoe, plug, ad	apter, inter or other de	tans.		

			\	0
9. Perforated Casings or Screens:				
(Number per foot and size of perfors	lions, or describe screen)	fro	mm	to
		fro	om\	to
		fro	om	to
		fro	m	to
10. Log of Well: (Describe each s	ratum or formation cle	arly, indicate	if water bearin	g, and give thic
s and depth as indicated.)			\setminus	
MATER	TAX.		Thickness (Feet)	Depth to Botton (Feet)
	1		(Feet)	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	rustion			
No Into				
	$\frac{2}{2}$			
	$\frac{1}{2}$			
		Dis .		
	\.	9		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	Y .		\♥	
			,	
			N.	
			, , ,	
		7	Y	
			Y	
			Y	
			Y	
			Y	

			ft. Minimum depth		•
		lining			
		bearing strat	(Length, course, an um with reference to pos	derosa sectional size)	
		Preceding tab as pertinent.)	le for log of well may be	e used, if desired. Give	footage from po
13. Pump	ing Equipm	and the second second			
(a) Pump		Delsi	CMake, type	Capacity	150 g
(b) A	lotor	341	Elec (Type and b	otsepower)	
14. Locat	ion of area	irrigated or t	o be irrigated, or place o	f use if for purposes otl	ier than irrigation
Township orth or South	Range E. or W. of Williamette Meridian	Section	Forty-scre Tract	Number Acres To Be Irrigated	Date of Reclamation
6N	35 E	.26	54.14 of SE14	5	1913
	•••				
			•		
			<u>, </u>		
					-
		\			
	6				
				 A control of the contro	1

	T	'ownshi	p <u>_</u>	and the second second	Range	35	E,w	.м.		
	• • • • • • • • • • • • • • • • • • •			1/4	orth		Г	T	1	
								1		
								<u> </u>		•
								 	1	
							<u> </u> :			
				7	Ь,					
				3.				ļ		
		'						 		مانات مانات
					Q					
							 	†	well Loc	tion
					SA			1	620.5 feet &	Test +
	j	Locate v			e of irrig		nd on p	lat.	15 feet North	
			, ,	Scale: 2	″ — 1 M	ile			1/4 Corner D5	عالم عدل
STATE OF OREGON	01	2		. 7	,					
County of County of	editto	<u> </u>			ss.				•	
· Carre	a. (Zhu	he		heing	first d	ນໄດ້ ເພ	ന്നാർവ	hereby certify that I h	ave
read the foregoing Reg	istration	Statem	ent and	that a	ll of the	items	therein	contai	ned are true to the bes	of
my knowledge and beli					L		o. A	111	ahi.	
						NV.	(8	ignature of	(Registrant)	
Subscribed and s	worn to l	before 1	ne this	14 6	day of	<u> </u>	agen	<i>}</i>	Jahren 1958	.
My commission expires	an	سيحاج	1960			9		lass	nhower	
(SEAL)	V			ن ا				(Notary	Public)	Garage Far
(SEALI)		1								
	ta da sa Atri				100	100				
		* 1 Table 1								
		CF	PTIFIC	'ATE O	F REGI	STRA	TION			
		CE	BTIFIC	CATE O	F REGI	STRA'	TION			
STATE OF OREGON	∫ss.	CE	BTIFIC	CATE O	F REGI	S TBA '	IION			
STATE OF OREGON County of Marion	}ss.	CE	BTIFIC	ATE O	F REGI	stra'	rion			
County of Marion)		.					eceived	in the office of the S	tate
County of Marion This is to certify	y that th	ne foreg) going R	egistrat	ion Stat	ement	was re		in the office of the S	
County of Marion This is to certiff Engineer on the	y that the	ne foreg	going R	egistrat:	ion Stat	ement 2, at(was re	o'cl	ockM. and has b	een
County of Marion This is to certiff Engineer on the	y that the	ne foreg	going R	egistrat:	ion Stat	ement 2, at(was re	o'cl		een
County of Marion This is to certiff Engineer on the	y that the	ne foreg	going R	egistrat:	ion Stat	ement 2, at(was re	o'cl	ockM. and has b	een
County of Marion This is to certiff Engineer on the	y that the	ne foreg f April Book N	going R	egistrat:	ion Stat	ement 2, at(was re	o'cl	ockM. and has b	een
County of Marion This is to certiff Engineer on the	y that the day of	ne foreg f April Book N	going R	egistrat:	ion Stat	ement 2, at(was re	o'cl	ockM. and has b	een
County of Marion This is to certify Engineer on the day recorded in said of the witness my hand	y that the day of	ne foreg f April Book N	going R	egistrat:	ion Stat	ement 2, at(was re	o'cl	ockM. and has b	een
County of Marion This is to certiff Engineer on the	y that the day of	ne foreg f April Book N	going R	egistrat:	ion Stat	ement 2, at(was re	o'cl	ockM. and has b	een