

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, A. P. Duda Rt 1, Box 159

of MtAngel County of Marion

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 2 mi. S of MtAngel
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 438' W. of 1/4 corner to Sec. 9 & 16
(Give distance and bearing to corner of section or other legal subdivision)

being within SE 1/4 of the NW 1/4 of Sec. 9, Twp. 6 S, Rge. 1 W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of Marion
(If within city or town, give name)

3. Construction Work was begun on Nov. 6, 1950; was completed on Oct. 30, 1953
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on Spring 1953
(Date)

since which time the water has been used Continuously
(Continuously or intermittently)

from April or May to September
(Date) (Date)

4. Quantity of water claimed and used is 350 gallons per minute; _____ acre feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 173 1/2 feet. Type Drilled
(Dug or drilled)

diameter 8 inches. Elevation of ground at well site _____ feet, mean sea level.
(As near as known)

Depth to water table 40 feet.

7. Capacity of Well: 450 g.p.m. with 40 feet drawdown.

7 g.p.m. with _____ feet drawdown.

Date of test Oct. 30, 1953

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

8 inch diameter P.E. Standard pipe from 173 1/2 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details: 8" Steel driveshoe at bottom of pipe

9. Perforated Casings or Screens:

About 4 per ft. 1/4-3" perforations from 97 1/2 to 173 1/2
(Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
First 97 1/2 ft. was drilled as domestic well in Nov. 6, 1950.		
Bottom of this well was water bearing gravel.		
In Oct. 1953 we extended this well down to 173 1/2 ft. All the		
drilling below this level was cement gravel and water bearing		
sand and gravel.		
No exact log was kept at that time.		

If log of well is not available, give name and address of driller. Driller did not keep log at that time, but knows about the formation. R. Stadel

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.
 Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions: (Length, course, and cross sectional size)
 Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Berkely Turbine Capacity 250 g.p.m.
 (b) Motor 15 H.P.

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
6 S	1 W	9	SW 1/4 of the SW 1/4	13	1954
6 S	1 W	9	SE 1/4 of the SW 1/4	37	1954
6 S	1 W	9	SW 1/4 of the SE 1/4	27	1954
6 S	1 W	16	NE 1/4 of the NW 1/4	3	1954
				Total 80 acres	0

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 6S Range 1W, W.M.

North

					9	
					P	
					Q	

Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion } ss.

I, A.P. Duda, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

A.P. Duda
(Signature of Registrant)

Subscribed and sworn to before me this 16th day of April, 1958.

My commission expires Sept. 8, 1960 [Signature]
(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON } ss.
County of Marion

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 16th day of April, 1958, at 11⁰⁰ o'clock A. M. and has been duly recorded in said office in Book No. 7 of Registration Statements on page GR-1379

~~Construction shall be completed by _____ 19____, and the water completely applied for _____ 19____.~~

Witness my hand this 20th day of October, 1958.

Lewis A. Stanley
(State Engineer)

By _____
(Deputy)

GR-1379

722.52