Registration No. GR 1687 Certificate No. GR 1637

Registration Statement

STATE ENGINEER

SALEM OREGON CLAIMANT OF EIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I,	Paul	Miller			<i>~</i> .	·····
)\$		x 338, Corvallis		County of	Linn	
State of	Oregon		ereby make applicat	on for a certificate	of registration	as evidence
	ht to appropriat					
1.	Source from v	vhich water is withd	rawn is	LL NO. 2 Flowing well, pump well, infl	Otration trench, or turn	eD
2.	Location is:	3 miles East o	of Corvallis, Or	egon		;
raa jir			(Approximate distance and o	irection from nearest city or	town)	
and is n	(2) 1 (2) 28 (1) (2)	described as follow				
			ins from SW cornstance and bearing to corner	of section or other legal subd	II S. R. II W.	
being w	vithin Was of S	(Smallest legal subdivision)	of Sec	29, Twp1	1 S , Rge	(Mr. or W.)
or	(b) within lin	nits of recorded platt	ted property, town o	r city:		
in Lot	Block	s of				
				(Name of plat or addition)		
	thin city or town, give t	isme)		; was complete	d on 1952	
	The second secon	Work was begun on .			(Dec	e)
and the	ground water o	laimed was first use	d for the purposes s	et out below on	(Date)	
since w	hich time the w	ater has been used	continuous	(Continuously or intermitte		
100		to present t		(Continuously or Intermitte	emay,	
4 feet per		ater claimed and us	ed is800	gallons per n	ninute;170	.5acre
5	Purpose or P	urposes for which w	ater is usedIr	rigation		
					-8	v.
			igation, municipal, manufact			
6	. Description o	f Well: Depth2	8feet. Type	Drilled	Dug or drilled)	
diamet	er 10	inches. Elevation of	ground at well site	200	feét, me	an sea level
		12 feet.		(As near as kno	o .	
7	7. Capacity of V	Vell: 1000 g.	p.m. with4	feet drawdown.		** **
	<u>Cupacto</u>					
			p.m. with	ieet drawdown.		
	Date of test	July 5, 1953	***************************************			
	If Flowing W	ell: Measured discha	arge	g.p.m. on	(Date)	b
	Shut-in press	sure at ground surfa	ce	lbs. per sq. in. o	on	
٠.					(Date	"
	Water is con	trolled by		(Cap, valve, etc.)	В	

8. C	lasing: (Give diameter, commercial spe	cifications and o	lepth below	ground surface	e of each cas
12	inch diameter steel c	asing	from	0 to .	28 f
	inch 'diameter				f
	inch diameter				f
	inch diameter			to .	
Describe a	nd show depth of shoe, plug, adapter, lir				yer beginning
					•
9. P	Perforated Casings or Screens:				
	Slot perforations		· •	m :20	+n 28
	(Number per foot and size of perforations, or desc	tibe acreen)			. 10
			fro		. 10
				í n	. to
		***************************************	fro		to
10. ess and d	Log of Well: (Describe each stratum or epth as indicated.)	· formation clear	ly, indicate i	f water bearing	, and give thi
					Ŧ
	MATERIAL			Thickness (Feet)	Depth to Botto (Feet)
	Not available				
			1.		
7					
7				9	
>			•		
				•	
	ō	1			
			· · ·		
					,
				-	
-					
<u> </u>					

	nsions: Le		ft. Minimum depth		
			Discharge		
		lining			
	nsions:			and cross sectional size)	
Posit	ion of water	r bearing str	atum with reference to po	ortal of tunnel	
					••••
Log i character c	of tunnel: (f materials,	Preceding to as pertinent	able for log of well may b	e used, if desired. Give	footage from po
13. Pum	ping Equipm	ent:			
(a) I	ump Pee	rless 4ª c	centrifugal		800 g.
(b) 1	Motor	О Н. Р. е		pe and size)	
			(Type and	horsepower)	
. 14. Loca	ion of area	irrigated or	to be irrigated, or place	of use if for purposes oth	er than irrigation
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-sere Tract	Number Acres To Be Irrigated	Date of Reclamation
11 S	4 W	29	NET of SW) ₁₋) ₁ *	July 5, 1953
11 S	7† M	29	NW dof SWd.	12.0	n n
บร	7 W	29	SW4 of SW4	36.6	n n
11 S	1, ?W	29	SE4 of SW4	10.0	n n
11 8	. 4 w	30	NE4 of SE4	0.1	11 11
11 S	4 W	32	NW of NW 4	4.8	n n
пs	1 W	32	NE tof NW t	0.3	n n
				68.2	
4 1 1					
	- X	8			
			1		

	Tot	wnship	11 S	Range	L W	, W.M.		,	
			N	orth	•				
	7			1			-		
		1.			1	0 ~			
				#2	29				
				M					
		6							
						- 1			
					1.				
							•		
				1					
								• • • •	
		onto well	and acreag	of irrias	ted land	on plat			
		Cate wen.		" — 1 Mil		()			
STATE OF OREGON	The state of			1			and the second second		
County of LINN	,) SS.	• • • • • • • • • • • • • • • • • • • •		1.	, ·	· .
I Paul Mi	ller			being i	first dub	v sworn	do hereby	certify that I h	NAVA
read the foregoing Regi	stration S	tatement	and that a	l of the	items th	erein con	tained are	true to the bes	t of
my knowledge and beli	ef.			X)	0,	110		
			1	11/	inf	mis	LLZe re of Registrant)		
			/x/		رس) د	(Signiti	en or respectant)	18	
Subscribed and st	worn to be	iore me th	is(/ <i>F1</i>)	day of	1	421.Q		, 1954	٠,
My commission expires					12	971	luce	ship	
ACTUAT V		•			/ 1	" [" (No	tary Public)		•
(SEAL)									
							•	, · · ·	•
		CERTU	FICATE O	F REGIS	TRATIC	ON		: · · · · · · ·	
	•							de .	
STATE OF OREGON	ss.				4.				
County of Marion)								
This is to certify	that the	foregoing	Registrati	on State	ment w	as receiv	ed in the	office of the S	tate
Engineer on the 9th	day of	June		19-5-6	at C	CC	o'clock ⊿	M and has l	neen
				20				and the second second	JCCII
duly recorded in said of	ffice in Bo	ok No	<u> </u>	of Regist	ration S	tatement	s on page	24-1(3(3)	
	5 - S				,	• *			••
		•							٠.
	4			'			100 Feb. 100		
Witness my hand			_			: /	34	•	
	this $\frac{7^{4}}{1}$	day	of Jar	uary		19.59	. 1	A	
	this7 ¹	day	of Jar	uary		1959 Lewi	o A. A	Itanie	

GR-1637