

Registration Statement

REGISTRATION NO. GR-193

CERTIFICATE NO. GR-179

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, J. W. Fitts

of Brooks County of Marion

State of Oregon do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 1 mi. South and 1 mi. East of Brooks, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N. 51° 19' E. 5511.20 feet from N. E. Cor. Sanford Stephens D.L.C.
(Give distance and bearing to corner of section or other legal subdivision)

being within N. W. 1/4 of S.W. 1/4 of Sec. 21, Twp. 6 S., Rge. 2 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of _____
(If within city or town, give name)

3. Construction Work was begun on 15 May 1942; was completed on 17 May 1942
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1 July 1942
(Date)

since which time the water has been used Continuously
(Continuously or Intermittently)

from 1 July 1942 to _____
(Date) (Date)

4. Quantity of water claimed and used is 3,000 gallons per minute; 310 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation of pasture and row crops
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 48 feet. Type Bored
(Dug or drilled)

diameter 24 inches. Elevation of ground at well site 160 feet, mean sea level.
(As near as known)

Depth to water table 3 feet.

7. Capacity of Well: 300 g.p.m. with 36 feet drawdown.
_____ g.p.m. with _____ feet drawdown:

Date of test 1 August 1956

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

24 inch diameter from top to 48 feet
..... inch diameter from to feet
..... inch diameter from to feet
..... inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details: 24" Steel Liner

9. Perforated Casings or Screens:

20 per ft 1" in diameter from 43 to 48
(Number per foot and size of perforations, or describe screen)
..... from to
..... from to
..... from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
No record		

If log of well is not available, give name and address of driller. - Fred Wymore, Rainaby, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump 20 H.P. Turbine Capacity 400 g.p.m.
(Make, type and size)

(b) Motor Electric 20 H.P.
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
6S	2W	20	NE 1/4 of SE 1/4	24.3	July 1942
"	"	"	SE 1/4 of SE 1/4	32.7	"
"	"	21	NE 1/4 of SW 1/4	2.7	"
"	"	"	NW 1/4 of SW 1/4	14.7	"
"	"	"	SW 1/4 of SW 1/4	38.7	"
"	"	"	SE 1/4 of SW 1/4	7.9	"
"	"	28	NW 1/4 of NW 1/4	11.7	"
"	"	29	NE 1/4 of NE 1/4	22.6	"

GR-193 Well #1

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty Acre Tract	Number Acres To Be Irrigated
6S	2W	20	N.E. of S.E.	24.3
6S	2W	20	S.E. of S.E.	32.7
6S	2W	21	N.E. of S.W.	2.7
6S	2W	21	N.W. of S.W.	14.7
6S	2W	21	S.E. of S.W.	38.7
6S	2W	21	S.W. of S.W.	7.9
6S	2W	28	N.W. of N.W.	11.7
6S	2W	29	N.E. of N.E.	22.6

153.30
194

Remarks: Authority is requested to deepen this well


Remarks: Authority is requested to deepen this well.

caution for a period, p.....

This is one of a system of 3 wells. The applications are filed herewith. Nos. 2 + 3

GR-179 B

Township 6 S Range 2 W, W.M.
North



Map in file G 386

Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion } ss.

I, J. W. Fitts, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

J. W. Fitts
(Signature of Registrant)

Subscribed and sworn to before me this 6 day of June, 1956.

My commission expires 9/27/58

Jeanie Baster
(Notary Public)

(SEAL)

For Certificate See Page GR-179 S
CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion } ss.

~~I hereby certify that the foregoing Registration Statement was received at the office of the State Engineer on this day of _____, 19____, and that the same complies with the provisions of the Registration Act and that the same complies with the provisions of the code municipal and other laws of the State of Oregon.~~

Witness my hand this _____ day of _____, 19____.

(State Engineer)

By _____ (Deputy) GR-179.C

Registration Statement

REGISTRATION NO. GR-193

CERTIFICATE NO. GR-179

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, J. W. Pitta

of Brooks County of Marion

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well #2
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 1 Mi. South and 1 Mile East of Brooks, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N. 64° 33' E. 1748.52 ft. from N. E. Cor. Sanford Stephens D. L. C.
(Give distance and bearing to corner of section or other legal subdivision)

being within S.W. 1/4 of S.W. 1/4 of Sec. 21, Twp. 6 S., Rge. 2 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of _____
(If within city or town, give name)

3. Construction Work was begun on 15 March 1943; was completed on 20 March 1943
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1 July 1943
(Date)

since which time the water has been used Continuously
(Continuously or intermittently)

from 1 July 1943 to Date
(Date) (Date)

4. Quantity of water claimed and used is 300 gallons per minute; 310 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation of pasture and row crops

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 60 feet. Type Drilled
(Dug or drilled)

diameter 8" inches. Elevation of ground at well site 160 feet, mean sea level.
(As near as known)

Depth to water table 2 feet.

7. Capacity of Well: 300 g.p.m. with 2 feet drawdown;

_____ g.p.m. with _____ feet drawdown.

Date of test 1 July 1956 ?

If Flowing Well: Measured discharge _____ g.p.m. on _____ (Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____ (Date)

Water is controlled by _____
(Cap, valve, etc.)

GR-179 D

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

8 inch diameter from top to 60 feet
..... inch diameter from to feet
..... inch diameter from to feet
..... inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details: _____

9. Perforated Casings or Screens:

4 per foot $\frac{1}{8}$ " x 6" from top to 60 feet
(Number per foot and size of perforations, or describe screen)
..... from to
..... from to
..... from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)

If log of well is not available, give name and address of driller. Fred Wymore, Rainy Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump 15 H. P. Centrifugal Capacity 300 g.p.m.
(Make, type and size)

(b) Motor 15 H. P. Electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
-------------------------	---------------------------------------	---------	------------------	------------------------------	---------------------

GR-193 Well #2


Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty Acre Tract	Number Acres To Be Irrigated
6 S	2 W	20	N.E. 1/4 of S.E. 1/4	24.3
6 S	2 W	20	S.E. 1/4 of S.E. 1/4	32.7
6 S	2 W	21	N.E. 1/4 of S.W. 1/4	2.7
6 S	2 W	21	N.W. 1/4 of S.W. 1/4	14.7
6 S	2 W	21	S.E. 1/4 of S.W. 1/4	38.7
6 S	2 W	21	S.W. 1/4 of S.W. 1/4	7.9
6 S	2 W	28	N.W. 1/4 of E.W. 1/4	11.7
6 S	2 W	29	N.E. 1/4 of E.E. 1/4	22.6
				155.30

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

This is one of a series of 3 wells the applications are filed herewith.
Nos 1 + 2

GR-179 F

Township 6S Range 2W W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion } ss.

J. W. Fitts, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

J. W. Fitts
(Signature of Registrant)

Subscribed and sworn to before me this 6 day of June, 1956.

My commission expires 9/27/58

Jennie R. Baxter
(Notary Public)

(SEAL)

For Certificate See Page GR-179 S
CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion } ss.

~~_____~~
~~_____~~
~~_____~~
~~_____~~
~~_____~~

Witness my hand this _____ day of _____, 19____

(State Engineer)

By _____
(Deputy)

GR-179 G

Registration Statement

REGISTRATION NO. GR-193

CERTIFICATE NO. GR-179

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, J. W. Fitts

of Brooks County of Marion

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well #3
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 1 Mi. South and 1 Mi East of Brooks Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N. 57° 46' E 3,526.09 feet from the N. E. Cor. Sanford Stephens D.I.C.
(Give distance and bearing to corner of section or other legal subdivision)

being within SE 1/4 of SE 1/4 of Sec. 20, Twp. 6 S, Rge. 2 W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of _____
(If within city or town, give name)

3. Construction Work was begun on 1 Sept 1940; was completed on 15 Sept 1940
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 15 Sept 1940
(Date)

since which time the water has been used Continuously
(Continuously or intermittently)

from 15 Sept 1940 to Date
(Date) (Date)

4. Quantity of water claimed and used is 700 Ft. gallons per minute; 310 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation of pasture and row crops

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 73 feet. Type Drilled
(Dug or drilled)

diameter 10 inches. Elevation of ground at well site 160 feet, mean sea level.
(As near as known)

Depth to water table 15 feet.

7. Capacity of Well: 750 g.p.m. with 40 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test Sept. 1940

If Flowing Well: Measured discharge _____ g.p.m. on _____ (Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____ (Date)

Water is controlled by _____
(Cap, valve, etc.)

GR-179H

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

10 inch diameter from 0 to 73 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

10 $1/4 \times 8''$ from 53 to 73
(Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
no record		

If log of well is not available, give name and address of driller. John Wymore Quiraby, Oregon

11. Infiltration Trench: Covered or open _____

Dimensions: Length _____ ft. Minimum depth _____ ft. Maximum depth _____ ft.

Bottom width _____ ft. Discharge _____ g.p.m. Date of test _____

12. Tunnel: Type of lining _____

Dimensions: _____
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel _____

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Damming Turbine _____ Capacity 700 g.p.m.
(Make, type and size)

(b) Motor Farm tractor _____
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation

GR-193 Well #3

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty Acre Tract	Number Acres To Be Irrigated
6 S	2 W	20	N.E. 1/4 of S.E. 1/4	21.3
6 S	2 W	20	S.E. 1/4 of S.E. 1/4	32.7
6 S	2 W	21	N.E. 1/4 of S.W. 1/4	2.7
6 S	2 W	21	N.W. 1/4 of S.W. 1/4	14.7
6 S	2 W	21	S.W. 1/4 of S.W. 1/4	38.7
6 S	2 W	21	S.E. 1/4 of S.W. 1/4	7.9
6 S	2 W	22	N.W. 1/4 of N.W. 1/4	11.7
6 S	2 W	22	N.E. 1/4 of N.W. 1/4	22.6
				155.30

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

This is one of a system of 3 wells. The applications are filed herewith.

Nos. 1 & 2

GR-179 J

Township 6S Range 2W W.M.
North

Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion

} ss.

I, J. W. Fitts, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

J. W. Fitts
(Signature of Registrant)

Subscribed and sworn to before me this 6 day of June, 1926.

My commission expires 9/27/28

Jennie Baxter
(Notary Public)

(SEAL)

For Certificate See Page GR-179 S
-CERTIFICATE OF REGISTRATION-

STATE OF OREGON

County of Marion

} ss.

~~Witness my hand this _____ day of _____, 19____~~
~~I, _____, State Engineer of Marion County, Oregon, do hereby certify that the above~~
~~mentioned work has been done in accordance with the provisions of the Act to~~
~~authorize the construction of irrigation works in the State of Oregon, and that the~~
~~same has been constructed in accordance with the plans and specifications~~
~~approved by me, and that the same is now ready for use.~~

Witness my hand this _____ day of _____, 19____

(State Engineer)

By _____

(Deputy)

GR-179 K

Registration Statement

REGISTRATION NO. GR-193CERTIFICATE NO. GR-179

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, J. W. Fittsof Brooks County of MarionState of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.1. Source from which water is withdrawn is Pump Well #4
(Flowing well, pump well, infiltration trench, or tunnel)2. Location is: N. 20° 7' E. 3674.92 Ft. from N.E. Cor. Sanford Stephens D.L.C.
(Approximate distance and direction from nearest city or town)and is more particularly described as follows:
1. Mi S. and 1 Mi. East of Brooks Ore.(a) N. 20° 7' E. 3674.92 feet from N.E. Cor. Sanford Stephens D.L.C.
(Give distance and bearing to corner of section or other legal subdivision)being within N.W. 1/4 of S.E. 1/4 of Sec. 20, Twp. 6 S., Rge. 2 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)County of _____
(If within city or town, give name)3. Construction Work was begun on 20 March 1954; was completed on 1 April 1954
(Date) (Date)and the ground water claimed was first used for the purposes set out below on 1 July 1954
(Date)since which time the water has been used Continuously
(Continuously or intermittently)from 1 July 1954 to Date
(Date) (Date)4. Quantity of water claimed and used is 700 gallons per minute; 213 acre feet per year.5. Purpose or Purposes for which water is used irrigation of pasture and row crops

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 190 feet. Type Drilled
(Dug or drilled)diameter 10" inches. Elevation of ground at well site 160 feet, mean sea level.
(As near as known)Depth to water table 22 feet.7. Capacity of Well: 500 g.p.m. with 16 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test 1 April 1954If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)Water is controlled by _____
(Cap, valve, etc.)

GR-179 L

If log of well is not available, give name and address of well: Perkins and Co., Salem, Oregon

Willamette Drilling Co. Rt. 2 Salem, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions: (Length, course, and sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump 10 Stage gear Head (Turbine) Fairbanks Morse Capacity 700 g.p.m.
(Make, type and size)

(b) Motor Farm tractors (Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation

GR-193 Well #4

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty Acre Tract	Number Acres To Be Irrigated
6 S	2 W	20	S.W. 1/4 of N.E. 1/4	7.7
6 S	2 W	20	S.E. 1/4 of N.W. 1/4	5.2
6 S	2 W	20	N.E. 1/4 of S.W. 1/4	11.1
6 S	2 W	20	S.E. 1/4 of S.W. 1/4	4.9
6 S	2 W	20	N.E. 1/4 of S.E. 1/4	7.8 + 24 = 32
6 S	2 W	20	N.W. 1/4 of S.E. 1/4	40.0
6 S	2 W	20	S.W. 1/4 of S.E. 1/4	25.2
6 S	2 W	20	S.E. 1/4 of S.E. 1/4	4.8 + 32 = 37.5
				106.7


15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

This is one of a system of 6 wells. Applications filed herewith

GR-179 N

Township 6S Range 2W, W.M.

North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion

} ss.

I, W. J. Fitts, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

W. J. Fitts
(Signature of Registrant)

Subscribed and sworn to before me this 6 day of June, 1956.

My commission expires 9/27/58

Jeanie Baxter
(Notary Public)

(SEAL)

For Certificate See Page GR-179 S
~~CERTIFICATE OF REGISTRATION~~

STATE OF OREGON

County of Marion

} ss.

~~This document, and the foregoing Registration Statement, once recorded in the office of the State Engineer shall constitute a public record and shall be a part of the public records of the State of Oregon and shall be preserved for a period of ten years from the date of recording of the Registration Statement on page _____ of the records of the State Engineer and the same shall be available for inspection by the public as provided by law.~~

Witness my hand this _____ day of _____, 19_____.

(State Engineer)

By _____ (Deputy)

Registration Statement

REGISTRATION NO. GR-193CERTIFICATE NO. GR-179

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, W. J. Flittsof Brooks County of MarionState of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.1. Source from which water is withdrawn is Pump Well #5
(Flowing well, pump well, infiltration trench, or tunnel)2. Location is: 1 Mi South and 1 Mi East of Brooks
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N. 69° 33' East. N. E. Cor. Sanford Stephens D.L.C. 1570.30 feet
(Give distance and bearing to corner of section or other legal subdivision)being within N.W. 1/4 of N.E. 1/4 of Sec. 29, Twp. 6 S., Rge. 2 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

(If within city or town, give name)

County of _____

3. Construction Work was begun on 1 June 1950; was completed on 10 June 1950
(Date) (Date)and the ground water claimed was first used for the purposes set out below on 1 July 1950
(Date)since which time the water has been used intermittently
(Continuously or intermittently)from 1 July 1950 to Date
(Date) (Date)4. Quantity of water claimed and used is 200 gallons per minute; 283 acre feet per year.5. Purpose or Purposes for which water is used irrigation of row crops and pasture

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 42 feet. Type Bored

(Dug or drilled)

diameter 12 inches. Elevation of ground at well site 160 feet, mean sea level.
(As near as known)Depth to water table 2 feet.7. Capacity of Well: 100 g.p.m. with 40 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test 1 July 1950If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)Water is controlled by _____
(Cap, valve, etc.)

P

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

12 inch diameter Concrete lining from 0 to 40 feet
inch diameter from to feet
inch diameter from to feet
inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

None from to
(Number per foot and size of perforations, or describe screen)
from to
from to
from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)

If log of well is not available, give name and address of driller. Parkins and Co., Rt. 2, Salem, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Centrifugal Capacity 200 g.p.m.
(Make, type and size)

(b) Motor Farm Tractor
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation

GR-193 Well #5

Township N. of S.	Range E. or W. of Willamette Meridian	Section	Forty Acre Tract	Number Acres To Be Irrigated
6 S	2 W	20	S.W. 1/4 of S.W. 1/4	.8
6 S	2 W	20	S.E. 1/4 of S.W. 1/4	15.4 + 4.9 = 20.3
6 S	2 W	20	S.W. 1/4 of S.E. 1/4	14.8 + 2.5 = 17.3
6 S	2 W	20	S.E. 1/4 of S.E. 1/4	2.5 + 37.5 = 40
6 S	2 W	29	N.E. 1/4 of N.E. 1/4	6.0 + 22.8 = 28.8
6 S	2 W	29	N.W. 1/4 of N.E. 1/4	38.0
6 S	2 W	29	S.W. 1/4 of N.E. 1/4	1.0
6 S	2 W	29	N.E. 1/4 of N.W. 1/4	29.9
6 S	2 W	29	N.W. 1/4 of N.W. 1/4	1.1
6 S	2 W	29	S.E. 1/4 of N.W. 1/4	2.0

111.50

1.39

Remarks:
Authority is requested to deepen this well

Remarks:
Authority is requested to deepen this well

--	--	--	--	--	--


15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

This is one of a system of 2 Wells. Applications filed here with.

No 5+6

GR-179 R

Township 6S Range 2W W.M.
North 4



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion } ss.

I, J. W. Fitts, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

J. W. Fitts
(Signature of Registrant)

Subscribed and sworn to before me this 6 day of June, 1956.

My commission expires 9/27/58

Jeanie Baxter
(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON } ss.
County of Marion

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 6th day of June, 1956, at 2:25 o'clock P. M. and has been duly recorded in said office in Book No. 1 of Registration Statements on page GR-179 S

~~_____ and the water _____~~

~~_____~~

Witness my hand this 8th day of October, 1956.

Laura A. Stanley
(State Engineer)

By _____ (Deputy)

GR-179 S