

RECEIVED JUN 8 1956

STATE ENGINEER SALEM, OREGON

Registration Statement

REGISTRATION CERTIFICATE NO. GR-194 402

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Frederick E Hartung

of 2300 N.W. 143 Ave. Portland County of Washington

State of Oregon do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Flowing well (Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: Approx. one mile north of Cedar Mill, Washington Co. (Approximate distance and direction from nearest city or town)

and is more particularly described as follows: 1550 feet east and 1125 feet north from SW corner Sec. 28

(a) Approx. 9.7 acres in N. corner approx square Jas. C. Flippin DLC No. 55 in TIM, RLW, W.M. (Give distance and bearing to corner of section or other legal subdivision)

being within SE 1/4 of SW 1/4 of Sec. 28, Twp. 1N, Rge. 1W (Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot of Block of (Name of plat or addition)

County of Washington (If within city or town, give name)

3. Construction Work was begun on Feb. 3, 1953 (Date); was completed on April 13, 1956. (Date)

and the ground water claimed was first used for the purposes set out below on Sept. 11, 1953 (Date)

since which time the water has been used continuously (Continuously or Intermittently)

from Sept. 11, 1953 (Date) to May 28, 1956. (Date)

4. Quantity of water claimed and used is 80 gal pm gallons per minute; acre feet per year.

5. Purpose or Purposes for which water is used Domestic irrigation, livestock (Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 753 feet. Type drilled (Dug or drilled)

diameter 6 inches. Elevation of ground at well site 273 feet, mean sea level. 100 ft est (As near as known)

Depth to water table flowing feet.

7. Capacity of Well: 84 g.p.m. with 240 ft feet drawdown. 30 min water level ok

64 g.p.m. with 148 feet drawdown. 30 min water level ok

Date of test Aug. 20, 1953 P.P. & Power

If Flowing Well: Measured discharge 30 g.p.m. on April 13, 1953 (Date)

Shut-in pressure at ground surface 20 lbs. per sq. in. on Apr. 13, 1953 (Date)

Water is controlled by Cap and valve (Cap, valve, etc.)

If log of well is not available, give name and address of driller.

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.
 Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
 (Length, course, and cross sectional size)
 Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

- (a) Pump P-I model RM-12 DWT 5 HP 1 1/2 VHS motor 220v Capacity 60-80 g.p.m.
(Make, type and size)
- (b) Motor 5 HP 1 1/2 220 v. W/S. Moa.
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
Beg. at Westerly Northwest Corner of James A Flippin D.L.C. No.55 in Sec.28 T1N.					
RLW, W.M. Washington Co. Oregon. running thence along north side of said claim					
N.89 deg.32'E 601.9 to an iron rod: thence S.2 deg 12' 30"W 699.1 ft to center rd					
thence 89 deg 58'W 570 ft to iron rod thence N.0. deg 25'W 693 .4 to beg.					
Approx 9.9 acres less prov for roadway on south side					
1N	1W	28	NE 1/4 of SW 1/4 (220)	9.04	Sept. 11, 1953
"	"	"	SE 1/4 of SW 1/4	5.0	"
"	"	"	SE 1/4 of SW 1/4	4.04	"
				9.04 Ac.	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

