

RECEIVED  
JUL 1 1933  
STATE ENGINEER  
SALEM, OREGON

Registration No. GR 1983  
Certificate No. GR 1914

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, Henry Granat  
of Rt 3 Box 89, Hillsboro County of Washington  
State of Oregon, do hereby make application for a certificate of registration as evidence  
of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well  
(Flowing well, pump well, infiltration trench, or tunnel)  
2. Location is: 7 miles North of Hillsboro  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 3100' 537° 0' W from NE Corner Sec. 33.  
(Give distance and bearing to corner of section or other legal subdivision)  
being within SW 1/4 of NE 1/4 of Sec. 33, Twp. 2 N, Rge. 2 W  
(Smallest legal subdivision) (N. or S.) (E. or W.)  
or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(If within city or town, give name) County of Washington  
(Name of plat or addition)

3. Construction Work was begun on 1932, was completed on 1932  
(Date)  
and the ground water claimed was first used for the purposes set out below on 1932  
(Date)  
since which time the water has been used Irrigation - Intermittently  
(Continuously or intermittently)

4. Quantity of water claimed and used is 6 gallons per minute; \_\_\_\_\_ acre  
feet per year.

5. Purpose or Purposes for which water is used Irrigation  
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 325 feet. Type drilled  
(Dug or drilled)  
diameter 8 inches. Elevation of ground at well site 600 feet, mean sea level.  
(As near as known)  
Depth to water table 235 feet.

7. Capacity of Well: 6 g.p.m. with 235 feet drawdown.  
\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test No test

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)





