

RECEIVED
JUL 10 1958
STATE ENGINEER
SALFEN, OREGON

Registration Statement

REGISTRATION NO. GR-2010
CERTIFICATE NO. GR-1938

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Carl Russell and Winona I. Russell
of Rt. # 2 Box 111 Hillsboro County of Washington
State of Oregon, do hereby make application for a certificate of registration as evidence
of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 1 1/2 Miles west of Hillsboro, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows: approx 410 feet North & 310 feet east from S 1/4 corner Section 35.

(a) 170' East & 75' S of the N.W. Corner of Lot 24
(Give distance and bearing to corner of section or other legal subdivision)

being within S. W. 1/4 of The S. E. 1/4 of Sec. 35, Twp. 1 N., Rge. 3 W. 7th
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city: West one half of
in Lot 24, Block ----- of Oak Park Addition
(Name of plat or addition)

County of Washington
(If within city or town, give name)

3. Construction Work was begun on 1954; was completed on 1954
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1954
(Date)

since which time the water has been used continuously
(Continuously or Intermittently)

from 1954 to November 25, 1957
(Date) (Date)

4. Quantity of water claimed and used is 35 gallons per minute; two acre
feet per year.

5. Purpose or Purposes for which water is used Domestic and Irrigation
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 68' feet. Type Drilled
(Dug or drilled)

diameter six inches. Elevation of ground at well site _____ feet, mean sea level.
(As near as known)

Depth to water table 18 feet.

7. Capacity of Well: 35 g.p.m. with 16 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test 1954

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

