

# Registration Statement

REGISTRATION NO. GR-214CERTIFICATE NO. GR-199

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, L. O. Paul  
of St. Paul County of Marion

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.1. Source from which water is withdrawn is Well #1 "Graham Well"  
(Flowing well, pump well, infiltration trench, or tunnel)2. Location is: 3 Miles west of St Paul  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) Approximately 2450 ft East and 1050 ft N of SW Corner Section 74  
(Give distance and bearing to corner of section or other legal subdivision)being within SE 1/4 SW 1/4 of Sec. 14, Twp. 4S, Rge. 3W  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)County of \_\_\_\_\_  
(If within city or town, give name)3. Construction Work was begun on Feb 19 1951 was completed on June 27 1951  
(Date) (Date)and the ground water claimed was first used for the purposes set out below on Summer 1951  
(Date)since which time the water has been used Continuously during Irrigation Season  
(Continuously or intermittently)from 1951 to 1956  
(Date) (Date)4. Quantity of water claimed and used is 210 gallons per minute; \_\_\_\_\_ acre feet per year.5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 60 feet. Type Drilled  
(Dug or drilled)diameter 10 inches. Elevation of ground at well site \_\_\_\_\_ feet, mean sea level.Depth to water table 25 feet. May 1, 1956  
(As near as known)7. Capacity of Well: 280 g.p.m. with \_\_\_\_\_ feet drawdown.

\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test 1951If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)





