Registration No. GR-2204

Certificate No. GR-2109

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, Larry H. and Marie G. Barnes,

of 1145 Shady Lane, Albany (Mailing address) County of Benton,

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. **Source** from which water is withdrawn is pump well (Flowing well, pump well, infiltration trench, or tunnel)

2. **Location** is: 1 mile north of Albany, Oregon (Approximate distance and direction from nearest city or town);

and is more particularly described as follows:

(a) S. 45° 03' W. 13.80 chains from NE corner DLC 37, T. 10 S., R. 3 W.W.M. (Give distance and bearing to corner of section or other legal subdivision)

being within NE¼ of SW¼ (Smallest legal subdivision) of Sec. 31, Twp. 10 S (N. or S.), Rge. 3 W (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot ....., Block ....., of ..... (Name of plat or addition)

..... (If within city or town, give name) County of Benton

3. **Construction Work** was begun on June 1952 (Date); was completed on June 1952 (Date)

and the ground water claimed was first used for the purposes set out below on July 4, 1954 (Date),

since which time the water has been used continuously (Continuously or intermittently)

from July 4, 1954 (Date) to present time (Date)

4. **Quantity** of water claimed and used is 25 gallons per minute; 3.75 acre feet per year.

5. **Purpose or Purposes** for which water is used Irrigation

..... (Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. **Description of Well:** Depth 40 feet. Type Drilled (Dug or drilled)

diameter 6 inches. Elevation of ground at well site 200 (As near as known) feet, mean sea level.

Depth to water table 33 feet.

7. **Capacity of Well:** 25 g.p.m. with 17 feet drawdown.

..... g.p.m. with ..... feet drawdown.

Date of test Not tested - estimated

If Flowing Well: Measured discharge ..... g.p.m. on ..... (Date)

Shut-in pressure at ground surface ..... lbs. per sq. in. on ..... (Date)

Water is controlled by ..... (Cap, valve, etc.)

8. **Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.)

6 inch diameter steel casing from 0 to 40 feet

____ inch diameter ____ from ____ to ____ feet

____ inch diameter ____ from ____ to ____ feet

____ inch diameter ____ from ____ to ____ feet

Describe and show depth of shoe, plug, adapter, liner or other details: ____

9. **Perforated Casings or Screens:**

Slot perforations from 32 to 40
(Number per foot and size of perforations, or describe screen)

____ from ____ to ____

____ from ____ to ____

____ from ____ to ____

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Not available		

GR 2109

8. **Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.)

6 inch diameter steel casing from 0 to 40 feet

_____ inch diameter _____ from _____ to _____ feet

_____ inch diameter _____ from _____ to _____ feet

_____ inch diameter _____ from _____ to _____ feet

Describe and show depth of shoe, plug, adapter, liner or other details: _____

9. **Perforated Casings or Screens:**

Slot perforations from 32 to 40
(Number per foot and size of perforations, or describe screen)

_____ from _____ to _____

_____ from _____ to _____

_____ from _____ to _____

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Not available		

GR 2109

8. **Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.)

6 inch diameter steel casing from 0 to 40 feet

_____ inch diameter _____ from _____ to _____ feet

_____ inch diameter _____ from _____ to _____ feet

_____ inch diameter _____ from _____ to _____ feet

Describe and show depth of shoe, plug, adapter, liner or other details: _____

9. **Perforated Casings or Screens:**

Slot perforations from 32 to 40
(Number per foot and size of perforations, or describe screen)

_____ from _____ to _____

_____ from _____ to _____

_____ from _____ to _____

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Not available		

GR 2109

If log of well is not available, give name and address of driller. Nicholas Klaus, Rt. 4, Albany, Oregon

11. **Infiltration Trench:** Covered or open .....

Dimensions: Length ..... ft. Minimum depth ..... ft. Maximum depth ..... ft.

Bottom width ..... ft. Discharge ..... g.p.m. Date of test .....

12. **Tunnel:** Type of lining .....

Dimensions: ..... (Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. **Pumping Equipment:**

(a) Pump Cornell 1½" centrifugal (Make, type and size) Capacity 50 g.p.m.

(b) Motor 2 H. P. electric (Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10 S	3 W	31	NE¼ of SW¼	1.5	July 4, 1954

Larry Barnes

Beginning at a car axle the southwest corner of land descrioed in Book 102 Page 401, Deed Records of Benton County, Oregon, which car axle is 659.12 feet N.76°04½'W. along the claim line and 411.1 feet S.0°08'W. along the West line of said land from the northeast corner of John Q. Thornton D.L.C. 37, T. 10 S., R. 3 W. of the Will. Mer.; and running thence S.0°08'W. along the West line of land described in Book 103, Page 352(b), said Deed Records, 402 feet to a 3/4" pipe, the southwest cofner of same, thence N.89°52'W. 179.77 feet to the center line of a 30 foot raod which point is 15 feet N.89°52'W. of a ½" pipe, thence N.0°08'E. along thence cneter line of said road 402 feet, thence S.89°52'E. 179.7 feet to the place of beginning.

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

.....

.....

GR 2109

Township 10 S Range 3 W, W.M.

North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON }
County of LINN } ss.

I, Larry H. and Marie G. Barnes, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Larry H. Barnes Marie G. Barnes
(Signature of Registrant)

Subscribed and sworn to before me this 15th day of July, 1958

My commission expires 11-16-59

Janet A. Blake
(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON }
County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 16th day of July, 1958, at 8:00 o'clock A M. and has been duly recorded in said office in Book No. 9 of Registration Statements on page GR 2109

Witness my hand this 10th day of March 1959

Lewis A. Stanley
(State Engineer)

#15.00

By
(Deputy)

GR 2109