

RECEIVED
AUG 6 1956

STATE ENGINEER
SALEM, OREGON

REGISTRATION NO. GR-222

CERTIFICATE NO. GR-206

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, John G. Burkhart

of Rt. 1, Box 242, Albany County of Linn

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well #1
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 3 miles East of Albany, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N. 81° 15' E. 23 chains from the SE corⁿ D.L.C. 39, S. 10, T. 11 S., R. 3 W.W.M.
(Give distance and bearing to corner of section or other legal subdivision)

being within NE¹/₄ of NE¹/₄ of Sec. 10, Twp. 11 S, Rge. 3 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of Linn

(If within city or town, give name)

3. Construction Work was begun on March 10, 1948; was completed on May 11, 1948
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on July 6, 1948
(Date)

since which time the water has been used continuously
(Continuously or intermittently)

from July 6, 1948 to present
(Date) (Date)

4. Quantity of water claimed and used is 340 gallons per minute; 72.5 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 165 feet. Type drilled
(Dug or drilled)

diameter 12 inches. Elevation of ground at well site 235 feet, mean sea level.
(As near as known)

Depth to water table 8 feet.

7. Capacity of Well: 340 g.p.m. with 60 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test Not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

If log of well is not available, give name and address of driller. Art Clinton, Independence, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length _____ ft. Minimum depth _____ ft. Maximum depth _____ ft.

Bottom width _____ ft. Discharge _____ g.p.m. Date of test _____

12. Tunnel: Type of lining

Dimensions: _____
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel _____

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump 1" Fairbanks & Morse Centrifugal Capacity 400 g.p.m.
(Make, type and size)

(b) Motor 15 H.P. electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
11 S	3 W.	10	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	15.4	July 6, 1918
11 S	3 W.	10	SE $\frac{1}{4}$ of NE $\frac{1}{4}$	13.6	July 6, 1918
				29.0	

John G. Burkhart

Beginning at the Northwest corner of the D. H. McClure D.L.C. No. No. 3772 in T. 11 S., R 3 W. of the Will. Mer. in Linn County, Oregon; and running thence East 58.5 chains; thence South 22.64 chains; thence West 27.20 chains; thence S. 4°30' W. 23.49 chains; thence S. 88° W 10.83 chains; thence North 14.68 chains; thence West 18.20 chains; thence North 34.56 chains to the place of beginning, containing 182.59 acres.

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

