

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, Clarkson Duffus & Lila Duffus And Charles Holcom & Velva Holcom  
of Rt. 2 Box 319 Salem County of Marion

State of Oregon do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 1 1/2 miles South of Brooks, Oregon  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows: North 89deg.52'E.2337.39' and S.31deg.11'W. 743.25' and N.89deg.57'E.712.75' to the Well 860' South 650ft. West from Ely cor Section 19, Twp 6S, Rge 2 W.

(a) NE 1/4 of SE 1/4 of Sec. 19 Twp. 6S. Rge. 2 W.  
(Give distance and bearing to corner of section or other legal subdivision)  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_ Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of Marion  
(If within city or town, give name)

3. Construction Work was begun on March 10, 1955; was completed on April 15, 1955  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 1, 1955  
(Date)

since which time the water has been used Continuously  
(Continuously or intermittently)

from June 1, 1955 to Date  
(Date) (Date)

4. Quantity of water claimed and used is 150 gallons per minute; \_\_\_\_\_ acre feet per year.

5. Purpose or Purposes for which water is used Irrigation

6. Description of Well: Depth 101 feet. Type Drilled (Cable Tools)  
(Dug or drilled)

diameter 8 inches. Elevation of ground at well site 183 feet, mean sea level.  
(As near as known)

Depth to water table 26 feet.

7. Capacity of Well: 500 g.p.m. with 48 feet drawdown.

240 g.p.m. with 22 feet drawdown.

Date of test April 15, 1955

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap. valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

8 inch diameter **Welded Joints** 24.20# from Top to 101 feet  
 inch diameter from to feet  
 inch diameter from to feet  
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details: \_\_\_\_\_

**Welded Spring Steel**

9. Perforated Casings or Screens:

**Miller Perforator** 144 cuts from 87 to 100  
(Number per foot and size of perforations, or describe screen)  
 from to  
 from to  
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Top Soil & clay	0	22
yellow silty sand	22	26
Brown clay	26	35
Blue clay	35	56
Brown sand	56	58
Brown clay	58	75
Black sand	75	85
Loose Black gravel & sand	85	101

If log of well is not available, give name and address of driller.

C.D. Holcom

Rt. 2 Box 319

Salem, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions: (Length, course, and cross-sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Sacuzzi Bros. Turbine Capacity 150 g.p.m. (Make, type and size)

(b) Motor 10 HP 3 phase (Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
6 S.	2W.	19	NE1/4 of SE1/4	19.26	June 1955

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 6S Range 2W W.M.  
North



Locate well and acreage of irrigated land on plat.  
Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion } ss.

I, \_\_\_\_\_, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Charles D. Johnson  
(Signature of Registrant)

Subscribed and sworn to before me this 16th day of July, 1958

My commission expires 17th June 1961 Wm. S. Brantelmann  
(Notary Public)

(SEAL)

**CERTIFICATE OF REGISTRATION**

STATE OF OREGON

County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 16 day of July, 1958 at 4:15 o'clock P. M. and has been duly recorded in said office in Book No. 9 of Registration Statements on page GR-2126

Witness my hand this 10th day of March, 1959

Lewis A. Stanley  
(State Engineer)

By \_\_\_\_\_ (Deputy)

\$ 15.00