

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, E.L. Jordan

of 6435 Lake Labish Road Salem, County of Marion

(Mailing address)

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 6 miles Northeast of Salem  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows: 1760 feet South & 840 feet west from N 1/4 corner 32

(a) Well located approximately 18 feet North and 52 feet West of the Southeast  
(Give distance and bearing to corner of section or other legal subdivision)  
 corner of Lot 21, Labish Gardens, Township 0, South Range 2 West, W.M., Marion County, Oregon  
 being within SE 1/4 of NW 1/4 of Sec. 32, Twp. 6S, Rge. 2W  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city: \_\_\_\_\_

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

(If within city or town, give name)

County of \_\_\_\_\_

3. Construction Work was begun on June 25, 1955; was completed on July 1, 1955  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on July 15, 1955  
(Date)

since which time the water has been used \_\_\_\_\_  
(Continuously or intermittently)

from July 15, 1955 to \_\_\_\_\_ Date \_\_\_\_\_  
(Date) (Date)

4. Quantity of water claimed and used is 50 gallons per minute; \_\_\_\_\_ acre feet per year.

5. Purpose or Purposes for which water is used Domestic & Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 71 feet. Type Drilled (Cable Tools)  
(Dug or drilled)

diameter 6 inches. Elevation of ground at well site 175 feet, mean sea level.  
(As near as known)

Depth to water table 18 feet.

7. Capacity of Well: 60 g.p.m. with 6 feet drawdown.

\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test Bailer Test July 1, 1955

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

6 inch diameter ..... .280 Wall ..... from Top to 71 feet  
 ..... inch diameter ..... from ..... to ..... feet  
 ..... inch diameter ..... from ..... to ..... feet  
 ..... inch diameter ..... from ..... to ..... feet

Describe and show depth of shoe, plug, adapter, liner or other details: .....

Welded Spring Steel Shoe

9. Perforated Casings or Screens:

No Perforations ..... from ..... to .....  
(Number per foot and size of perforations, or describe screen)  
 ..... from ..... to .....  
 ..... from ..... to .....  
 ..... from ..... to .....

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Top Soil	0	3
Yellow Silt	3	18
Yellow Clay	18	40
Blue Clay	40	62
Brown Sand	62	68
Brown Sand & Gravel	68	71

If log of well is not available, give name and address of driller.

Orville Wymora RT. 1 Box 1 Brooks, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length \_\_\_\_\_ ft. Minimum depth \_\_\_\_\_ ft. Maximum depth \_\_\_\_\_ ft.

Bottom width \_\_\_\_\_ ft. Discharge \_\_\_\_\_ g.p.m. Date of test \_\_\_\_\_

12. Tunnel: Type of lining

Dimensions: \_\_\_\_\_  
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel \_\_\_\_\_

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Jacuzzi Bros. (Jet) Capacity 60 g.p.m.  
(Make, type and size)

(b) Motor Electric Single phase 3 HP  
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
<u>T6S</u>	<u>R2W</u>	<u>32</u>	<u>SW 1/4 of NW 1/4</u>	<u>4.21</u> <u>3.62</u>	<u>1955</u>
<u>"</u>	<u>"</u>	<u>32</u>	<u>SE 1/4 of NW 1/4</u>	<u>4.21</u> <u>6.83</u>	<u>"</u>
				<u>9.83</u>	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 6S Range 7W W.M.

North


Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion } ss.

I, Eldridge L. Jordan, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Eldridge L. Jordan  
(Signature of Registrant)

Subscribed and sworn to before me this 16th day of July, 1958

My commission expires May 14, 1962

Will H. [Signature]  
(Notary Public)

(SEAL)

**CERTIFICATE OF REGISTRATION**

STATE OF OREGON

County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 17th day of July, 1958, at 10:00 o'clock A.M. and has been duly recorded in said office in Book No. 9 of Registration Statements on page OR-2131

Witness my hand this 10th day of March, 1959

Henry A. Ottaway  
(State Engineer)

\$15.00

By \_\_\_\_\_ (Deputy)