

RECEIVED

JULY 1951

STATE ENGINEER

## SALES OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

## Registration Statement

TO THE STATE ENGINEER OF OREGON:

I, Doy Gatlin

of P. O. Box 206, Tangent County of Linn  
(Mailing address)

State of Oregon do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well  
(Flowing well, pump well, infiltration trench, or tunnel)2. Location is: In Tangent  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 66° 30' E. 1420' from NW corner of SW $\frac{1}{4}$  of S. 7, T. 12S, R. 3W  
(Give distance and bearing to corner of section or other legal subdivision)being within NW $\frac{1}{4}$  of SW $\frac{1}{4}$  of Sec. 7, Twp. 12S, Rge. 3W  
(Smallest legal subdivision) (N. or S. E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)County of Linn  
(If within city or town, give name)3. Construction Work was begun on 1951; was completed on 1951  
(Date) (Date)and the ground water claimed was first used for the purposes set out below on 1951  
(Date)since which time the water has been used continuously  
(Continuously or intermittently)from 1951 to present time  
(Date) (Date)4. Quantity of water claimed and used is 50 gallons per minute; 12.3 acre  
feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 35 feet. Type Drilled  
(Dug or drilled)diameter 8 inches. Elevation of ground at well site 230 feet, mean sea level  
(As near as known)

Depth to water table 15 feet.

7. Capacity of Well: g.p.m. with feet drawdown.  
g.p.m. with feet drawdown.

Date of test Not tested

If Flowing Well: Measured discharge g.p.m. on  
(Date)Shut-in pressure at ground surface lbs. per sq. in. on  
(Date)

Water is controlled by (Cap, valve, etc.)

**8. Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.)

18 inch diameter Steel casing from unknown to feet  
inch diameter from to feet  
inch diameter from to feet  
inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details: .....

**9. Perforated Casings or Screens:**

Unknown from to  
(Number per foot and size of perforations, or describe screen)  
from to  
from to  
from to

**10. Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Not available		

If log of well is not available, give name and address of driller. Unknown

11. Infiltration Trench: Covered or open .....

Dimensions: Length ..... ft. Minimum depth ..... ft. Maximum depth ..... ft.

Bottom width ..... ft. Discharge ..... g.p.m. Date of test .....

12. Tunnel: Type of lining .....

Dimensions: ..... (Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Gould Centrifugal Capacity ..... 75 g.p.m.  
(Make, type and size)

(b) Motor 3 H.P. electric  
(Type and horsepower)


14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
'12S	3W	7	NW <sup>1</sup> / <sub>4</sub> of SW <sup>1</sup> / <sub>4</sub>	2.8	1951
'12S	3W	7	NE <sup>1</sup> / <sub>4</sub> of SW <sup>1</sup> / <sub>4</sub>	1.3	1951
				4.1	
Beards Addition to the Town of Tangent, Oregon.					
	Lots 1, 2 8, 9, and 10, Blk 6, and all of Block 7, 14 and 15.				

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 12S Range 3W W.M.

North



Locate well and acreage of irrigated land on plat.

Scale: 2" — 1 Mile

STATE OF OREGON

County of Linn

{ ss.

I, Doy Gatlin, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Doy Gatlin

(Signature of Registrant)

Subscribed and sworn to before me this 17<sup>th</sup> day of July, 19<sup>60</sup>.

My commission expires Oct. 30, 1960.

Mary E. Purtell

(Notary Public)

(SEAL)

#### CERTIFICATE OF REGISTRATION

STATE OF OREGON

{ ss.

County of Marion

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 18<sup>th</sup> day of July, 1958, at 8:00 o'clock A.M. and has been duly recorded in said office in Book No. 10 of Registration Statements on page GR-2189.

Witness my hand this 10<sup>th</sup> day of March

1959

Lewis A. Stanley

(State Engineer)

\$15.00

By

(Deputy)

GR - 2189